

America Tunes In, But For How Long?

In June, the electromagnetic field (EMF) health debate went public with the almost simultaneous publication of Paul Brodeur's *New Yorker* series on the "Hazards of Electromagnetic Fields" and the Office of Technology Assessment's (OTA) report on power line EMFs (see p.1). The media, which, in the past, had been only fitfully interested in the EMF issue, suddenly could not get enough of it.

A clear consensus has emerged: We need to know much more about the effects of EMFs. Now the question is whether money will be available for the necessary studies.

Newsweek (July 10) warned, "We're not quite sure what we're up against, and we need urgently to find out." And *Time* (July 17) recommended limiting exposures from electric blankets, electric clocks and TV sets and advised, "Until the verdict is in, the watchword is prudence, not panic." (*U.S. News & World Report*—the third major weekly—ran a similar piece over two years ago—March 30, 1987.)

Television news soon followed. *Good Morning America* aired a segment on August 11 which included an exchange between Drs. David Carpenter, of the New York State Department of Health, and Gilbert Omenn, the chairman of the Electric Power Research Institute's (EPRI) EMF advisory committee. Dick Cavett devoted two of his cable talk shows to interviews with Brodeur.

And there is more to come. Articles are in the works at *USA Today*, *Family Circle*, *Discover* and *BusinessWeek*, among many others. *The Sunday Today Show* will air a piece on August 20; other news shows, including the much-hyped *Prime Time Live*, are planning their own EMF segments.

Public awareness certainly has grown. On the negative side, too much attention has been devoted to household appliances. *USA Today*'s short blurb on the OTA report was headlined "Killer Toasters?" (June 19) and the *New York Times* (July 11) ran illustrations of no fewer than eight different appliances—but, nonetheless, managed to omit the two which present the greatest potential risk, electric blankets and video display terminals (VDTs). The *Times* also managed to overstate EPRI's 1989 EMF bioeffects research budget—\$5.5 billion, instead of \$5.5 million.

MICROWAVE NEWS is published bimonthly • ISSN 0275-6595 • PO Box 1799, Grand Central Station, New York, NY 10163 • (212) 517-2800 • Editor and Publisher: Louis Slesin, Ph.D.; Associate Editors: Jennifer Goren, Sarah Verdone; Contributing Editor: Mark A. Pinsky; Copy Editors: Jim Feldman, Ann Hornaday; Intern: Fiona Greaves • Subscriptions: \$250.00 per year (\$285.00 Canada & Foreign, U.S. funds only); single copies: \$50.00 • Copyright © 1989 by Louis Slesin • Reproduction in any form is forbidden without written permission.

By far the most important word came from *Science* magazine. In a July 21 editorial, Deputy Editor Philip Abelson called for "much more" money for EMF health research (see p.6). Abelson based his appeal on the OTA report.

All this media attention has prompted replies from industry. In a letter to utility chief executive officers, EPRI called the OTA report a "balanced review" and sought to correct some of Brodeur's criticisms. EPRI stressed that it is working hard to find answers to power line health questions.

Over at ERI, Dr. Robert Kavet—whose earlier career at EPRI is featured in the *New Yorker* articles—prepared a review of Brodeur's analysis of VDT EMFs for the Center for Office Technology, whose members include IBM and AT&T. After disputing a number of Brodeur's points, Kavet nevertheless agreed that more needs to be done: "Further research and careful critical analysis should continue to address and resolve the questions raised by the science, as well as to address the public health concerns about health effects."

Dr. H.B. Graves and attorney Tom Watson, both at Crowell & Moring, the Washington, DC, law firm which represents utilities across the country, have released a "Fact Sheet" to try to put their own spin on the *New Yorker* series. They devote a number of pages to the Marcy-South lawsuit and to the team of experts which they assembled for the New York Power Authority and other utility clients. But they are silent about the serious charges that some of these experts violated National Institutes of Health rules on outside income in testifying as paid witnesses in these cases. Power companies are distributing the fact sheet far and wide.

The IEEE's Committee on Man and Radiation, known as COMAR, is preparing its own response.

What has been missing so far is the government's response. Informed sources have told *Microwave News* that high-level reviews of the state of research and current funding levels are under way at a number of federal agencies. Yet no one has come forward to make funding available for more research.

Members of Congress have been equally silent. Representative George Miller (D-CA) held a one-day hearing on power line health risks two years ago (see *MWN*, S/O87). But not a word has been heard since then from Miller or from anyone else on Capitol Hill. All legislative and regulatory activity remains at state and local levels.

The public is clamoring for answers and there is a national consensus for more health research. What more will it take for the federal health establishment to take its head out of the sand and start making EMFs a national priority?

CONFERENCES

New Listings

September 14-15: **Measurement of Power System Magnetic Fields**, Lenox, MA. Contact: Hazel Mazza, General Electric Co., High-Voltage Transmission Research Center, East New Lenox Rd., PO Box 796, Lenox, MA 01240, (413) 494-4359 (see p.12).

September 25-26: **1st Annual Transmission Symposium**, Washington, DC. Contact: The Management Exchange, 123 East 54th St., New York, NY 10022, (212) 371-8320 (see p.6).

October 27-29: **Electromagnetic Fields and Neurobiology: A Current Perspective**, Hilton of Santa Fe, Santa Fe, NM. Contact: D. Hjerresen, M-899, Los Alamos National Lab, Los Alamos, NM 87545, (505) 667-3839.

November 2-5: **Meeting of the Society of Telecommunications Consultants (STC), Telecommunications Consulting in the 1990s**, Sheraton Hotel and Towers, Seattle, WA. Contact: Effie Cooper, STC, 1841 Broadway, Suite 1203, New York, NY 10023, (212) 582-3909.

December 11-14: **5th International Conference on Mobile Radio and Personal Communications**, University of Warwick, U.K. Contact: Institute of Electrical Engineers, Savoy Place, London WC2R 0BL, U.K., (01) 240-1871, ext. 222.

1990

March 25-28: **1st International Congress on Therapeutic Electromedicine and Lasers**, Hyatt Regency, Jerusalem, Israel. Contact: Dr. Zion Singer, Secretary, Scientific Committee, Open University of Israel, PO Box 39328, Tel Aviv, 61392 Israel.

March 30-April 3: **44th Annual Broadcast Engineering Conference and 68th Annual Convention of the National Association of Broadcasters (NAB)**, Georgia World Congress Center, Atlanta, GA. Contact: Engineering Conference Committee, Science and Technology Department, NAB, 1771 N St., NW, Washington, DC 20036, (202) 429-5346.

April 4-5: **26th Annual Meeting of the National Council on Radiation Protection and Measurements (NCRP)**, Mayflower Hotel, Washington, DC. Contact: NCRP, 7910 Woodmont Ave., #800, Bethesda, MD 20814, (301) 657-2652.

April 17-20: **International Magnetics Conference (INTERMAG '90)**, Metropole Hotel, Brighton, U.K. Contact: Davina Houseago, INTERMAG '90, c/o ITEL, Brighton Polytechnic, Brighton BN2 4GJ, U.K., (273) 670400.

May 1-3: **6th International Ionospheric Effects Symposium**, Washington, DC. Contact: Ionospheric Effects Symposium Coordinator, Code 4180, Naval Research Laboratory, Washington, DC 20375 (see p.12).

May 6-11: **12th World Congress on Occupational Safety and Health**, Congress Centrum Hamburg, Hamburg, F.R.G. Contact: World Congress on Occupational Safety and Health, Hamburg Messe und Congress GmbH, Postfach 30 24 80, D-2000 Hamburg 36, F.R.G., (040) 35 69 22 42.

May 7-11: **IEEE AP-S International Symposium & URSI Radio Science Meeting**, Dallas Convention Center, Dallas, TX. Contact: Dr. Oren Kesler, IEEE AP-S/URSI Symposium, PO Box 860130, Plano, TX 75086, (214) 952-3772.

CLASSIFIEDS

VDT NEWS

"Recognized for its authority on
health and safety issues"

— *Fortune Magazine*

☐ 1-year subscription (6 bimonthly issues)
for \$87.00 (\$97.00 Canada & Foreign).

☐ _____ back issues, 1984-1988,
\$45.00 per year (\$50.00 Canada & Foreign).

[U.S. Funds Please]

Order from: *VDT News*, PO Box 1799,
Grand Central Station, New York, NY 10163,
(212) 517-2802.

Name _____
Institution _____
Address _____
City _____
State _____ Zip _____

Order Microwave News

☐ 1-year subscription (6 bimonthly issues)
for \$250.00 (\$285.00 Canada & Foreign).

☐ 6-month trial (3 bimonthly issues)
for \$130.00 (\$150.00 Canada & Foreign).


☐ _____ back issues, 1981-1988,
\$95.00 per year (\$100.00 Canada & Foreign).

[U.S. Funds Please]

Order from: *Microwave News*, PO Box 1799,
Grand Central Station, New York, NY 10163,
(212) 517-2800.

Name _____
Institution _____
Address _____
City _____
State _____ Zip _____

MICRO WAVE NEWS



Vol. X No. 4

A Report on Non-Ionizing Radiation

July/August 1990

INSIDE...

ELF NEWS pp.2-5

Power Line Talk:

Canadian Report Finally Out •
Grandmother Writes to the White House •
EPRI Advice at APPA Meeting • IBM Pays
To Bury Line • U.K. Line Rejected

"Microwave News" in "Time"

Mother of Leukemia Victim Sues Utility

Prudent Avoidance—Swedish Style

New Jersey Drafts 200 mG Standard

Table of Magnetic Field Exposure Limits

EPA To Test Gaussmeters

Virginia City Council Moves To Lower EMFs

PSE&G Makes a Promise

A Tie to Female Breast Cancer? p.9

Is the Pineal the Key to the Mechanism? p.9

Breast Cancer Bibliography p.10

Congress Pursues Case of NCI Experts p.12

HIGHLIGHTS pp.5-8

Impaired Immunity of Aluminum Workers

Swiss Endorse IRPA RF/MW Limits

RF Link to NY Cancer Cluster Studied

IEEE Committee on NIER Under Fire

ELF-Shielded VDTs Expected in 1991

FROM THE FIELD pp.11-12

EPA's Mantle on Sitting on Transformers

EPA on Guy Chronic MW Exposure Study

UPDATES pp.13-15

TENS Doesn't Work • Protecting Avionics
from EMI • EEC on VDT Radiation • X-Rays
from Broadcast Transmissions • Witness
List for EMP-Leukemia Trial • People in
the News • RF Menstruation Treatment •
"Issues" on EMFs • Satellites Interfere with
Astronomers • ANSI Actions • Proceedings
of VDT Meeting • FDA Report on PEMFs •
BRAGS Proceedings Offer • and more...

Male Breast Cancer Again Tied to Occupational EMF Exposures Support for the Johns Hopkins Study

Epidemiologists at the Fred Hutchinson Cancer Research Center in Seattle, WA, have uncovered new evidence for an association between occupational exposures to electromagnetic fields (EMFs) and the development of male breast cancer. The study supports the preliminary findings of a Johns Hopkins University (JHU) study, reported late last year, showing an increased risk of male breast cancer among young New York telephone workers (see *MWN*, N/D89).

Paul Demers, working with Dr. David Thomas's research group at the Hutchinson center, has found that telephone linemen, electricians and elec-

Special Report on EMFs and Breast Cancer: Are Women at Risk? Is the Pineal Gland Responsible? pp.9-10

tric power workers have six times the expected rate of male breast cancer—a statistically significant increase. For radio and communications workers, the risk was almost tripled. Overall, there was almost a doubling of the cancer risk for all EMF-exposed workers.

"Our results support the theory that EMFs are related to male breast cancer and raise the possibility of a tie to breast cancer among women," Demers told *Microwave News*. Indeed, Demers's findings are leading experts to take the possible link to female breast cancer more seriously (see story on p.9).

"It's a very important study that seriously raises the suspicion that

(continued on p.8)

Prospects for Federal EMF Research Funding Improve

The outlook for an expanded federal research program on the biological effects of electromagnetic fields (EMFs) has greatly improved. At a congressional hearing on July 25, industry and government representatives endorsed a research budget of \$34 million over the next five years. The bill, H.R.4801, which was introduced by Rep. Frank Pallone (D-NJ), is now likely to advance in the House of Representatives.

Rep. James Scheuer (D-NY), chairman of the House Committee on Science, Space and Technology's Subcommittee on Natural Resources, Agriculture Research and Environment, convened the hearing to consider H.R.4801, saying, "Much more must be done before we can be complacent

(continued on p.12)

« Power Line Talk »

Three years after beginning its study and two years after its last meeting, a working group on ELF fields set up in 1987 by Health and Welfare Canada has issued its report, *Electric and Magnetic Fields and Your Health*. Members of the working group were recruited from governmental agencies, academia, labor unions and utilities (see *MWN*, M/J87). One member, Gary Cwitco of the Communications and Electrical Workers of Canada, is unhappy not only for the delay in publication, but because the working group's real report—including its recommendations and conclusions—is buried in an appendix at the back of the published pamphlet. In an April 19 letter to Canada's Minister of National Health and Welfare, Perrin Beatty, Cwitco charged that the report had taken so long to be published that it is considerably weaker than if it had been written today. In addition, he expressed his surprise and frustration that the minister had not yet acted on one of the two recommendations made by the working group—to set up a committee to advise on future bioeffects research. Cwitco said that he had been "misled" by Health and Welfare Canada and that his concerns were "so great" that he would "seriously consider abstaining from any further work" with the department. At last word, Cwitco had not heard back from Beatty.

«« «»»

A "very concerned grandmother" has gone directly to the White House to express her concern over cancer risks from electric blankets. In a May 27 letter, she asked Barbara Bush to "do everything in your power to increase public awareness of this grave, potential danger." Her suspicions were aroused two years ago, when her 2½-year-old granddaughter was diagnosed with a neuroblastoma. After seeing a TV report on EMFs and electric blankets, the woman questioned her daughter, who contacted five other mothers of children with neuroblastomas and discovered that the six of them had all used electric blankets during their pregnancies. "It is a heartbreak to think that possibly a lot of these cancers might never have happened had the public been warned," she wrote. The grandmother, who lives near New York City, asked that her name not be published.

"Microwave News" in "Time"

The recent explosion in media coverage of non-ionizing radiation health risks reached new heights with the July 30 issue of *Time* magazine, in which *Microwave News* was profiled in a three-column article by Philip Elmer-DeWitt titled "Hidden Hazards of the Airwaves: An Obscure Newsletter Uncovers the Perils of the Information Age."

«« «»»

"Open, frank and honest communication..." is essential if the electric power industry is to head off a stampede toward restrictive public policy on power line construction, the Electric Power Research Institute's (EPRI) Director of Corporate Communications Richard Claeys told the American Public Power Association (APPA). In a June 11 speech at the APPA's annual meeting in Denver, CO, Claeys described a rising tide of public concern over EMF hazards. An EPRI poll of 100 utility CEOs last December found that customer inquiries and press calls about EMFs have tripled and that employee concerns are up 50 percent. "I exhort you, as industry leaders and communications professionals, to plan now...prepare yourselves for the possibility of positive research evidence or—and maybe worse—conflicting or inconclusive findings in an atmosphere of rising public anxiety," Claeys said. He advised his audience not to dismiss fears out of hand, but rather to acknowledge their legitimacy and support further scientific research: "You have to help in giving this issue the attention and the sincere concern that it deserves."

«« «»»

IBM in Boulder, CO, has agreed to pay \$680,000 to bury a planned 230 kV line that nearby residents feared would create higher EMF levels and reduce the value of their homes. IBM's contribution represents the difference in cost between building a double-circuit overhead line (reportedly \$2.3 million) and a single-circuit underground line (\$3 million). The line, which will be approximately two miles long, is intended to serve IBM's needs exclusively. An IBM spokesman told us that following an agreement with the local utility, Public Service Co., the company now has "happy neighbors." Construction is expected to begin in the spring of 1991.

«« «»»

After hearing testimony on the potential health hazards of power line EMFs, the Great Yarmouth Borough Council in the U.K. has rejected a new 132 kV overhead transmission line proposed by Eastern Electricity, according to the July 22 issue of *The Observer*, a U.K. weekly newspaper. The council is asking Eastern to bury the line, a move which would add £4 million (\$7 million) to the £120 million (\$216 million) project. This is the first time a power line project has been derailed on health grounds in the U.K., *The Observer* noted. Power line EMFs have been the subject of sharp debate in England since *Electronics World+Wireless World*, a monthly trade magazine, ran a cover story on the "Killing Fields" in its February 1990 issue (see *MWN*, M/A90).

Mother of Leukemia Victim Sues Washington State Utility

In June, the mother of a teenage girl who died of leukemia in 1987 filed a "wrongful death" suit against the Public Utilities District (PUD) of Clark County, WA. The suit alleges that exposure to electromagnetic fields (EMFs) from power lines at home and at school and from a substation near her home caused the cancer.

Between 1979 and 1983, Ariana Hightower attended Crestline Elementary School, which has a 12.5 kV distribution line and a 115 kV transmission line running adjacent to school property. There were seven cases of cancer reported among Crestline students between 1982 and 1989.

In the suit, Ariana's mother, Sheila Hightower Anderson, contends that the utility "has a common law duty to prevent harm to the public" and was negligent in that it failed to warn citizens in Clark County of potential EMF hazards, according to the July 6 issue of *Clearing Up*, a Pacific Northwest energy industry weekly. Anderson's complaint was filed shortly before the statute of limitations deadline.

"We don't feel the utility is to blame," said Clark PUD spokesman Bruce Bosch. In response to community concerns, the utility measured EMF levels at Crestline and other schools in the Vancouver, WA, area earlier this year and found "very low levels of both electric and magnetic fields that were caused by the fluorescent lighting...."

Michael Hicks, the Vancouver attorney who is representing Mrs. Anderson, would not comment on whether suits from other Crestline parents would be forthcoming.

The apparent cancer cluster has prompted the Southwest Washington Health District to initiate an investigation into possible causes, including EMFs. Dr. Karen Steingart, the chief investigator on the case, told *Microwave News* that, compared with other schools in the area, Crestline does not have significantly elevated EMF levels. She also noted that there were four different types of cancer among the seven children, and four of the seven had lived in the area for less than one year prior to diagnosis. A final report has not yet been issued.

In December 1987, a Texas family sued Houston Lighting & Power, alleging that EMFs from a 345 kV power line caused Michael Scott to develop an astrocytic brain tumor at age 26 (see *MWN*, J/F88). John McDowell of Bankston & McDowell in Houston, TX, the attorney representing the Scott family, told *Microwave News* in late July that the suit is still pending and that he expects a trial date in early 1991.

Correction

In the M/J90 issue, the stated increase in brain tumors observed by Dr. David Savitz among children whose mothers used electric blankets during the first trimester of pregnancy was incorrect. It should have read 300%. See *American Journal of Epidemiology*, 131, pp.763-773, 1990.

Prudent Avoidance —Swedish Style

The Swedish National Energy Administration (NEA) has advised that new schools, day-care centers and playgrounds not be located near power lines, "pending further research."

In a February 1 letter that has been widely distributed among utility officials and health researchers, Jaak Nöu, the head of NEA's department of electrical safety, recommended that magnetic fields in those areas not exceed 2-3 mG—the threshold for increased childhood cancer risks indicated by the Wertheimer-Leeper and Savitz studies. The letter was addressed to a homeowner living next to a power line which the State Power Board is planning to upgrade from 220 kV to 400 kV.

Nöu also urged a "strategy of caution" for residential construction over the next two years, recommending that areas furthest away from power lines be developed first, with additional work contingent on the results of ongoing studies.

Several epidemiological studies on the link between power line magnetic fields and cancer are now under way in Sweden (see *MWN*, M/J87 and N/D89).

New Jersey Drafts 200 mG Power Line ROW Limits

The New Jersey Commission on Radiation Protection is considering the adoption of standards to limit power line electromagnetic fields (EMFs) and to prohibit the siting of new playgrounds in their right-of-ways (ROWs).

"My goal is to get the power companies to take health concerns seriously when they put up new power lines," Dr. Fred Sterzer told *Microwave News*. Sterzer, of MMTTC, Inc. in Princeton, NJ, is the chairman of the commission's Non-Ionizing Radiation Advisory Committee, which is drafting the standards. He advocates making power line EMFs "as low as is reasonably achievable," a strategy better known by its acronym, ALARA. Sterzer does research on biomedical applications of non-ionizing radiation.

Dr. Max Weiss, the chairman of the commission and a former staffer at AT&T Bell Labs, told *Microwave News* that the commission is "not far away from adopting some rules." Action could come at the commission's next meeting on September 19, or, more likely, at its October 17 session. The commission can accept or reject the advisory committee's recommendations.

If adopted, the standards would require that EMFs at the edge of a new power line's ROW not exceed 200 mG. The magnetic field strength of existing power lines would be

Public Exposure Limits for ELF Magnetic Fields

<i>Regulatory Body</i>	<i>Magnetic Field Limit (mG)</i>	<i>MWN References</i>
International Radiation Protection Association (1989)	1,000	M/J89
New York (1990) Public Service Commission	200*	M/A90
New Jersey (1990) Commission on Radiation Protection	200* (draft)	See story below
Florida (1989) Department of Environmental Regulation	150-250*	M/A89

* Along power line right-of-ways

(The Wertheimer-Leeper and Savitz studies indicated an increased cancer risk in children at 2-3 mG.)

limited to "the maximum current rating." The draft standards are similar to those in Florida and to one proposed in New York state (see table above).

Electric field strength would be limited to 3 kV/m along the ROWs of all power lines.

John Karcher of Jersey Central Power & Light (JCP&L) in Morristown, a member of the committee, said that he is in basic agreement with the 200 mG limit.

The proposed standards have already drawn fire from citizens who point to epidemiological studies which have found an increased risk of cancer at levels one hundred times weaker than the proposed limit. "The power companies couldn't ask for anything more," said Melvin Greenberg, a lawyer for Middletown Township, which is opposing a new JCP&L 230kV power line through the town (see MWN, J/A89).

Mary Cashen Purcell, one of the founders of Residents Against Giant Electric (RAGE), a group opposing the new line, criticized the composition of the drafting committee. "The foxes are guarding the chickens," she said. She characterized the controversy as a struggle of "industry against citizens, profits over common sense."

One of the options being considered for the new rules would prohibit the construction of new playgrounds in ROWs. Weiss said that there is "general agreement" on this provision.

How the state will treat those playgrounds already in ROWs is not clear. Sterzer said that there are playgrounds under power lines all over the state and that he favors their removal, but he acknowledged that this is probably not politically feasible.

Sterzer stressed that in keeping with the ALARA policy, power companies would have to show that they have taken "reasonable measures to minimize the fields" from new power lines. The proposed standards would require that new or upgraded power lines be built so that they would generate

lower EMFs:

The new line must be constructed using the following methods: (1) underground burial in pipe-type cable; (2) transmission of power via direct current; (3) high phase order; (4) if the line is a double circuit, use compact configuration, reverse phasing and raise the conductors ten feet higher than standard construction; or (5) if the line is a single circuit, vertically configure the conductors and raise the conductors 10 feet higher than standard construction.

Before they could be adopted, the standards would be reviewed by lawyers from the state Department of Environmental Protection and a public hearing would be held. According to Weiss, the process could take from six months to a year.

EPA To Test Gaussmeters

The Environmental Protection Agency (EPA) will evaluate ELF gaussmeters. Edwin Mantiply of EPA's Office of Radiation Programs (ORP) in Las Vegas, NV, who is leading the project, is limiting the tests to relatively inexpensive, non-recording meters.

In June, Mantiply asked more than 20 manufacturers to loan EPA their meters. The tests will include measurements of accuracy, sensitivity, frequency response and susceptibility to radiofrequency interference. The results, which are due by the end of the year, will be made available to the public.

Until now, no government agency has tested the growing number of ELF gaussmeters on the market. For a list of available meters, see MWN, J/F90 and M/J90.

For more information, contact: Edwin Mantiply, EPA, ORP, PO Box 98517, Las Vegas, NV 89193, (702) 798-2476.

Alexandria, Virginia, Moves To Reduce Power Line EMFs

The city council of Alexandria, VA, has voted to endorse a plan to reduce power line electromagnetic field (EMF) levels on several blocks in the densely populated Old Town section of the city. The plan, proposed by a task force made up of representatives from the city council, citizens groups and Virginia Power, would require that the lines be either buried, relocated or upgraded from 4 kV to 34.5 kV.

Distribution lines crisscross Old Town, running very close to buildings on the narrow streets. Magnetic fields of up to 45 mG have been measured inside some of the houses.

Though the council's endorsement is not a formal approval of the plan, Thomas O'Kane, Alexandria's director of transportation and environmental services, told *Microwave News* that the city is presently looking into underground routes for the lines. Estimates of the cost of burial run as high as \$3 million.

Negotiations with Virginia Power over funding for the project are still under way. Coincidentally, Virginia Power's 30-year franchise agreement with the city runs out this year, and the utility is in the process of negotiating to maintain its exclusive rights to supply Alexandria with electricity. Though the city previously paid for burying lines in Old Town, John Oyenart, Virginia Power's customer service manager, told *Microwave News* that Alexandria's mayor, Jim Moran, has proposed that the utility pay for the project as a condition of the franchise agreement.

Although Oyenart refused to endorse or to reject the task force's proposal, he was skeptical about the merits of the plan. "The jury is still out as far as any possible EMF health risks,"

PSE&G Makes a Promise

"You have a right to know the facts and we pledge our best efforts in getting them to you," Public Service Electric and Gas (PSE&G), New Jersey's largest electric utility, promises in an ad running in 15 daily New Jersey newspapers. The ad is part of a \$70,000 publicity campaign on EMFs which began in June and which will conclude in August.

The ads—titled "What you should know about EMF"; "What is being done about EMF"; and "A promise about EMF"—stress PSE&G's commitment to the Electric Power Research Institute's (EPRI) research program on bioeffects and to keeping customers informed.

The ads do not acknowledge EMF health hazards: "It is PSE&G's belief, based on the latest...evidence, that EMF does not represent a threat to the health and safety of its customers and employees." EMF health effects are termed "rare, difficult to detect and quite subtle, if they exist at all," though the utility admits that there are "valid concerns."

According to Neil Brown, a company spokesman, PSE&G had received 100 requests for more information by mid-July.

he said, adding that he "is pretty sure that undergrounding won't get rid of the fields."

Since the utility does not acknowledge any EMF health risks, the project may be billed as "historic undergrounding," intended to preserve the aesthetic beauty of Old Town, O'Kane said.

HIGHLIGHTS

Abnormal Immune Systems Among Aluminum Workers

Aluminum workers who were routinely exposed to very high magnetic fields and toxic chemicals had abnormal immune systems, according to a new study by Drs. Robert Davis and Samuel Milham Jr. of the Washington state Department of Health in Olympia.

In their pilot study, Davis and Milham selected 23 apparently healthy volunteers, aged 35-54, from a group of 350 workers and found that 15 of the 20 who worked in the "potrooms" had elevated levels of T8 suppressor lymphocytes (white blood cells) compared to the three who worked in other parts of the plant. The large number of T8 cells lowered the ratio of T4 to T8 lymphocytes—an indicator of abnormal immune function. Two of the three non-potroom workers also had low T4/T8 ratios, though these were due to low T4 counts.

"These workers definitely had abnormal immune profiles,"

Milham told *Microwave News* in a telephone interview. "Now we must find out whether their immune functions are impaired." Potroom workers were employed on an average of 18 years at the plant—13 years in the potrooms.

Those suffering from AIDS also have low T4/T8 ratios, making them very susceptible to pathogens which the immune system could otherwise fight off. In AIDS patients, however, the ratio is low because of an abnormally low number of T4 helper lymphocytes.

Potroom workers are exposed to very high magnetic fields, intense heat and a host of toxic chemicals, including benzene and polycyclic aromatic hydrocarbons. Aluminum ions are reduced into the metal in large steel pots.

Although Davis and Milham did not measure the electromagnetic fields (EMFs) in the potrooms, they cited a study by Dr. Tom Tenforde—now at the Battelle Pacific Northwest

HIGHLIGHTS

Lab in Richland, WA—indicating that magnetic fields greater than 100 G can be generated in the electrolytic reduction of aluminum. Whether the magnetic fields were static or time-varying was not specified.

The new study was prompted by Milham's observation of a cluster of five cases of B-cell lymphoma among aluminum plant workers between 1978 and 1985. Previous studies of occupational mortality among Washington state aluminum workers had also shown higher-than-expected rates of lymphoma. Although Davis and Milham point out that the observed immune system changes may have no bearing on the increased lymphoma rate, they note that immunodeficiency is a "known risk factor" for B-cell lymphoma.

The researchers were also careful to point out that, "The cause of these findings is unknown." Nevertheless, they cited experiments by Dr. Dan Lyle, working with Dr. Ross Adey at the VA Hospital in Loma Linda, CA, showing that EMFs can alter the immune response of exposed cells (see *MWN*, My83).

In addition, Dr. Jerry Phillips, who recently joined Adey's lab, has reported that human cancer cells exposed to EMFs are less susceptible to attack by lymphocytes (see *MWN*, J/A86).

Milham is the author of a number of landmark studies on the link between EMFs and cancer (see *MWN*, J/A82, My85, J/A85, M/A86, N/D87 and J/F89).

Davis and Milham's paper, "Altered Immune Status in Aluminum Reduction Plant Workers," appears in the *American Journal of Industrial Medicine*, 18, pp.79-85, July 1990.

Swiss Advisory Group Endorses IRPA's RF/MW Limits

An advisory committee to the Swiss Federal Office for Environment, Forests and Landscape (known by its German acronym, BUWAL) has endorsed the International Radiation Protection Association's (IRPA) standards for human exposure to radiofrequency and microwave radiation in the 100 kHz–300 GHz frequency band.

The IRPA standards, adopted in 1984 and revised in 1988, are based on a specific absorption rate (SAR) of 0.08 W/Kg for the general public—equivalent to 200 μ W/cm² at 10–400 MHz (see *MWN*, Mr84 and J/F88).

The BUWAL will use the committee's recommendations to set federal safety standards.

In its June 1990 report, the advisory group, chaired by Dr. H. Krueger, a professor at the Swiss Federal Institute of Technology (ETH) in Zurich, concludes that the threshold for ill effects, based on animal studies, is in the range of 2–4 W/Kg and recommends the application of a safety factor of 50. It also notes that, at frequencies below 50 MHz, shock and burn hazards occur at SARs "well below 2 W/Kg."

Though Krueger's committee indicates that modulated fields and specific frequencies may be responsible for non-thermal effects, it decided that, without knowing the respon-

sible mechanisms of interaction, it was impossible to set standards for non-thermal effects.

A future report will address health risks from exposures to frequencies below 100 kHz.

For a copy of *Biological Effects of Non-Ionizing Electromagnetic Radiation on Human Beings and the Environment—Part 1: Frequency Band 100 kHz to 300 GHz*, Environmental Protection Document No. 121, contact: Dokumentationsdienst, Bundesamt für Umwelt, Wald und Landschaft (BUWAL), Hallwylstrasse 4, 3003 Bern, Switzerland, (031) 61-69-64.

The title of the document in German is: *Biologische Auswirkungen Nichtionisierender Elektromagnetischer Strahlung auf den Menschen und seine Umwelt—I. Teil: Frequenzbereich 100 kHz bis 300 GHz*, Schriftenreihe Umweltschutz Nr. 121.

RF Link to New York Cancer Cluster Under Study

An investigation is under way of a cluster of non-Hodgkin's lymphomas (NHL)—a rare cancer of the lymph system—among workers at the University of Rochester, NY. Since 1980, there have been at least ten—some say eleven—cases reported among those who now work, or used to work, at the school's Lattimore Hall, according to the *Rochester Times-Union*. No cause for the cluster has been identified, though some have pointed to the campus's 1,000-watt FM radio (WRUR) antenna, located 100 feet from Lattimore Hall.

"It's a striking cluster," Dr. James Melius, director of the division of occupational health and environmental epidemiology at the state Department of Health (DOH), told *Microwave News*. Melius, who is following the university's investigation for the DOH, added that radiofrequency (RF) radiation is a "legitimate concern."

There are, however, opposing views on whether RF radiation may be a factor in the cluster. In an interview, Dr. Clifford Reifler of the University of Rochester's Medical Center said that RF radiation has been dismissed as a possible cause, along with asbestos, radon, ionizing radiation, water contamination and building materials. "It doesn't appear to be a problem with the environment," he added. Reifler is coordinating the university's investigation with the DOH.

A June 9 RF radiation survey of Lattimore Hall and nearby buildings by Galson Technical Services, Inc., a Rochester-based consulting firm, found no detectable levels. The report, commissioned by the university, concluded that the RF levels are not hazardous because they are far lower than the guidelines specified by the American National Standards Institute (ANSI) and by the American Conference of Governmental Industrial Hygienists (ACGIH).

Galson's failure to detect RF radiation may be due to the meter used: the HI-3002 manufactured by Holaday Industries in Eden Prairie, MN. Holaday's Dave Baron told *Microwave News* that, "The low end of the sensitivity range of the HI-

3002 is 250 $\mu\text{W}/\text{cm}^2$. To detect levels in the microwatt range one should use one of our more sensitive meters."

Dr. Robert Becker, a consultant based in Lowville, NY, who has been following the cluster investigation, doubts that the ANSI and ACGIH standards are appropriate for assessing cancer risks: "These 'safe' levels have little justification in reality, they are rather arbitrary and have been questioned for some time," he said. "The RF survey in no way proves that there is no relation between the cancer cluster and the radio signals."

The university was first alerted to the Lattimore Hall cluster in 1986 when three women in their 30s developed cancer: two were diagnosed with NHL, one with breast cancer. Since then, nine more cases of NHL have been identified. One of these cases is not officially considered part of the cluster, since it involves a student who was at the university for only 18 months before the cancer was diagnosed.

"Our plan is to follow up and see if there are any more cases [of NHL]," Melius told *Microwave News*. The DOH is now going over health records of current and former university employees to see if some cases have been overlooked. Mary Ellin Arch, who is covering the cluster for the *Times-Union*, said that she has been inundated with calls from people who say that they are part of the cluster but haven't been counted.

There have been additional cases of breast cancer since the first report, though the investigators are not considering these, because there is "no suggestion that breast cancer has ever been caused by environmental factors," Reifler said.

Lattimore Hall housed chemistry labs until it was renovated in 1974, prompting some to question whether some leftover toxic substance might be responsible for the cluster. Reifler dismisses this, however: "Anything that was in the building before 1974 is gone," he said.

Makeup of IEEE Committee on NIER Under Fire

The membership of the Institute of Electrical and Electronic Engineers' (IEEE) committee developing standards on non-ionizing electromagnetic radiation (NIER) is being criticized because of its lack of biological and medical expertise and because the majority of its members represent the U.S. military.

The dispute threatens to delay the revision of the 1982 American National Standards Institute (ANSI) safety guidelines for radiofrequency and microwave (RF/MW) radiation and to hinder the committee from developing exposure standards for extremely low frequency (ELF) electromagnetic fields (EMFs). IEEE Standards Coordinating Committee 28 (SCC28), the new incarnation of ANSI Committee C95, has been working on revising the RF/MW standard since 1983 (see *MWN*, J/A83).

Fletcher Buckley, a member of the IEEE Standards Board, who works for General Electric (GE) in Moorestown, NJ, raised the issue of the IEEE's lack of expertise in bioelectromagnetics in a May 16 memorandum to Marco Migliaro of Impell Corp.

ELF-Shielded VDTs Expected in 1991

Sigma Designs, Inc. will market high-resolution video display terminals (VDTs) that are shielded to reduce ELF fields in the first quarter of 1991—the first U.S. company to make such a commitment for cathode ray tube monitors.

Only monochrome and gray-scale VDTs with reduced ELF emissions will be available, according to Sigma's Charlie Waters. In a telephone interview, he told *Microwave News* that all color monitors sold in the U.S. are manufactured overseas. "We are dependent on the Japanese for a color solution," he said. Sigma's color terminals are made by Sony Corp.

Following the lead of IBM (see *MWN*, N/D89), Sigma announced in late July that it would immediately start selling VDTs shielded to meet Swedish guidelines for very low frequency (VLF) fields. Sigma has been selling low VLF computer terminals in Sweden since 1988.

Sigma, which is based in Fremont, CA, did not specify the emission levels of its ELF-shielded VDTs, saying only that it would meet the Swedish ELF guidelines expected later this year.

Sigma is a major supplier of VDTs and other hardware for IBM, Macintosh and compatible systems. Last year, its sales were over \$75 million. The company sells tens of thousands of VDTs each year, according to Waters.

in Melville, NY, the chairman of the IEEE Standards Board. "It is not clear that the IEEE by itself can come to an authoritative conclusion on the long-term dangers of cancer from long-term exposure to low-level [EMFs]," Buckley wrote.

"Where is the competence to determine low-level effects? We at the IEEE are not in the field nor do we publish epidemiological studies or other literature on cancer," he told *Microwave News* in a telephone interview. Buckley explained that he is concerned about the IEEE's expertise in both ELF EMFs and RF/MW biological effects. He also made clear that he was not speaking on behalf of GE.

Buckley's memo touched off a letter-writing campaign in support of the committee's work by a number of its members, including: Dr. Jay Brandinger of SRI International on behalf of the Electromagnetic Energy Policy Alliance, a trade group based in Washington, DC; Dr. Bill Guy of the University of Washington in Seattle; Dr. Don Justesen of the VA Medical Center in Kansas City, MO; John Mitchell of the Air Force School of Aerospace Medicine in San Antonio, TX; Dr. Elliot Postow of the National Institutes of Health (NIH) in Bethesda, MD; and Dr. Sol Michaelson of the University of Rochester in Rochester, NY.

Indeed, in his letter to Migliaro, Justesen raised "the question of the appropriateness of [Buckley's] membership on the

HIGHLIGHTS

Standards Board." Migliaro could not be reached for comment.

At the last meeting of SCC28, held in San Antonio, TX, on June 9, NIH's Postow expressed concern over the predominance of military interests on the committee, pointing out that 17 of the 31 members are associated with the Department of Defense (DOD), as are 8 of 13 liaison members. The DOD's role in the redrafting of the standard was also raised at last year's SCC28 meeting in Tucson, AZ (see *MWN*, S/O89).

"I am not happy with the process," Postow said in an interview. Similarly, Dr. Om Gandhi of the University of Utah in Salt Lake City, the cochairman of the subcommittee that is revising the 1982 ANSI standard, told *Microwave News* that the SCC28 committee "is not going to sit well with the public." Gandhi said that the committee needs new members, adding that, "I think it should be a balanced committee."

SRI's Brandinger, the chairman of SCC28's membership subcommittee, has been asked to investigate how to achieve balance. In an interview, he predicted that two of the military members would step down from the committee.

At the June meeting, the members of SCC28 voted to set up a new subcommittee to study the possibility of issuing a standard for exposures to ELFEMFs. The only dissenting votes came from Dr. Dave Erwin of the Air Force School of Aero-

space Medicine and Lt. Col. H.F. Kerschner of the U.S. Naval Medical Command in Washington, DC. SCC28 Chairman Dr. Tom Budinger of the Lawrence Berkeley Lab in Berkeley, CA, deferred selecting the members of the new subcommittee.

"The IEEE will probably investigate ELF frequencies," John Woods, the institute's staff liaison with SCC28, told *Microwave News*, but he pointed out that a number of other IEEE groups have an interest in the subject.

Interestingly, both issues—the committee's membership and the desirability of setting ELF standards—have been raised before. In 1984, Dr. Nicholas Steneck, a professor of history at the University of Michigan in Ann Arbor, charged that the committee did not represent the public interest (see *MWN*, O84), and in 1986, a subcommittee issued a report on the question of ELF standards—but the idea was never pursued (see *MWN*, J/F86).

It is not clear how long the resolution of these issues will delay the approval of the revised RF/MW standard and whether the IEEE will allow SCC28 to address ELFEMFs. While a clear majority of the members of the subcommittee that revised the 1982 standard favor the proposed draft, the questions of membership expertise and balance will have to be resolved before the standard can be adopted.

Male Breast Cancer Again Tied to EMFs (continued from p.1)

exposure to EMFs increases the risk of breast cancer in men, and perhaps, in women," Dr. Richard Stevens of the Battelle Pacific Northwest Lab in Richland, WA, said in a telephone interview. Three years ago, Stevens published a paper suggesting that the higher incidence of breast cancer among women in industrialized countries is related to increased EMF exposures and/or increased "light-at-night" (see *MWN*, J/F87).

Demers's case-control study was based on 227 cases of male breast cancer occurring over a three-year period and 300 controls. Exposures were characterized by occupational history.

Demers pointed out that his results are "consistent" with the few available details on the JHU study. Last November, Drs. Genevieve Matanoski, Patrick Breyse and Elizabeth Elliott reported that they had found at least two cases of breast cancer among male central office technicians where none were expected. Furthermore, there were three or four more cases which did not fit the study's case definition, according to Breyse (see

MWN, N/D89).

Matanoski told *Microwave News* that after analyzing her data, she contacted the Hutchinson researchers—who were already investigating male breast cancer risk factors—and suggested they take a look at the potential EMF connection.

The JHU team has suspended work on the New York study pending the completion of their nationwide case-control study of telephone workers (see *MWN*, N/D88 and M/A90).

Like the JHU researchers, who focused on active—hence, younger—workers, Demers observed a higher risk among men who were first exposed before they turned 30. Workers who were first exposed 30 or more years prior to diagnosis made up a second high risk group, Demers said: "If we had limited our study to ten-year exposures, we may not have seen anything." He noted that there was a great deal of overlap between the two groups. Duration of exposure, for the most part, was not related to risk, however.

Demers announced his findings at the 23rd Annual Meeting of the Society for Epidemiologic Research, held June 12-15 at the Snowbird Resort near Salt Lake City, UT. He expects to submit a paper for publication in the near future. Demers's study is part of the larger investigation of male breast cancer by Thomas and coworkers being conducted at the Hutchinson center.

A second study of male breast cancer, which was also presented at the Utah meeting, concluded that there was no association with on-the-job EMF exposures. Paula Rosenbaum, who works with Dr. John Vena at the State University of New

MICROWAVE NEWS is published bimonthly • ISSN 0275-6595 • PO Box 1799, Grand Central Station, New York, NY 10163 • (212) 517-2800; FAX (212) 734-0316 • Editor and Publisher: Louis Slesin, PhD; Senior Editor: Jennifer Goren; Assistant Editors: Matthew Connelly, Barton Biggs; Contributing Editor: Mark A. Pinsky; Copy Editors: Jim Feldman, Peter Pullman • Subscriptions: \$250.00 per year (\$285.00 Canada & Foreign, U.S. funds only); single copies: \$50.00 • Copyright © 1990 by Louis Slesin • Reproduction in any form is forbidden without written permission.

York in Buffalo, declined to discuss her findings with *Microwave News*. Vena was unavailable for comment.

The male breast cancer cases in the JHU study were among "central office technicians" who were exposed to complex EMFs with transient pulses generated by the on-off switching of equipment, JHU's Breyse told *Microwave News* last November. At that time, he suggested that the on-off pattern may be more significant for biological activity than constant 60 Hz field exposures. Those with the highest risk in the Demers study—electricians, telephone linemen and electric power workers—may also have been exposed to complex EMF waveforms.

Are EMFs Risk Factors for Breast Cancer in Women?

As the link between electromagnetic fields (EMFs) and male breast cancer grows stronger, researchers are asking

whether EMFs may also play a role in the development of breast cancer among women.

Dr. Richard Stevens of the Battelle Pacific Northwest Lab has long maintained that the link between EMFs and female breast cancer requires a full-scale investigation (see p.1).

Actually, while there have been no studies of EMFs and female breast cancer, many experts say that male and female breast cancers are essentially the same disease.

"There are many more similarities than there are differences among male and female breast cancer," Dr. David Blask of the University of Arizona College of Medicine in Tucson told *Microwave News*.

Similarly, Dr. David Thomas of the Fred Hutchinson Cancer Research Center in Seattle, WA, said that male and female breast cancers "look the same histologically under the microscope."

When asked about the EMF-female breast cancer connection, Blask replied, "I don't know if there is enough to sound the alarm, but it's something worthy of study." Thomas

Is the Pineal the Key to the Mechanism of Interaction?

Dr. Russel Reiter of the University of Texas Health Science Center in San Antonio, a pioneer researcher on the effects of light and ELF fields on the pineal gland, may have an explanation for how magnetic fields might lead to cancer.

It has long been known that the pineal's production of the hormone melatonin—which inhibits the growth of certain cancers—can be suppressed by EMFs, as well as by light (see *MWN*, M/J88). Now Reiter suggests that fast magnetic field pulses are responsible for this EMF effect.

By examining the nocturnal pineal rhythms of rats exposed to a 400 mG static magnetic field which was periodically inverted, Reiter and coworkers have narrowed down the cause of the effect to abrupt changes in the field. They propose that the electric currents induced by these changes create magnetophosphenes in the retina, which are interpreted as light by the brain. This in turn causes melatonin levels, which are elevated at night, to drop.

The ability of ELF fields to trigger magnetophosphenes has long been known, but the effect has generally been considered benign.

Reiter emphasizes that relatively steady magnetic fields do not affect pineal rhythms. "A short, quick pulse is what clearly induces the change by inducing the electrical currents necessary to create visual impressions of light," Reiter told *Microwave News*. Shifting position while sleeping, for example, wouldn't interrupt the pineal-melatonin cycle, but turning on a hair dryer might, he said.

In a recent paper published in *Biochemical and Biophysical Research Communications*, Reiter and colleagues conclude that the observed pineal effects are most likely explained by "induced currents in the nervous system caused by

the on- and off-transients of the...magnetic field...."

What is not clear is whether magnetic field exposures during the day—when melatonin levels are normally low—affect nighttime levels. Reiter's team is currently working on this question.

"Clearly, there may be some adverse effect of electric and magnetic field exposure," Reiter said, but added, "We don't know if these exposures change melatonin levels enough to cause cancer."

Dr. David Blask of the University of Arizona College of Medicine in Tucson and Dr. Steven Hill of the Abilene Christian University in Abilene, TX, reported in 1988 that melatonin concentrations similar to levels present in the bloodstream caused a 60-78% inhibition of *in vitro* human breast cancer cell proliferation, but that lower and higher levels had no effect. More recently, Blask has been working with researchers at the Battelle Pacific Northwest Lab in Richland, WA, who have done trailblazing work on ELF field effects on pineal rhythms and cancer.

Much more work is needed to fill in all the pieces of the puzzle. Indeed, the Environmental Protection Agency's current draft report on EMFs and cancer (see *MWN*, M/J90 and p.11) calls for more research on the EMF-pineal-breast cancer link: "The suppressive effects of ELF on pineal melatonin production and the general oncostatic properties of melatonin in several endocrine-stimulated tumors provide indirect evidence for the hypothesis that ELF exposure may be a risk factor in the growth of these tumors. Studies which incorporate all three parameters, ELF exposure, melatonin production and breast cancer induction, are needed for further evaluation of this hypothesis."

SPECIAL REPORT: Breast Cancer and EMFs

said that until more results on EMF effects were in, he would not be willing to "make the jump" from male to female breast cancer.

The results of his ongoing study of risk factors for male breast cancer may provide leads for further study of breast cancer in women. Thomas concluded in a paper presented at the *Annual Meeting of the American Epidemiological Society*, March 22-23, 1990, in Baltimore, MD.

Due to the prevalence of the disease, the impact of an EMF-female breast cancer link, if it exists, would be considerable. The American Cancer Society estimates that in 1990 breast cancer will account for 29% of all cancers—and 18% of all cancer deaths—among women.

Men account for about 1 of every 150 cases of breast cancer per year in the U.S., according to the National Cancer Institute (NCI). In 1988, there were only about 900 cases among men, compared with 143,000 among women. Between 1982 and 1986, there was a 15% increase in the incidence of female breast cancer; during this period, male breast cancer decreased 10%; similarly, breast cancer deaths increased among women and decreased among men.

From 1960 to 1985, breast cancer incidence among women in Portland, OR, rose 45%, according to a new analysis in the

Journal of the National Cancer Institute. Kaiser Permanente's Dr. Andrew Glass and NCI's Dr. Robert Hoover note that the incidence of the disease "has been rising steadily in the United States for at least 50 years."

Some of the risk factors for men observed by Thomas include a history of breast cancer among close family relations (male or female), exposure to ionizing radiation and testicular pathology and dysfunction. The first two are also risk factors for women. Other risk factors for women include early menarche, advanced age at birth of the first child and late menopause.

Approximately 60% of female breast tumors and 80% of male breast tumors are estrogen receptor-positive, according to Blask, who added that melatonin can block the stimulatory effect of estrogen on these tumors. And Glass and Hoover recently reported that between the mid-1970s and -1980s, the incidence of estrogen receptor-positive tumors among women increased an average of 131%—compared to a 22-27% increase for estrogen-receptor negative tumors—"perhaps implicating hormonal factors in the rising incidence of breast cancer." Blask pointed out that, "No one is really certain about hormonal changes in men with breast cancer. It hasn't been studied very much at all."

Breast Cancer and EMFs: References

L. Bernstein et al., "Urinary Estrogens and Male-to-Female Breast Cancer Ratios," Letter to the Editor, *International Journal of Cancer*, 44, pp.954-956, 1989.

P. Demers, D. Thomas et al., "Occupational Exposure to Electromagnetic Radiation and Breast Cancer in Males" (abstract), presented at the 23rd Annual Meeting of the Society for Epidemiologic Research, Snowbird Ski and Summer Resort, UT, June 12-15, 1990.

Environmental Protection Agency, *Evaluation of the Potential Carcinogenicity of Electromagnetic Fields*, Workshop Review Draft, No. EPA/600/6-90/005A, Washington, DC, June 1990.

Andrew Glass and Robert Hoover, "Rising Incidence of Breast Cancer: Relationship to Stage and Receptor Status," *Journal of the National Cancer Institute*, 82, pp.693-696, 1990.

Derek Gupta, Andrea Attanasio and Russel Reiter, editors, *The Pineal Gland and Cancer*, London, U.K.: Brain Research Promotion, 389 pp., 1988.

Steven Hill and David Blask, "Effects of the Pineal Hormone Melatonin on the Proliferation and Morphological Characteristics of Human Breast Cancer Cells (MCF-7) in Culture," *Cancer Research*, 48, pp.6121-6126, November 1, 1988.

A. Lerchl, K.O. Nonaka, K.-A. Stokkan and R.J. Reiter, "Marked Rapid Alterations in Nocturnal Pineal Serotonin Metabolism in Mice and Rats Exposed to Weak Intermittent Magnetic Fields," *Biochemical and Biophysical Research Communications*, 169, pp.102-108, 1990.

F.C. Leung et al., "Effects of Electric Fields on Rat Mammary Tumor Development Induced by 7,12-Dimethylbenz(a)anthracene" (abstract), presented at the 10th Annual Bioelectromagnetics Society Meeting, Stamford, CT, June 19-23, 1988.

Genevieve Matanoski, Elizabeth Elliott and Patrick Breyse, "Cancer Incidence in New York Telephone Workers" (poster), presented at the

Annual Department of Energy-Electric Power Research Institute Contractors Review, Portland, OR, November 15, 1989.

National Cancer Institute, *Cancer Statistics Review, 1973-1986*, Bethesda, MD, 1989.

P. Rosenbaum et al., "Risk Factors for Male Breast Cancer in Western New York" (abstract), presented at the 23rd Annual Meeting of the Society for Epidemiologic Research, Snowbird Ski and Summer Resort, UT, June 12-15, 1990.

Edwin Silverberg, Catherine Boring and Teresa Squires, "Cancer Statistics, 1990," *Cancer—A Cancer Journal for Clinicians*, 40, pp.9-26, January/February 1990.

Richard Stevens, "Electric Power Use and Breast Cancer: A Hypothesis," *American Journal of Epidemiology*, 125, pp.556-561, 1987.

D. Thomas et al., "Risk Factors for Breast Cancer in Men" (abstract), presented at the Annual Meeting of the American Epidemiological Society, Baltimore, MD, March 22-23, 1990.

Bary Wilson et al., "Chronic Exposure to 60 Hz Electric Fields: Effects on Pineal Function in the Rat," *Bioelectromagnetics*, 2, pp.371-380, 1981.

Bary Wilson, Richard Stevens and Larry Anderson, "Neuroendocrine Mediated Effects of Electromagnetic Field Exposure: Possible Role of the Pineal Gland," *Life Sciences*, 45, pp.1319-1332, 1989.

Bary Wilson, Richard Stevens and Larry Anderson, editors, *Extremely Low Frequency Electromagnetic Fields: The Question of Cancer*, Columbus, OH: Battelle Press, 382 pp., 1990.

H.Y. Yap et al., "Male Breast Cancer: A Natural History Study," *Cancer*, 44, pp.748-754, August 1979.

Milton Zaret, "Letter to the Editor," *Journal of the American Medical Association*, 259, pp.3129-3130, June 3, 1988.

FROM THE FIELD

Sitting on Transformers

To the Editor:

Based on observations and a few measurements, I would like to add a piece to the 60 Hz magnetic field exposure puzzle. At least in the Las Vegas area, ground-mounted transformers are used in residential areas as part of the underground power distribution system. These transformers are housed in hinged steel boxes on concrete pads adjacent to sidewalks. The boxes have horizontal dimensions of about 0.9 by 0.9 meter and are about 0.6 meter high.

The magnetic field (or more properly flux density) near these boxes decreases rapidly with distance; the field is typically less than 0.1 μT or 1 mG at horizontal distances of more than 1 meter from the transformer. However, the apparent common use of the transformers for seating by the public requires us to consider field strengths near and at the surface of the steel container of the transformer.

During periods of high power consumption (which occur here in the summer), I have measured maximum 60 Hz magnetic fields at the surface of the transformer boxes of approximately 40 μT or 400 mG.

This measurement was made at the side of a box. Surface field values vary at different locations on the surface and change in time as the power load changes. The maximum field on the upper horizontal (seating) surface of the transformer box is usually found near the center of the box or along the hinge. These values varied from about 10 to 30 μT or 100 to 300 mG.

Measurements during the fall when power consumption is low indicated the fields were decreased by about a factor of three. Some data were acquired on the field strength variation with height above a transformer box. For example, at the surface the field was 7.3 μT , at 10 cm above the box the field decreased to 3.1 μT and at 20 cm the field was 1.1 μT .

The use of ground-mounted transformers as seating would seem to be an easily avoidable source of exposure.

Sincerely,
Edwin D. Mantiply,
Office of Radiation Programs
U.S. Environmental Protection Agency
Las Vegas, NV

EPA on Guy Chronic MW Exposure Study

In its new report on the potential carcinogenicity of electromagnetic fields¹ (EMFs), the Environmental Protection Agency (EPA) analyzes the results of Dr. Bill Guy's long-term exposure study² at the University of Washington in Seattle, in which rats were exposed to modulated 2450 MHz microwave (MW) radiation over their lifetimes. Reprinted below is an excerpt from EPA's assessment of the Guy study, which appears on pp.4-40-4-42 of the report. Note that EPA refers to 2450 MHz as radiofrequency (RF) radiation.

The University of Washington study, done at a power level carefully calibrated to simulate human exposure at the maximum continuous level allowed by the [American National Standards Institute] standard, showed the induction of benign adrenal pheochromocytomas in the exposed group and no statistically significant elevation at any other site. There is a slight elevation of carcinomas in each of several other glandular organs (pituitary, thyroid, adrenal cortex, pancreas, testes and liver), which is statistically significant if they are all considered as a single group. This apparent induction of malignant tumors occurs without an increase in benign tumors of those sites. There is also statistically significant elevation in the incidence of carcinomas, but not sarcomas, at all sites.

Combining tumors across these glandular organs is justifiable on the generalized hypothesis that [EMFs] affect all tissues in the body and that these glands, being specialized to respond to small amounts of specific circulating hormones, have cell membrane-bound receptors whose function could be affected by ion currents induced by the external fields. Although this concept is consistent with recent research on the mechanism of tissue interaction with low frequency fields, there are at least two reasons why the combining of glandular organ tumors of all sites may not be appropriate. These are:

- The proposed mechanism is based on low frequency field phenomena, whereas RF radiation accounts for most of the energy in the applied field.
- This proposed mechanism, though plausible, has not been empirically established.

The combining of carcinomas of all sites is a different issue than the combining of carcinomas of the glandular organs alone. The former can be justified on the basis that all organs are more or less equally exposed to the same fields and induced currents without specifying the nature of the biological response to the fields, whereas the latter requires an additional specific hypothesis of how biological tissue responds to these fields. Combining of carcinomas at all

sites is considered to be more valid than combining of glandular organ carcinomas alone because the additional incompletely tested hypothesis is not necessary.

The clear positive findings of Szmigielski et al.³ show that RF fields without low frequency components stimulate the growth of tumors and indicate that they may act as a tumor promoter, or a modifying factor in the development of tumors. The role of tissue heating as a mechanism for this effect is not clear.

In summary, the University of Washington long-term animal study provides evidence that pulsed [EMFs], in the absence of an appreciable tissue heating effect, induce carcinomas generally across all tissues of the body without being localized to any single site. The same generalized carcinoma response also appears in the glandular organs as a group. The exposure also induces benign adrenal medulla tumors without any evidence of adrenal hormone imbalance. This lesion is typically of a low degree of malignancy.

Under the plausible but unproven hypothesis that either all tissues or the endocrine glands in particular interact with the fields by way of a common carcinoma-induction mechanism, the University of Washington study can be said to demonstrate that pulsed RF fields are carcinogenic. It is not known whether the RF or the low frequency components or both acting together are responsible for the effects. The finding in the Szmigielski et al. study that unmodulated 2450 MHz RF radiation accelerates the development of both spontaneous and chemically-induced tumors indicates that the RF component has carcinogenic activity, but the possibility of whole-body heating as a contributory factor in their study cannot be ruled out.

If, in fact, only the RF component produces the effect, then the rationale for considering the glandular organs as a target disappears, since it is based on the idea of an EMF-activated plasma membrane phenomenon in the glandular tissue. However, in this case, all rat tissues are still exposed more or less equally to the radiation, so there

FROM THE FIELD

is still a valid reason for combining carcinomas at all sites.

Therefore, regardless of which range of frequency components is biologically effective, there is a valid rationale for combining the tumor sites as we have done, and the University of Washington study can be said to have demonstrated the carcinogenic action of this type of pulsed RF radiation.

1. EPA, *Evaluation of the Potential Carcinogenicity of Electromagnetic Fields*, Workshop Review Draft, No. EPA/600/6-90/005A, June 1990. Contact: Dr. Robert McGaughy, Office of Health and Environmental Assessment (RD-689), EPA, 401 M St., SW, Washington, DC 20460, (202) 382-5898. See *MWN*, M/J90.

2. A.W. Guy et al., *Effects of Long-Term Low-Level Radiofrequency Radiation Exposure on Rats*, Nine Volumes: Report Nos. USAFSAM-

TR-83-17, 83-18, 83-19, 83-42, 83-50, 84-2, 84-31, 85-11 and 85-64; issued between September 1983 and August 1985. See, especially Volume 8 (TR-85-11): "Evaluation of Longevity, Cause of Death and Histopathological Findings," April 1985. For more information, contact: Dr. David Erwin, [RZP], USAF School of Aerospace Medicine, Aerospace Medical Division (AFSC), Brooks Air Force Base, TX 78235, (512) 536-2576; Dr. Bill Guy, Bioelectromagnetics Research Lab, RJ-30, University of Washington, Seattle, WA 98195, (206) 543-1071. See *MWN*, J/A84, Mr85 and N/D86.

3. S. Szmigielski et al., "Accelerated Development of Spontaneous and Benzopyrene-Induced Skin Cancer in Mice Exposed to 2450 MHz Microwave Radiation," *Bioelectromagnetics*, 3, pp.179-191, 1982. See also *MWN*, My81.

Congressional Support for EMF Research Funding (continued from p.1)

about our uninterrupted level of exposure to EMFs." Scheuer and ranking minority subcommittee member Rep. Claudine Schneider (R-RI) endorsed the Pallone measure, almost assuring its passage out of committee.

The subcommittee may act on the bill in the remaining few weeks of the current congressional session or may hold further hearings to prepare for action in 1991, according to a top subcommittee aide. She noted that it is still possible that Scheuer will offer a funding amendment on the floor of the House in the current session if a Senate cosponsor can be found.

In contrast to past congressional hearings on EMFs, which have been poorly attended by congressmen (see *MWN*, N/D87 & M/A90), Scheuer's hearing drew nine members of congress. A standing-room-only audience packed the committee room.

The changed perception of the EMF issue was further evidenced by the virtually unanimous backing for the Pallone legislation. Both Democrats and Republicans on the subcommittee expressed support for the bill, as did the Edison Electric Institute (EEI), the Electric Power Research Institute (EPRI) and the American Public Power Association (APPA).

Indeed, some witnesses asked for more than the \$3 million Pallone recommended for fiscal 1991. Dr. Robert San Martin, deputy assistant secretary for utility technologies at the Department of Energy (DOE), said that \$6 million would be preferable—\$5 million for research and \$1 million for public information. APPA recommended an annual funding level of \$12 million.

James Cunningham, representing the New York Power Authority (NYPA) and the Large Public Power Council (LPPC), restated the LPPC's proposal for an industry-funded, government-coordinated \$15 million research effort. He first announced the proposal at a congressional hearing in March (see *MWN*, M/A90).

The most reluctant endorsement of Pallone's funding proposal came from Dr. William Farland, director of the Environmental Protection Agency's (EPA) Office of Health and Environmental Assessment. As Farland read from his prepared text, Scheuer interrupted abruptly, charging that Farland was not "addressing the question" of whether the EPA supports Pallone's bill. Farland attempted to explain EPA's past work on EMFs, but Scheuer interrupted again. Under Scheuer's prod-

Scheuer To Pursue Case of NCI Scientists

Rep. James Scheuer plans to investigate the National Cancer Institute's (NCI) response to alleged misconduct by three NCI scientists who testified on behalf of electric utilities concerning EMF health risks.

His subcommittee will seek an explanation as to why NCI officials allowed the scientists to serve as expert witnesses dismissing EMF risks when the institute was embarking on a multimillion-dollar cancer study, a senior Scheuer aide told *Microwave News*. Altogether, the three received nearly \$125,000 for appearing for the New York Power Authority at the Marcy-South transmission line trial (see *MWN*, N/D88 and J/F89).

At the July 25 congressional hearing, Scheuer interrupted Dr. Ross Adey as he was reading excerpts from his prepared testimony. "Wait a minute," Scheuer said. "There is a very important part of your testimony that you didn't read. Do you want to read it or should I?"

Adey then read the following:

It is a matter for public outrage that scientists employed by the [NCI]... received large personal fees for court appearances in behalf of electric power companies by declaring in an issue far beyond their individual or collective competence that there are no mechanisms by which [EMFs] could play a role in cancer. And this they did in the very month that NCI put forth a national request for proposals to study the epidemiology of childhood leukemia in relation to [EMF] exposures. What should the public's expectation be for the credibility of such a study?

Scheuer responded that, "It looks to me like a clear dereliction of duty on behalf of NCI leadership and scientists" in not preventing such a conflict of interest from occurring.

ding, Farland conceded the agency's support. "We support the draft as it was presented to us. We think there are ways to improve it," he said.

Dr. David Nagel, vice president of Apple Computer's Ad-

vanced Technology Group, also said that \$3 million is insufficient. Apple recently joined the public debate on EMF health risks after *MacWorld* ran a cover story in July titled "Could Your Computer Be Killing You?" The magazine reported that its laboratory tests showed that an Apple color display monitor had produced extremely low frequency (ELF) EMFs as high as 15 mG 12 inches from its right side.

Earlier this year, the committee approved an amendment allocating \$1 million for fiscal 1991 to EPA for EMF research. Under the amendment, which was sponsored by subcommittee member Rep. George Brown (D-CA), the funding would increase to \$2 million annually for fiscal years 1992 and 1993 (see *MWN*, M/J90).

If Pallone's legislation is enacted, the DOE will maintain its leading role in EMF research, with EPA and the National Institute of Environmental Health Sciences (NIEHS) playing roles in setting EMF research priorities (see *MWN*, M/J90).

At the hearing, several witnesses emphasized the need for uninterrupted funding. Dr. Ross Adey of the VA Hospital in Loma Linda, CA, told the subcommittee that, "The pace of our acquisition of needed knowledge has been far from optimal."

Adey countered longstanding concerns that researchers are unable to explain how EMFs might cause ill effects: "Studies at the cell and molecular level have built, and continue to build, a series of critically important bridges between laboratory science and human epidemiology; so that it is no longer possible to say that mechanisms mediating interactions of electromagnetic fields with biomolecular systems remain unknown with respect to potential health problems."

The DOE's endorsement of H.R.4801 was an about-face from its stand at the March congressional hearing, when San Martin defended the agency's research program as "rational and reasonably satisfactory at this time" and rejected suggestions

that the DOE might do more.

This reversal is consistent with a widespread shift in attitudes about EMF research, which observers attribute to the June release of EPA's cancer review (see *MWN*, M/J90), Paul Brodeur's widely publicized article on cancer clusters near power lines and electrical substations in the July 9 *New Yorker* and Brodeur's article on video display terminal EMFs in the July *MacWorld*.

Mitigation Controls?

Scheuer and ranking minority member Schneider both emphasized the need for study of how to mitigate EMF exposures. They both criticized the DOE for opposing the provision in Pallone's bill which would authorize such work.

"Since no health effects arising from EMF exposure have been established," San Martin said, "we believe that extensive concurrent work on mitigation is not appropriate."

Schneider suggested that a possible step for controlling exposures would be to set federal limits on field levels at the edge of transmission line right-of-ways (ROWs). James Cunningham of the NYPA noted that several states are attempting to do so but cautioned against federal rules. "What is needed now is not regulation, but research," he said.

EPA's Farland also told the subcommittee that, "At this time, the agency is not making any recommendations to the general public in the report or as a direct consequence of the report. There are many uncertainties which remain about the degree or extent of any hazard posed by exposure to EMFs."

Most of the witnesses supported a federal information program as called for in H.R.4801. Testifying on behalf of EPRI's Dr. Leonard Sagan, Dr. Stanley Sussman said that, "There is an important need for a federal EMF information center, as well as for an EMF mitigation research effort."

UPDATES

COMMUNICATIONS

AM Broadcast X-Rays... Certain types of AM broadcast transmitters may produce X-radiation at much higher levels than previously believed, according to Bruce Hunter of the Voice of America. Hunter found that transmitters using efficient pulse-width modulators require 20-30 kilovolts, "which greatly enhances the production of ionizing radiation in the form of x-rays." He recommends greater worker awareness of ionizing radiation risks and closer monitoring of x-radiation levels in his paper, "X-Ray Emission from Broadcast Transmitters," which appeared in *IEEE Transactions on Broadcasting*, 36, pp.14-23, March 1990.

COMPATIBILITY & INTERFERENCE

Protecting Avionics... The FAA's specifications for protecting electronic flight systems against high-power RF/MW radiation are "excessive" and do not "represent the actual threat

levels," according to the General Aviation Manufacturers Association (GAMA), a group based in Washington, DC. In an April 30 position paper, GAMA asked the FAA to reduce its current shielding specifications for critical functions from 100 V/m to 20 V/m. Previously, the FAA's shielding requirement had been pegged to 200 V/m in the 10 kHz-18 GHz band (see *MWN*, N/D89). The FAA is most concerned about 1-400 MHz signals, GAMA noted. "There is no documented evidence of incidents or accidents involving civil airplanes caused by exposure" to high-energy RF/MW radiation, GAMA maintained. GAMA is running its own tests and plans to issue a report. For its part, the FAA expects to issue proposed rules to protect against the RF/MW threat this October. The agency is also identifying "unique high-power transmitters on flight charts so that aircraft operating in the vicinity of these transmitters can avoid the specified locations," according to a May 7 RF/MW program plan.

Satellite Signals Muscle Out Astronomy... The growing

UPDATES

number of military radionavigational satellites is taking a toll on radioastronomy research. In a letter to *Nature* (June 7, 1990), John Galt of the Herzberg Institute of Astrophysics in British Columbia, Canada, states that the U.S. Navstar global positioning system and the parallel Soviet system, GLONASS, emit "sidebands" at 1660-1670 MHz that interfere with signals from hydroxy (OH) radicals. Galt judges that this satellite "pollution" has already "seriously curtailed radio studies of important classes of stars." He urges that, in the future, satellites be designed to be compatible with radioastronomy and that existing systems that cause interference be phased out.

EMP LITIGATION

Expert Witnesses in Strom Suit...Depositions are being taken prior to the *Robert Strom and Barbara Strom v. The Boeing Co.; Boeing Medical Services Co.; The Lovelace Biomedical and Environmental Research Institute; and EG&G, Inc.* trial (see *MWN*, J/A88). Robert Strom, a former Boeing electronics technician, alleges that his leukemia is a result of extensive exposure to electromagnetic pulse (EMP) radiation during his work at Boeing, and that the company was aware that EMP radiation was a potential hazard but continued to expose him while monitoring his health. Lists of expert witnesses have been filed with the court by both sides. On behalf of the *Stroms*, the experts are: Dr. Frank Barnes, University of Colorado, Boulder; Dr. Robert Becker, Becker Biomagnetics, Lowville, NY; Dr. Ralph Coates, Emory University, Decatur, GA; Dr. John Huff, The Mason Clinic, Seattle, WA; Dr. Robert Levine, Yale University School of Medicine, New Haven, CT; Dr. Abraham Liboff, Oakland University, Rochester, MI; Dr. Samuel Milham, Department of Health, State of Washington, Olympia; Dr. Richard Parks, Seattle, WA; Dr. Peter Wright, Polyclinic, Seattle, WA. On behalf of *Boeing*, the experts are: Dr. Robert Adair, Yale University, New Haven, CT; Dr. Philip Cole, University of Alabama, Birmingham; Frank Cranny (affiliation unknown); Col. John Cutting, Department of Defense, Washington, DC; Dr. Bruce Dickerson, Environmental Research Information, Inc., New York, NY; Roy Ellis (affiliation unknown); Dr. David Erwin, School of Aerospace Medicine, Brooks AFB, TX; Dr. William Godden, Blanco, TX; Dr. Arthur Guy, University of Washington, Seattle; Dr. Mark Israel, University of California, San Francisco; B.K. Kwon, National BioSystems, Inc., Rockville, MD; Gordon McHenry (affiliation unknown); John Mitchell, School of Aerospace Medicine, Brooks AFB, TX; Dr. Gilbert Omenn, University of Washington, Seattle; Dr. John Pickering, Albuquerque, NM; Dr. David Savitz, University of North Carolina, Chapel Hill. On June 11, Boeing's attorneys advised the court that Omenn and Savitz "may not be available to testify at the trial." The expert witnesses for *Lovelace* are: Dr. Albert Jonsen, University of Washington, Seattle; Dr. Don Justesen, VA Medical Center, Kansas City, MO; Barbara Mishkin (tentative), Hogan & Hartson, Washington, DC; Dr. Paul Mossman, Albuquerque,

NM. The attorneys representing the *Stroms* are Michael Withey, J. Murray Kleist and Leonard Schroeter, of Schroeter, Goldmark & Bender in Seattle, WA; Arthur Bryant of Trial Lawyers for Public Justice in Washington, DC; and Herbert Newberg of Philadelphia, PA. Representing Boeing are John Dillow and V.L. Woolston, of Perkins Coie in Seattle, WA. Representing Lovelace are William Squires III and Stuart Dunwoody, of Davis Wright Tremaine in Seattle, WA.

MEDICAL APPLICATIONS

Placebo as Good as TENS...Transcutaneous electrical nerve stimulation (TENS) is ineffective in treating lower back pain, according to a study in the June 7, 1990 issue of the *New England Journal of Medicine* (322, pp.1627-1634). Dr. Richard Deyo of the Seattle, WA, Veterans Affairs Medical Center and colleagues found no statistical difference between the reported improvements in back pain from one group of 36 patients using EMPI Corp.'s EPIX 982 TENS unit and from another group of 36 patients using a sham unit. In contrast, one month of exercise led to a statistically significant improvement. The research team notes that the use of TENS to treat lower back pain is based on the theories that high frequency TENS counterstimulates the nervous system to modify the perception of pain and that low frequency, high-amplitude TENS raises endorphin levels in the spinal fluid. In an interview with the *Wall Street Journal* (June 7), Michael Connoy, the president of EMPI Corp. of St. Paul, MN, criticized the one-month treatment period used by the researchers as too short and the intensity of the pulses as too weak. According to Deyo, the VA spent nearly \$2 million on TENS units in 1986.

Electrical Repair...The FDA has issued an *Overview of the Literature on Electrical Bone Repair and Growth Stimulation* (FDA 90-8277). Clinical, animal and in vitro studies on both PEMF and DC treatments are addressed. The report, which was edited by Dr. Mays Swicord, is available for \$17.00 from: NTIS, Springfield, VA 22161, (703) 487-4650. Order No. PB90-167255/AS. Though dated July 1989, it was only recently released. See *MWN*, M/A89 for the AMA's assessment of PEMF therapy.

RF and Menstruation...A team of U.K. researchers has found that 27 MHz RF energy can be useful for the treatment of excessive menstruation (menorrhagia). Three different doses were tried: 330, 445 and 660 kJ—the best results were obtained with the highest dose. The researchers note that the "procedure is easy and quick to do" and that it is inherently safe "since the electromagnetic radiation is unable to penetrate deeply...." Their report appears in *The Lancet*, 335, pp.374-376, February 17, 1990.

MEETINGS

VDT Proceedings...Papers from the National Institute of Child

Health and Human Development (NICHD) November 4, 1988 workshop on *Reproductive Effects of VDT Use* (see *MWN*, N/D88) have been published in a special issue of *Reproductive Toxicology*. Among them is a comprehensive survey of research on PMFs and reproductive risks by EPA's Dr. Ezra Berman, who concludes that the weight of evidence supports the contention that PMFs have detrimental effects on the embryonic development of animals. Dr. Michele Marcus emphasizes the need for a prospective epidemiological study with accurate measures of exposure to risk factors such as stress and radiation. After the workshop, NICHD approved funding for the Mount Sinai study Marcus is now leading (see *MWN*, S/O89). NIOSH's Dr. Teresa Schnorr outlines the protocol of her ongoing epidemiological study (see *MWN*, S/O87). And Dr. Marilyn Goldhaber of Kaiser Permanente rebuts some of the criticisms of her 1988 study which showed that women who used VDTs more than 20 hours a week had more than twice as many miscarriages as other office workers (see *MWN*, M/J88). Goldhaber dismisses the possibility that confounders such as pesticide spraying or poor drinking water quality significantly affected her findings. A copy of *Reproductive Toxicology*, 4, No.1, 1990, is available for \$48.00 plus \$2.00 for postage and handling from: Pergamon Press, Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, (914) 592-7700.

BRAGS Proceedings Offer...In anticipation of its tenth anniversary, the Bioelectrical Repair and Growth Society (BRAGS) is offering a set of the transactions of its first nine annual meetings for \$100.00 plus postage. In recent years each volume has cost \$45.00. All orders must be prepaid. Contact: Ethel Pollack, BRAGS, PO Box 64-K, Dresher, PA 19025, (215) 659-5180.

PEOPLE

John Villforth, the director of the FDA's Center for Devices and Radiological Health (CDRH), is retiring in August after 29 years in public health service. Villforth will join the Food and Drug Law Institute in Washington, DC, as executive director.

...**Howard Bassen**, the associate chief for engineering in the Department of Microwave Research at the Walter Reed Army Institute of Research, is returning to CDRH after a four-year absence. Bassen will be joining the center's electrophysics branch, but will continue to work for the Army one day a week on EMP measurement and modeling....**Dr. John Dennis**, the assistant director for physical sciences at the U.K.'s National Radiological Protection Board (NRPB), has retired. It is not yet clear who will take over Dennis's work on NIER....**Paul Gailey**, a former EPA engineer more recently with the EC Corp. in Knoxville, TN, has gone back to school. He has joined the doctoral program at the University of Utah's Department of Electrical Engineering, where he will be a student of Professor **Om Gandhi**'s. Gailey plans to continue to do free-lance consulting....**Jerry Hellmuth**, the neighborhood organizer and director of the Bucklin Hill School for mentally handicapped children on Bainbridge Island, WA, died on May 10 at the age

of 79. In the early 1980s, Hellmuth led a citizens group that blocked a proposed RCA satellite station on the island (see *MWN*, O81 and J/A82).

RESOURCES

Issues in EMFs...Dr. Andrew Bassett, professor emeritus of orthopedic surgery at Columbia University in New York City and a pioneer developer of PEMF therapies, is promoting a major federal research effort on the biological effects of EMFs—with an annual budget on the order of \$100 million a year. "Before we start regulating, we need better information on which to base policy," he wrote in the Spring 1990 *Issues in Science and Technology*, in an article titled "Premature Alarm Over Electromagnetic Fields." The editors of the quarterly magazine, which is published by the National Academy of Sciences, asked a number of those participating in the EMF debate to respond to Bassett's article. The Summer 1990 issue features replies from: Dr. Carl Blackman of EPA, Paul Brodeur of *The New Yorker*, Dr. Granger Morgan of Carnegie Mellon University, Congressman Frank Pallone (D-NJ), Dr. Robert Park of the American Physical Society, Dr. Louis Slesin of *Microwave News*, Dr. Thomas Tenforde of the Battelle Pacific Northwest Lab and Morton Winston of NoRad Corp.

STANDARDS

ANSI and CISPR Actions...ANSI recently published an ISM standard on *Recommended Practice for the Measurement of [RF] Emission from Industrial, Scientific and Medical (ISM) Equipment Installed on User's Premises*, ANSI/IEEE 139-1988. Copies are available for \$45.00 each from: Sales Department, ANSI, 1430 Broadway, New York, NY 10018....CISPR has issued an IEC draft international standard on *Radio Interference Characteristics of Overhead Power Lines and High Voltage Equipment—Methods for Derivation of Limits for HVDC Lines*, CISPR/C(Central Office)35, September 15, 1990. Copies are available for \$18.00 from: ANSI (see above).

VDTs

EEC Regulates VDT Radiation...The Council of the European Communities, which regulates the 12 member states of the European Economic Community (EEC), adopted a directive on May 29 setting minimum health and safety requirements for work with VDTs. The directive specifies that, "All radiation with the exception of the visible part of the electromagnetic spectrum shall be reduced to negligible levels from the point of view of the protection of workers' safety and health." New workstations will not have to comply with the directive until December 31, 1992, and workstations designed before this date will have an additional four years to meet the new standards. Council Directive 90/270/EEC appears in the *Official Journal of the European Communities*, 33, L 156, pp.14-18, June 21, 1990.

CLASSIFIEDS

News About *Microwave News*

Bound Editions

The first five years of *Microwave News* (1981-1985) will soon be available as a bound volume for \$450.00. Look for the second volume (1986-1990) in early 1991. For more information, contact: Jennifer Goren at (212) 517-2800.

Ten-Year Index

We are currently planning a ten-year index of *Microwave News*. We are trying to gauge interest in this effort. If your company or agency is interested in sponsoring the index, please call Louis Slesin at the number above.

Safe VDTs with 0.0 milliGauss (magnetic radiation) as well as 0.0 Volts/meter (electric radiation) at 60 Hz and at VLF frequencies. Used by U.S. Congress, U.S. EPA, NY State & Yale Medical School. Magnetic radiation milliGauss meters to measure power lines, VDTs, TVs. Call George Lechter at (800) 222-3003 or (617) 444-7778, or write for literature to Safe Computing, Inc., 368 Hillside Ave., Needham, MA 02194. The Safe Monitor has been featured on CNN, NBC and CBS.

VDT NEWS

The VDT Health and Safety Report

"Recognized for its authority on health and safety issues"

— *Fortune* magazine

☐ 1-year subscription (6 bimonthly issues) for \$87.00 (\$97.00 Canada & Foreign).

☐ ____ back issues, 1984-1989, \$45.00 per year (\$50.00 Canada & Foreign).

[U.S. Funds Please]

Order from: *VDT News*, PO Box 1799, Grand Central Station, New York, NY 10163, (212) 517-2802.

Name _____
Institution _____
Address _____
City _____
State _____ Zip _____

ELF MAGNETIC FIELD METER

MFG. by COMBINOVA AB, SWEDEN



- Portable, rugged, weather resistant.
- Locates sources 5 to 1000 Hz.
- Meets Swedish requirements for accuracy.
- Programmable, stores 4000 measurements.

ERGONOMICS, INC.

P.O. BOX 964 • SOUTHAMPTON, PA 18966 • (215) 357-5124 / FAX (215) 364-7582

EMF Papers

Microwave News introduces *EMF Papers*—a biweekly clipping service on non-ionizing radiation. It's the perfect complement to your subscription to *Microwave News*. Only \$100 per month. For more information, contact: Louis Slesin at (212) 517-2800.

Order *Microwave News*

☐ 1-year subscription (6 bimonthly issues) for \$250.00 (\$285.00 Canada & Foreign).

☐ 6-month trial (3 bimonthly issues) for \$130.00 (\$150.00 Canada & Foreign).


☐ ____ back issues, 1981-1989, \$95.00 per year (\$100.00 Canada & Foreign).

[U.S. Funds Please]

Order from: *Microwave News*, PO Box 1799, Grand Central Station, New York, NY 10163, (212) 517-2800.

Name _____
Institution _____
Address _____
City _____
State _____ Zip _____

MICRO WAVE NEWS



Vol. XI No. 4

A Report on Non-Ionizing Radiation

July/August 1991

INSIDE...

ELF NEWS pp. 2-7

Power Line Talk:

CIRRPC's Secret Panel • Childhood Cancer Rates Up • Rep. Wolpe's Hearing in Michigan • NARUC Endorses the NERP • Advice to Architects • NYC Mayor Shows Concern • EMFs & Peanut Butter

Commentary:

Who's in Charge of EMF Research?

Matanoski Now Finds Leukemia Risk Among Telephone Workers

NERP Steering Committee Established

HEI Plans EMF Research Program

HEI and the Press

Utility Sued Over Child's Kidney Cancer

\$750 Million Suit in Alabama

Australia & U.K. Plan Childhood Epi Studies

State and Local Actions:

Connecticut • Oregon • Rhode Island

HIGHLIGHTS pp. 7-10

SAB Panel Seeks Rewrite of EPA Report

SAB Panel Conclusions

Brain Tumor Cluster in West Virginia

EPA Research Agenda Criticized by SAB

New Canadian RF/MW Exposure Standard

FROM THE FIELD p. 11

Medical Microwaves Conference in Belgrade, Yugoslavia

UPDATES pp. 13-15

Waterbed Litigation • Radar and Road Safety • MM Waves Meeting In Moscow • Warning to Radiation Control Directors • People In the News • More on Police Radar • EBEA To Hold First Congress • Symposium To Honor Guy • EMFs Everywhere • and more...

CLASSIFIEDS pp. 15-16

New Support for EMF-Chemical Synergy in Cancer Promotion

Animal and Cellular Data Agree

Extremely low frequency (ELF) magnetic fields can act in concert with toxic chemicals to promote the development of cancer in both live animals and cell cultures, according to new experimental data.

At the *Annual Meeting of the Bioelectromagnetics Society (BEMS)*, held in Salt Lake City, UT, June 23-27, Drs. Jack McLean and Maria Stuchly of Health and Welfare Canada in Ottawa, Ontario, announced that 60 Hz magnetic fields and TPA, a known tumor promoter, act synergistically to accelerate the development of skin tumors in mice.

At the same meeting, Dr. Chris Cain of the VA Hospital in Loma Linda, CA, reported that ELF magnetic fields can enhance the action of TPA in cancer cells grown in culture. "It is fascinating that the fields have the same effect in vivo and in vitro," Cain told *Microwave News*. "This may lead us to an understanding of mechanisms of interaction."

The Canadian researchers urged that their findings be interpreted with caution. "These are preliminary results," stressed McLean in an interview. Nevertheless, their data are the first to link ELF magnetic fields to the development of cancer in live animals and thus have already attracted a great deal of interest. The absence of animal data has long undermined the EMF-

(continued on p.12)

Electromagnetic Interference Implicated in Apnea Monitor Deaths

The lifesaving function of apnea monitors—electronic alarms that sound during respiratory failure—can be thwarted by electromagnetic interference (EMI). Low levels of radiofrequency (RF) radiation common in many residential areas and power frequency electromagnetic fields (EMFs) from household appliances can disrupt the monitors.

The failure of apnea monitors has been implicated in scores of fatalities—one model has been linked to at least 70 deaths—and has been the subject of Congressional, Food and Drug Administration (FDA) and General Accounting Office (GAO) investigations.

"It is evident that these monitors need to be redesigned to withstand the ambient field strengths existing in major cities," according to researchers at the FDA's Center for Devices and Radiological Health (CDRH). The agency has issued a warning to the roughly 50,000 users of apnea monitors in the U.S. but will not finalize EMI standards for more than a year.

At least one EMI incident has already led to litigation. In 1989, Michael

(continued on p.13)

« Power Line Talk »

While EPA's Science Advisory Board (SAB) concludes its review of the draft report on EMFs and cancer (see p.7), a parallel review by the Committee on Interagency Radiation Research and Policy Coordination (CIRRPC) hasn't even begun. White House Science Advisor Dr. Allan Bromley ordered the CIRRPC review late last year after persuading EPA to make it a companion to the cancer report (see *MWN*, N/D90). Initially, CIRRPC appointed an outside panel headed by Dr. Charles Susskind of the University of California, Berkeley—who is also a member of the SAB panel—but he was soon removed. Now a committee of experts assembled by the Oak Ridge Associated Universities (ORAU) has taken over. "This way they can keep the whole business secret," an informed source told *Microwave News*. Diane Flack at ORAU's Washington, DC, office contends that there "is nothing secretive" about the review. Nevertheless, she said that the panel's first meeting in early September will be closed to outsiders. Flack said that she could not tell us who is on the committee but that she would ask the panel's chairman—whom she would only identify as being based in Oak Ridge, TN—to call us. We haven't heard from either of them since. Flack said that the panel hopes to have a draft report within six months. A 1985 CIRRPC review of NIER bioeffects by Dr. Ross Adey of the VA Hospital in Loma Linda, CA, was never made public (see *MWN*, N/D85, N/D87 and N/D90).

« « « » » »

There's more bad news on cancer rates: The National Cancer Institute (NCI) reports in its *Cancer Statistics Review, 1973-1988*, that the overall incidence of childhood cancer rose by 4.5% over the 16-year period. The increase was greatest for brain and nervous system cancers among white children, which rose by more than 30%. Leukemia and non-Hodgkin's lymphoma rates were also sharply higher. In an interview with the *New York Times* (June 26), NCI Director of Epidemiology and Biostatistics Dr. Joseph Fraumeni said that he thought that "people are less dismissive than they used to be" about the possible relationship between cancer and EMFs. Fraumeni is currently working on a study of childhood leukemia that will include EMFs as a possible risk factor (see *MWN*, J/F89 and S/O89). Previously we reported that the rates of brain cancer for both the elderly and people under 45 have been on the rise (see *MWN*, J/F91).

« « « » » »

Michigan Rep. Howard Wolpe (D) is taking his subcommittee to his home state to learn more about EMFs. A hearing, scheduled for August 6 in Battle Creek, on *EMF and High-Voltage Power Lines: A Case Study in Michigan* is the first of its kind to be held outside of Washington, DC. It will focus on the dispute over a proposed 115-mile, 345 kV transmission line from Battle Creek to Akron, IN (see *MWN*, M/J91). Invited witnesses include Dr. Leonard Sagan of EPRI, Dr. Abe Liboff of Oakland University in Rochester, MI, Cathy Smith of Michigan RAGE,

based in Battle Creek, and Dr. William Farland of EPA, as well as officials from Consumers Power and local utilities and state representatives. Wolpe, who is chairman of the House Science, Space and Technology Committee's Subcommittee on Investigations and Oversight, wrote to the Federal Energy Regulatory Commission (FERC) earlier this year in support of a request by Michigan RAGE that FERC block the line (see *MWN*, M/J91). FERC has since approved the project.

« « « » » »

The National Association of Regulatory Utility Commissioners (NARUC) has endorsed the National EMF Research Program (NERP) (see pp.3 and 4). In a resolution adopted July 24, NARUC's executive committee urged member utility commissioners to "encourage public education" about EMFs and to support the NERP. Two of the four members of the NERP steering committee—Chairman John Coughlin of Wisconsin and Michael Wilson of Florida—are members of NARUC's Committee on Electricity, which initiated the resolution.

« « « » » »

Architecture magazine's Alex Wilson has some practical advice for designing low EMF homes and offices. In the July issue, he writes that, when possible, structures should be located at least 500 feet from high voltage transmission lines. Wilson also suggests that all incoming conductors be placed close together and that majorelectrical equipment, such as elevator and HVAC motors, be far from occupied spaces.

« « « » » »

New York City Mayor David Dinkins is concerned about EMFs. In a March 6 letter to EPA Administrator William Reilly, Dinkins called on EPA to lead a strong research program, to standardize EMF testing procedures, to formulate exposure standards and to sponsor a meeting for the public. In reply, EPA has scheduled a workshop on measurements and bioeffects for August 14-15 in Albany and a public meeting for October 9 in New York City....New Yorkers are especially concerned over the threat posed by EMFs from substations. The City Council held a hearing on June 18 and has promised further action.

« « « » » »

"How risky are EMFs?" was the question posed to Dr. Gilbert Omenn, dean of the school of public health at the University of Washington, Seattle, and the chair of EPRI's EMF scientific advisory panel, at an electric industry seminar. "I have to rank [EMFs] with eating peanut butter" on the spectrum of public health risks, Omenn replied, according to Cyrus Noë, writing in *Clearing Up* (July 3, 1991), a Pacific Northwest utility newsletter. Omenn was referring to aflatoxin, a carcinogenic fungus sometimes found in peanuts.

EMF Research: Who's in Charge?

There is one point on which all sides of the EMF debate agree—the need for more research. But even with this unanimity of opinion, there is little hope that a comprehensive research program will begin anytime soon.

The momentum for a National EMF Research Program (NERP) has been building since James Cunningham of the New York Power Authority (NYPA) raised the idea at a congressional hearing in March 1990. All the major industry players—APPA, EEI, EPRI, ESEERCO, LPPC, NEMA, NPPA*—have now endorsed a \$20-30 million, three-to-five-year effort to produce “reliable, credible and impartial” results, jointly sponsored by government and industry.

What is missing is government leadership. EPA has just issued a new report with a wish list of 32 high priority EMF projects (see p.9). The DOE has asked for more money for its own research program. And even Dr. Allan Bromley, the President's science advisor—an outspoken skeptic of EMF risks—has conceded that “much remains to be done.” Yet none of these government offices has spoken up in favor of the NERP, leaving the states and the utilities to take the lead.

Two key questions remain: Who will run the NERP? And, who will decide who runs it?

Not long ago, it appeared that the Health Effects Institute (HEI) would lead the NERP, but that now seems less likely. HEI has left itself vulnerable to allegations that its asbestos research program (HEI-AR) is tainted by a pro-industry bias. This spring, the National Association of Attorneys General (NAAG) adopted a resolution that expressed “deep concern” that HEI-AR “is incapable of producing an objective, unbiased report....” The NAAG pointed out that HEI has consistently refused to take steps to mitigate these concerns.

Instead of trying to put these charges to rest, HEI President Dr. Andrew Sivak has allowed them to fester. Now, somewhat embarrassed, many NERP backers are distancing themselves from HEI. The NAAG resolution may be what prompted the New York State Department of Public Service to set up a steering committee to establish and oversee the NERP and to reopen the search for an organization to run it (see p.4). In contrast to HEI's desire to restrict attendance at its meetings (see p.5), the steering committee's first action was to open all its deliberations to the public. The committee has already drafted a conflict of interest policy.

Many utilities have endorsed the NERP—some have pledged allegiance directly to HEI. The Los Angeles Department of Water and Power has already given HEI \$300,000; Seattle City Light has contributed a lesser amount. (These two utilities, together with the NYPA, were among the original backers of the NERP.) At the same time, others wonder why they should pay for HEI to make up for its lack of EMF experience and why the institute has hired a consulting firm,

Gradient Corp., which has other industry EMF clients.

Most utilities will probably follow the NERP steering committee's lead. By federal default, state regulatory officials are calling the shots, and they may deny the power companies the right to charge their rate payers for HEI contributions if it is not designated as the administrator of the NERP.

One persistent refrain heard from all sides is: “Where is EPA?” Not long ago, EPA had the premier EMF research group in the world, but it was disbanded by the Reagan Administration, and now the agency appears utterly incapable of taking on EMFs. A student of bureaucracies would be amazed that an agency would refuse a new multimillion-dollar program. When Congress recently gave EPA \$750,000 for EMF research, the agency turned around and gave \$525,000 to HEI. The fact that an HEI alumnus, Dr. Ken Sexton, is the director of EPA's Office of Health Research no doubt helps HEI's prospects.

Today, a year after EPA released a draft report linking EMFs to cancer, the agency is still not supporting a single EMF experiment in its own labs—despite its new document calling for a slew of research projects. When the NERP committee invited EPA to explain how it would run the EMF research program, the agency declined to comment.

Much of the responsibility for EPA's paralysis lies with Dr. Erich Bretthauer, the assistant administrator for R&D. A political appointee, Bretthauer is the one who was summoned to the White House when the Bush Administration panicked about the political and economic implications of EPA's cancer report (see *MWN*, N/D90). Clearly, Bretthauer wishes the EMF controversy would go away, but even he realizes that this won't happen. Instead, he wants to hand over the responsibility to HEI—and keep EMFs at arm's length. (When questioned about EPA's commitment to HEI, the official line is that “no decisions have yet been reached.”)

Those who look to Congress for a resolution will be disappointed. Rep. Frank Pallone's (D-NJ) funding bill is going nowhere. A number of senior members of the House of Representatives have shown an interest in EMFs, but most are content to hold hearings rather than to press for action. For some unexplained reason, Reps. George Brown (D-CA) and James Scheuer (D-NY) have endorsed the idea of farming out EMF research to an organization outside the government—perhaps HEI.

Everyone's patience is running out. The organizational issues are simple compared to the unresolved scientific questions and the slow start does not bode well for finding any answers soon. Dr. Genevieve Matanoski, the chair of the Science Advisory Board's EMF panel, predicted that the only way to win the public's confidence is to put the research in the hands of the National Institutes of Health. She is clearly on the right track: There will be no real progress until the federal government starts to do its job.

* American Public Power Association (APPA), Edison Electric Institute (EEI), Electric Power Research Institute (EPRI), Empire State Electric Energy Research Corp. (ESEERCO), Large Public Power Council (LPPC), National Electrical Manufacturers Association (NEMA), Northeast Public Power Association (NPPA).

Telephone Linemen Study Now Finds ELF-Leukemia Link

A major epidemiological study from Johns Hopkins University (JHU) in Baltimore, MD, indicates that some telephone linemen exposed to extremely low frequency (ELF) electromagnetic fields (EMFs) had higher death rates from leukemia than other telephone company employees.

Drs. Genevieve Matanoski, Patrick Breyse, Elizabeth Elliott and colleagues at JHU's School of Hygiene and Public Health compared the records of 124 male AT&T workers who had died of acute myelogenous leukemia between 1975 and 1980 with those of 337 matched controls.

Speaking at the *Annual Meeting of the Bioelectromagnetics Society* in Salt Lake City, UT, on June 24, Matanoski reported that, "The risk is greatest for the younger workers," explaining that there is a latency period before the leukemia is observed and that early exposures are important. In a background paper, the Electric Power Research Institute (EPRI), which funded the study, noted that "some relatively high odds ratios" were seen when a 10-15-year latency period was taken into account.

"There is some suggestion of a trend of increased risk with increased exposure," Matanoski said in an interview. Exposure was estimated using a "score" defined as the product of the average daily exposure and the number of years on the job. Those workers with a higher-than-median exposure score had a 2.5 times greater risk of dying of leukemia than those with lower exposure scores.

The association was greater when peak—rather than median—EMFs were used to gauge exposures. Also, when workers were assigned to one of four categories of peak exposures, there was a trend toward higher leukemia risks with increasing exposures. Cable splicers and central office technicians who used older switching equipment had the highest peak EMF exposures.

The results counter the preliminary conclusions of no increased leukemia risk reported by Matanoski in 1988 (see *MWN*, N/D88). "There has been a change," Matanoski told *Microwave News*, explaining that on reviewing the raw data she had found a number of misclassified exposures. When these were corrected, the higher risks were identified. She noted that her data set is still incomplete.

The elevated risk among young workers is supported by a related study on leukemia incidence—in contrast to mortality—by the same JHU researchers. In that effort, first reported in

1989, they observed that young cable splicers had significantly higher rates of leukemia and lymphoma—as well as all types of cancer—than other telephone workers (see *MWN*, N/D89).

Magnetic field measurements taken in 1988-89 among telephone employees showed that average (and peak) exposures were 4.3 (99.2) mG for cable splicers, 2.5 (21) mG for central office technicians, 1.7 (31) mG for installers, 1.6 (26.9) mG for outside plant technicians and 1.5 (29.1) mG for non-linemen.

New National EMF Research Committee Established

A committee of government officials is being assembled to coordinate a \$20-30 million National Electromagnetic Field Research Program (NERP). The New York State Department of Public Service (NYDPS) is setting up the committee, with the assistance of the Large Public Power Council (LPPC), to oversee a research effort to be funded jointly with private and public funds.

The NERP is the product of the independent efforts of the NYDPS to follow up on both the New York Power Lines Project (see *MWN*, N/D88) and the LPPC's call in March 1990 for a joint private-public effort (see *MWN*, M/J90).

The steering committee's first task is to select an organization to administer the NERP. The administrative organization will, in turn, select the studies to be funded, operate the project day-to-day and oversee the scientific review of research results. At the moment, the NERP will only investigate extremely low frequency (ELF) electromagnetic field (EMF) effects.

At the NERP committee's first meeting, held June 27-28 in Washington, DC, committee member Susan Tierney stressed that the program must be free of real and perceived conflicts of interest. This is "one of the most important objectives of this panel," she said. Tierney is the Massachusetts secretary of environmental affairs.

John Coughlin, a Public Service commissioner in Wisconsin, is the chairman of the committee. The other members are Charles Imbrecht, chairman of the California Energy Commission, and Michael Wilson, a Public Service commissioner in Florida. (Imbrecht and Wilson could not attend the meeting but sent representatives in their places.) The steering committee expects to add four to six members, including federal officials and, possibly, representatives from citizens' groups, according to Larry DeWitt of the NYDPS.

At the meeting, the committee heard presentations from three of the organizations that the NYDPS had identified as possible administrators of the NERP: the Health Effects Institute (HEI), based in Cambridge, MA; the National Research Council (NRC), an arm of the National Academy of Sciences; and the Institute for Evaluating Health Risks (IEHR)—the latter two are in Washington, DC. Only HEI showed a serious interest in running the program.

Both NRC's John Burris and IEHR's Jack Moore said that their organizations would be interested in helping develop a

MICROWAVE NEWS is published bimonthly • ISSN 0275-6595 • PO Box 1799, Grand Central Station, New York, NY 10163 • (212) 517-2800; FAX (212) 734-0316 • Editor and Publisher: Louis Slesin, PhD; Associate Editors: Barton Biggs, Matthew Connelly; Assistant Editor: Andrew Goffe; Contributing Editors: Jennifer Goren, Mark A. Pinsky; Copy Editors: Jim Feldman, Peter Pullman; Circulation Director: Barbara Gerson • Subscriptions: \$250.00 per year (\$285.00 Canada & Foreign, U.S. funds only); single copies: \$50.00 • Copyright © 1991 by Louis Slesin • Reproduction in any form is forbidden without written permission.

research agenda but that HEI would be better qualified to administer the overall program.

The NYDPS had invited the Environmental Protection Agency (EPA) and the Department of Energy (DOE) to make presentations, but both declined.

The committee members grilled HEI over its controversial asbestos research program (HEI-AR). They were particularly concerned about the National Association of Attorneys General's condemnation of HEI-AR's refusal to answer allegations of conflicts of interest (see p.3). In interviews with *Microwave News*, a number of NYDPS staffers expressed deep concern about HEI's ability to run an open and objective EMF research program. They stressed that HEI might not be selected if the charges cannot be resolved.

At the meeting, DeWitt publicly stated that, "We have to be as concerned with the problem of appearance of a conflict" as with actual conflicts.

New York Power Authority Senior Vice President James Cunningham, who has led the LPPC effort to set up a national research program, urged the committee to act quickly: "I am sure that all utilities, businesses and individuals who have had to deal with this issue...believe it is absolutely essential that this study begin soon." Chairman Coughlin said that the panel will work "as rapidly as possible, but we don't want to get off to a false start."

The steering committee is scheduled to meet again on September 12 in Washington, DC.

HEI Moves Forward in Bid for EMF Research Program

Moving aggressively in its bid to run a national electromagnetic field (EMF) research program, the Health Effects Institute (HEI) convened a group of scientists to evaluate research needs on June 11-12 in Boston, MA. HEI, based in Cambridge, MA, is the leading contender to run a multimillion-dollar, multiyear research effort to be funded by federal and state governments and by the utility industry (see *MWN*, M/A91 and pp.3 and 4).

Dr. Richard Setlow of the Brookhaven National Labs in Upton, NY, the chairman of HEI's 13-member feasibility study committee, said that his panel is seeking to provide the institute with "an informed idea of how an HEI research program would advance our understanding" of EMF health effects. The committee will prepare brief reports identifying key scientific questions and potential research projects. A second, 12-member observers committee will review the documents and provide guidance. (For a list of members of the feasibility committee, see *MWN*, M/J91.)

Once the two EMF committees have made their recommendations, the institute's independent advisory committee will select the projects to be funded, according to HEI President Dr. Andrew Sivak. In an interview with *Microwave News*, Sivak said that he may ask some members of the feasibility and observers groups to serve on the advisory committee to make up for its lack of expertise in physics, engineering and endocrinology.

HEI and the Press

A recurring concern that has dogged HEI is the lack of openness of its research program (see p.3). When NIST's Misakian asked Sivak if HEI would prohibit researchers from talking to the press before their work is peer-reviewed, Sivak replied, "We don't go public until our review process is done." He then said, "We'll have to think about it for our management in the future." HEI would not prevent an investigator from presenting data at a meeting prior to publication, he noted.

Sivak initially denied *Microwave News* permission to cover the June meeting, stating that he thought the presence of the press would inhibit "candid, open discussion" among the committee members (see *MWN*, M/J91). He later relented, putting the issue to a vote at the opening of the session. However, he indicated that the August 26-27 meeting, at which research priorities will be decided, would be closed.

A number of the committee members made presentations on EMF research efforts in the U.S. and in the U.K.: Dr. Larry Anderson on the Battelle Pacific Northwest Lab's programs; Dr. Gary Boorman of the National Institute of Environmental Health Sciences on the National Toxicology Program's upcoming animal studies (see *MWN*, S/O90); Dr. Brian Maddock of the U.K.'s National Grid Co. on research in the U.K.; Dr. Russel Reiter of the University of Texas Health Science Center, San Antonio, on his EMF-pineal and melatonin research; Dr. Bonnie Richter on the Department of Energy's plans for in-house epidemiological studies; Dr. Walter Rogers of the Southwest Research Institute on behavioral effects; Dr. Jeffrey Saffer of the Jackson Laboratory on cell and molecular experiments; Dr. David Savitz of the University of North Carolina on epidemiology; and Dr. Stan Sussman on the Electric Power Research Institute's programs.

HEI has received \$525,000 from the Environmental Protection Agency, \$125,000 of which will be used for the feasibility study. Sivak said that in the next fiscal year, HEI hopes to get \$800,000-\$1 million for research.

When feasibility committee member Dr. Martin Misakian of the National Institute of Standards and Technology (NIST) in Gaithersburg, MD, expressed concern over HEI's administrative costs, Sivak assured him that HEI's overhead will be about 12% (see p.9). Misakian suggested that HEI use the New York Power Lines Project as a model, citing the project's minimum overhead and good quality control.

HEI will hold a second meeting August 26-27 at its headquarters to review committee reports and to design a research strategy. Setlow, Sivak and Dr. Peter Valberg of Gradient Corp. will then draft a research proposal to take to the HEI board. Gradient Corp., also in Cambridge, is coordinating the feasibility study for HEI.

Sivak said that the feasibility committee's report and the independent advisory review will be published by HEI in late October or early November.

Parents Sue Utility Over Child's Kidney Cancer

A San Diego, CA, couple is suing San Diego Gas & Electric Co. (SDG&E), charging that electromagnetic fields (EMFs) from distribution and transmission lines caused their daughter to develop kidney cancer. In a suit filed on May 29 in California Superior Court in San Diego, Michelle and Ted Zuidema also contend that the power lines lowered the value of their house, which they sold in 1990.

The Zuidemas allege that their four-year-old daughter, Mallory, developed Wilms' tumor and nephroblastomatosis as a result of EMF exposure in utero. "Mallory Zuidema's fetal development was adversely affected, her cells and chromosomes were altered and she developed cancer," the suit charges. At approximately 26 months of age, Mallory had seven golf ball-sized tumors removed from her kidneys, according to one of the family's attorneys, Frederick Schenk of Casey, Gerry, Casey, Westbrook, Reed & Hughes in San Diego.

One side of the family's former home is about 15 feet from a 12 kV distribution line. Michelle Zuidema reportedly often slept on a sofa at the corner of the house closest to the line during her pregnancy. The house also is 80 feet from a right-of-way for five transmission lines (three 69 kV lines, one 138 kV line and one 230 kV line).

After measurements inside their home revealed magnetic fields of 3.5-17 mG, the Zuidemas moved from the house in early 1990 and sold it later in the year. The selling price was \$150,000—\$50,000 more than they paid in 1985 but \$50,000 less than what they claim the house was worth. According to another of the Zuidemas' attorneys, Michael Withey of the Seattle, WA, firm of Schroeter, Goldmark & Bender, the family had notified prospective buyers of the EMF levels, in accordance with California laws. The house was sold to a group of investors led by Ted Zuidema's brother, and it now is being rented by a family with no young children.

Withey and Schenk are working on the case with Aaron Simon of Kazan, McClain, Edises & Simon in Oakland, CA. Withey and Simon are members of the Electromagnetic Radiation Case Evaluation Team (EMRCET), a national network of ten lawyers working on EMF-related cases (see *MWN*, M/A91).

The Zuidemas are seeking an unspecified award on the grounds of emotional distress, negligence, nuisance, product liability and trespass.

SDG&E responded on July 5 with a motion to dismiss the suit. The utility is arguing that the California Public Utilities Commission (PUC) has sole jurisdiction over power line EMF health effects: "The PUC's assertion of jurisdiction on the question of potential health effects associated with electric and magnetic fields is binding on the court and requires the dismissal of this action." The PUC is currently studying EMF health effects (see *MWN*, J/F91) and held a public hearing on July 26. A second hearing is scheduled for August 26 in San Francisco.

SDG&E also seeks dismissal on numerous technical grounds,

Alabama Family Seeks \$750 Million for EMF Risks

A family is seeking \$750 million from the Alabama Power Co. for physical injury, risk of cancer, mental anguish and punitive damages. Johnnie and Sharon Allen, whose property is traversed by a 230 kV transmission line which was built in 1989, contend that the utility intentionally misled them into believing that reports of health risks from EMFs were unfounded.

In their suit, filed May 3 in the Circuit Court of Jefferson County, AL, the Allens charge that Alabama Power "has engaged in a pattern and practice of concealing the dangers of EMFs from them and from the public generally." The Allens are being represented by Bill Thomason of the Bessemer, AL, law firm Paden & Thomason, and Clay Ragsdale of the Birmingham, AL, law firm Starnes & Atchison.

Alabama Power, in a written response to interrogatories from the Allens' lawyers, states that, "It is our understanding that the preponderance...of the credible scientific evidence does not support any cause-effect relation between exposure to [extremely low frequency] EMFs and health problems." The utility filed its response on June 24.

The Allens built their home in September 1987. In August 1988, Alabama Power began condemnation proceedings after the two sides were unable to reach an agreement on the sale of land that the utility wanted to use for a right-of-way. During their negotiations, according to the Allens, a utility official told Johnnie Allen that "the claims made by the super environmentalists and liberals that the transmission lines presented a danger were entirely frivolous" and that he should not be concerned about them.

The suit argues that the utility is liable for negligence, loss of property value, emotional distress, nuisance, fraudulent concealment of its knowledge of EMF risks and strict liability. In addition, the Allens are seeking an injunction to stop the operation of the line.

including the allegation that the Zuidemas' suit was not filed until after the statute of limitations expired for several of the counts. According to the utility, Judge Ben Hamerick will rule on the motion on August 23 without hearing oral arguments from either side.

An SDG&E spokesman would not discuss the specifics of the suit. But in a telephone interview, John Dawsey, a senior environmental analyst with the utility, said that EMF biological effects are a "bona fide scientific issue," adding that nothing in the scientific literature would support the type of claim made by the Zuidemas.

John Britton of SDG&E's public relations office said that more than half of the calls and letters he receives about EMFs are concerned with property values.

Australia and U.K. To Begin Major Childhood Epi Studies

Researchers in Australia and in the U.K. will soon start large-scale epidemiological studies on the possible link between power line electromagnetic fields (EMFs) and childhood cancer.

In Australia, Dr. Michael Repacholi of the Royal Adelaide Hospital will coordinate a study for the Australian Radiation Laboratory in Yallambie. The study will include 500-1,000 cases of all types of childhood cancer, with special emphasis on brain tumors and leukemia, Repacholi told *Microwave News*.

The Electricity Commission of New South Wales will sponsor the study, which is expected to cost \$1.5 million (Aus.)—about \$1.2 million U.S.—and to take three to five years to complete.

"This effort is a response to the Gibbs inquiry's recommendation for more research," Repacholi said. In February, Sir Harry Gibbs, a former High Court Chief Justice, concluded that the link between EMFs and health effects is inconclusive but recommended prudent avoidance and more research (see *MWN*, M/J91).

In the U.K., the Coordinating Committee on Cancer Research, based in London, is developing its own childhood cancer-EMF epidemiological study, according to Dr. Brian Maddock of The National Grid Co. This study "is still in the planning stages," Maddock told *Microwave News*.

The National Grid Co., which operates the transmission lines in the U.K. and is based in Leatherhead, will assist with the study's magnetic field measurements, and the National Radiological Protection Board will play a technical role, Maddock said.

In an epidemiological study published in late 1990, Dr. A.D. Clayden and coworkers at the U.K.'s University of Leeds reported finding no association between EMFs and childhood cancer, though the exposures were extremely low—below 0.1 mG (see *MWN*, J/F91).

State and Local EMF Actions: Recent Developments

Connecticut... Senate Majority Leader Cornelius O'Leary's SB 633, mandating that public utilities contribute \$150,000 to the state's EMF Task Force, passed both branches of the legislature and was signed into law by Governor Lowell Weicker on June 25. The funds will be used to hire experts to develop a policy of prudent avoidance and for an EMF literature review to set state research priorities (see *MWN*, M/J91). The task force must submit an interim report to the legislature by February 1, 1992.

Oregon... The House of Representatives and the Senate approved Senator Grattan Kerans's SB 861 by votes of 57-1 and 21-0, respectively, and Governor Barbara Roberts signed it on July 11. The bill requires the state's Energy Facility Siting Council to form a committee of representatives from the public, utilities and government to monitor EMF research and to report back to the council and to the legislature (see *MWN*, M/J91). The law will take effect on September 29.

Rhode Island... The proposed statewide three-year moratorium on construction of transmission lines above 60 kV, introduced by Rep. Steve Hernandez (H-5016) and by Senator Michael Lenihan (S-26), passed 74-1 in the House of Representatives, but was tabled by the Senate. Despite this setback, the bill "probably had the support to pass the Senate if it had come to a vote," Hernandez told *Microwave News*. He said that the bill will be reintroduced in the next legislative session, which starts in January. On July 2, Governor Bruce Sundlun announced that a newly appointed EMF task force, chaired by Scott Wolf, an aide to the governor, will consider the moratorium. Meanwhile, RI Superior Court Judge Patricia Hurst has stayed her decision to nullify a local power line moratorium in East Greenwich, and the case will be heard by the state Supreme Court. Until the high court ruling, which is not expected until next year, the Narragansett Electric Company will be forced to delay construction of the East Greenwich portion of a new 115 kV line, a company spokesman told *Microwave News*. (See also *MWN*, N/D90, J/F91 and M/J91.)

HIGHLIGHTS

SAB Panel Calls for Rewrite of EPA EMF-Cancer Report

The Environmental Protection Agency's (EPA) draft report on cancer and electromagnetic fields (EMFs) has "serious deficiencies and should be rewritten," an EPA Science Advisory Board (SAB) panel has recommended. At the same time, the panel members issued a unanimous statement that the question of EMF biological effects is "important and exceptionally challenging."

As expected, the members of the SAB's Non-Ionizing EMF Subcommittee asked EPA to tone down its conclusion that EMFs are a "possible, but not proven, cause of cancer in humans." Instead, they counseled that, "Currently available information is insufficient to conclude that [EMFs] are carcinogenic."

By the end of its third—and final—meeting, held July 23-25 in Crystal City, VA (outside of Washington, DC), the SAB panel had completed its review of EPA's draft report, *Evaluation of the Potential Carcinogenicity of Electromagnetic Fields*, for EPA

Administrator William Reilly. Previous meetings were held in January and April (see *MWN*, J/F91 and M/J91).

EPA's Dr. Robert McGaughy, the principal author of the EPA cancer report, called the panel's advice "comprehensive and very authoritative." In an interview, he said that, "We're really pretty much in agreement with their evaluation." EPA sources told *Microwave News* that rewriting the report could take up to a year.

While the panel paid the most attention to power frequency EMFs, the members issued a special warning on radiofrequency and microwave (RF/MW) radiation "hazards," recommending that EPA resume work on its stalled RF/MW exposure guidelines (see *MWN*, S/O88 and box on p.8).

Among the other conclusions reached by the panel were:

- The carcinogenicity of EMFs should not be classified using the system devised for chemicals because of "major uncertainties."

HIGHLIGHTS

- "There is insufficient information to designate specific values of magnetic field strength that may be hazardous to human health."
- "The epidemiological evidence is suggestive of an association between surrogate measurements of magnetic field exposure and certain cancer outcomes." But the lack of clear exposure information and of an understanding of key exposure parameters combined with a limited understanding of potential mechanisms "weakens the inference of cancer causality from these associations."
- The incidence of cancer may be affected by non-mutagenic agents which do not interfere directly with DNA—for example, hormone imbalances caused by disruptions in the pineal gland's melatonin cycle (see *MWN*, J/A90).
- "If effects on living systems at lower fields do occur, the assumptions leading to estimations of physical constraints for ef-

fects on isolated small spherical cells...may not be applicable to larger cells or cell systems such as neurons or neuronal networks."

Several panel members raised other concerns:

- Dr. Genevieve Matanoski of Johns Hopkins University in Baltimore, MD, the chair of the panel, noted that EPA should have integrated the human epidemiological data and the biological data to reach general inferences about EMF risks.
- Dr. Bary Wilson of the Battelle Pacific Northwest Lab in Richland, WA, emphasized the importance of exposure parameters such as transients and time-varying fields, arguing that the issue should be brought directly to the attention of the EPA administrator and not be buried in the report.
- Prompted by the public testimony, Dr. Nan Laird of the Harvard University School of Public Health in Boston, MA, pointed out that neither the subcommittee report nor EPA's research

SAB Conclusions and Recommendations on EPA's EMF-Cancer Report

The SAB's EMF panel is finalizing its critique of EPA's EMF-cancer report. The following excerpts include revisions made at the July 23-25 meeting.

Currently available information is insufficient to conclude that [EMFs] are carcinogenic. Human epidemiologic data report an association between surrogates for [EMF] exposure and an increased incidence of some types of cancer, but the conclusion of causality is currently inappropriate because of limited evidence of an exposure-response relationship and the lack of a clear understanding of biologic plausibility....

Some of the in vitro and in vivo data on unmodulated RF have suggested the existence of mechanisms by which human health effects, but not carcinogenicity, may be inferred. Both unmodulated and ELF-modulated RF fields of sufficient intensity can give rise to thermal effects. Non-thermal biological effects also have been reported in animals exposed to RF fields. It is well established that in vitro and in vivo experiments on ELF have shown non-thermal biologic effects at fields of moderate intensity and there are suggestive effects at lower levels. Furthermore, ELF-modulated RF fields assumed to be non-thermal can produce many of the biological effects of ELF fields alone. Hypothetical constructs relating observed biological effects to possible health effects (specifically, increased cancer risk) have been delineated. However, there are at present insufficient data on many of the critical steps in the linkage to infer causality on the basis of animal or cellular data....

[T]he EPA has not evaluated how the findings on biological effects and non-ionizing field and tissue interaction mechanisms relate to the interpretation of human studies. The strength of epidemiologic data depends on identification of supporting evidence from in vitro and in vivo data. This has not been developed in the report. The critiques of studies of biological effects are contained in the discussions of the several chapters....

The heading of chapter 5, *Supporting Evidence of Carcinogenicity*, is inappropriate. The interpretation of the biological effects in the in vitro systems as presented by the report does not make a case for carcinogenicity. Specific individual experiments need critical review....

Non-ionizing [EMFs] should not be classified together under the EPA's chemical carcinogenesis system because of present major uncertainties. These involve an incomplete understanding of which aspects of field-tissue interactions give rise to biological effects. Properties of the various [EMFs] such as phase angle, polarization, transients and frequency range may contribute to different

biologic effects. For these reasons, the use of the EPA's classification scheme at this time would be inappropriate and confusing....

There is insufficient information to designate specific values of magnetic field strength that may be hazardous to human health for two reasons. a) There is insufficient evidence from the human epidemiology data and from animal/cell experiments to establish unequivocal cause-and-effect relationships between low frequency EMF exposure and human health effects and cancer. b) The precise nature of the environmental low frequency EMFs potentially related to human disease remains to be elucidated. In addition to field strength, parameters such as the time-varying nature of the magnetic fields and the relevant time/exposure parameters need to be determined.

The subcommittee also wishes to express two specific policy recommendations that in its view follow inescapably from the scientific recommendations....:

Policy Recommendation No. 1: The subcommittee is unanimous in its belief that the question of [EMF] effects on biological systems is important and exceptionally challenging; and that the subcommittee's advice to the EPA should be that the report should be rewritten by EPA, and then rereviewed by the Science Advisory Board.

Policy Recommendation No. 2: EPA should complete its efforts with regard to RF [EMFs] (including [MWs]) and issue exposure guidelines independent of present issues pertaining to lower frequencies. The current EPA report inadvertently leads even the careful reader to conclude that the potential carcinogenicity of [EMFs] of ELF (i.e., power line) frequencies is the only—or at least the principal—subject of concern with regard to non-ionizing fields. Such a conclusion would reinforce the skewed and somewhat sensationalized picture presented to the public in recent years by the news media and government agencies responding to this publicity. The report should therefore declare explicitly that the attention given to non-ionizing [EMFs] derives in the first place from long-standing concern over the hazards of RF (including [MW]) radiation. EPA has expended substantial resources on the study of such radiation over a period dating back to the EPA's inception, and EPA should complete its efforts directed toward the issuance of RF exposure guidelines. RF fields present long-known and well-understood hazards against which users and the general public must be warned and protected.

Childhood Brain Tumor Cluster in West Virginia

Five children living near a 345 kV transmission line have developed brain cancer in the last two years, according to Dr. Martha Gelderman, a family practitioner in Union, WV. In a presentation to the SAB panel, she pleaded for assistance. "We have nowhere to turn for help," she said.

Gelderman said that the five cases occurred in a rural school district serving 1,000 children. SAB panel Chair Dr. Genevieve Matanoski, an epidemiologist, called the numbers "overwhelming."

People are staying home at night reading the EPA EMF-cancer report looking for answers instead of watching television, Gelderman told the panel. "They're afraid for their children," she said. She urged the subcommittee to help "humanize" the report and called for a clearinghouse where average citizens could get accurate information.

Dr. Gayle Sharp, also from Union, told *Microwave News* that there are transformers outside of every home in the rural area and that there are three transformers within 50 feet of the home of a 12-year-old girl who recently died of brain cancer. Sharp added that the community is trying to stop a proposed 765 kV line.

A growing number of studies have linked EMF exposures at home and at work to the development of brain tumors (see *MWN*, M/A90).

agenda adequately address the public's concerns. She argued that it is "irresponsible" to say that there is something to investigate without providing guidance. Many panelists agreed that EPA should issue a citizen's guide on EMF risks. In a statement, John Rice and Sandy Travis of Annapolis, MD, who had blocked the expansion of an electrical substation, noted that EPA's draft report was essentially the only guidance they had.

• Matanoski and Dr. Charles Susskind of the University of California, Berkeley, both spoke in favor of a government-coordinated national research program. "You're not going to solve the problems of public perceptions until you put the research into the hands of the National Institutes of Health," Matanoski said. Susskind pointed out, "It would be far better for this work to be coordinated by a government agency such as the National Institute of Environmental Health Sciences."

Near the end of the meeting, some panelists expressed reservations about the prospect of the Health Effects Institute's (HEI) proposed public-private research effort (see pp.3 and 5). "HEI has absolutely inadequate experience and credentials" in EMF research, Bary Wilson said. Susskind noted that HEI's overhead costs would take a "substantial bite" out of the research budget.

In an attempt to allay these concerns, HEI's Dr. Andrew Sivak stated that HEI's strength lies in its ability to "bring together and work with key people in the field" rather than "in our knowledge and experience." He said that the institute's

overhead is about 14% (see p.5).

Speaking in support of HEI, panelist Dr. Granger Morgan of Carnegie Mellon University in Pittsburgh, PA, argued that EPA has had "extraordinary difficulty" in sustaining its research efforts, and that HEI would provide a "buffer" enabling the agency to engage in long-term research. He noted, however, that he would not want the HEI project to divert funds from existing federal EMF programs. "I will be very unhappy about that outcome," he said.

The last panel meeting, originally scheduled for September 9-10, has been canceled. Although some of the revisions were not finalized, the panel will complete its work by mail. (For a complete list of the members, see *MWN*, M/J91.)

The SAB Radiation Advisory Committee (RAC), the panel's parent group, will consider the panel's report at a September 20 meeting. If the RAC gives its approval, the SAB executive committee will review the report at its October 29-30 meeting.

SAB Panel Critical of EPA's EMF Research Strategy

The Environmental Protection Agency's (EPA) plan for research on electromagnetic field (EMF) effects drew a barrage of criticism when it was released to members of the agency's Science Advisory Board (SAB) EMF panel at a July 23-25 public meeting in Crystal City, VA.

The report, *A Research Strategy for Electric and Magnetic Fields: Research Needs and Priorities*, lists 32 specific recommendations for future studies. It was prepared at the request of EPA Administrator William Reilly by a working group under the direction of Dr. Joe Elder of EPA's Health Effects Research Laboratory in Research Triangle Park, NC. The strategy was intended as a companion to the EPA EMF-cancer report, which is being reviewed by the SAB panel (see p.7).

EPA assigned the highest priorities to research on cancer, biophysical mechanisms of interaction and exposure assessment. Studies of reproductive and developmental effects as well as of nervous system effects were labeled as "medium" priorities, with research on immune system effects and control technology as "low" priorities.

Many of the SAB panelists argued that the research recommendations are too sweeping and lack focus. "It's not a useful document," said Dr. Richard Wilson of Harvard University in Cambridge, MA. "I think the only thing missing is lower back pain," commented Dr. Kelly Clifton of the University of Wisconsin, Madison.

The panel members charged that EPA has failed to explain how the research would be done. "While the document as it stands is not a work plan, the broad implementation of EPA's research agenda should be delineated," said Dr. Karim Ahmed of Princeton, NJ. "They must address implementation," agreed Dr. Genevieve Matanoski of Johns Hopkins University in Baltimore, MD, the chair of the SAB panel.

A number of the SAB panelists asked why EPA has not been

HIGHLIGHTS

more explicit about its role and that of the Health Effects Institute (HEI) (see pp.3 and 5). "Who is intended to do the research?" asked Dr. Mary Ellen O'Connor of the University of Tulsa, OK, noting that, "EPA has no [EMF] research program." Dr. Charles Susskind of the University of California, Berkeley, wondered aloud why the draft says nothing about implementation when it was clear that "considerable thought [had] already [been] given to it at EPA."

Dr. Ken Sexton, the director of EPA's Office of Health Research, tried to defuse the criticism by suggesting an alternative title for the report: *A Research Domain for [EMFs]: Research for Health Effects from an EPA Perspective*. He later explained that, "We made a serious mistake by not clarifying that the nature of the document had changed during the [development] process." He said that "no decision has yet been made" as to whether EPA or some other organization, such as HEI, would do the research.

Many senior EPA officials clearly see the research report as controversial. In a June 26 presentation on the EPA strategy at the Bioelectromagnetics Society meeting in Salt Lake City, UT, portions of Elder's slides were deleted, even though the report had already been printed and was ready for distribution.

Susskind, who was a member of a previous SAB panel on radiofrequency and microwave (RF/MW) radiation health effects, observed that that panel had also assembled a research strategy in 1984 (see *MWN*, J/F84). "We haven't heard anything since then—I wish you good luck with your current strategy," he told Sexton in Crystal City.

Dr. Granger Morgan of Carnegie Mellon University in Pittsburgh, PA, called the draft "a C- effort that could be edited [at best] into a C+." He recommended that, "The document needs to place a greater emphasis on the importance of developing a basic scientific understanding [of EMF interactions]." Dr. Clark Heath of the American Cancer Society in Atlanta, GA, also argued that EPA should emphasize "the more fundamental and far-reaching need of furthering our basic understanding of biologic effects and mechanisms. Without such basic knowledge, research regarding cancer risks and exposure parameters is likely to remain shallow."

The report addresses EMFs up to 500 kHz: "Although exposure to EMFs at frequencies above [500 kHz] is also a health concern, the lower range is emphasized because of the heightened concern for possible health effects from exposure to 60 Hz EMFs from power lines and to commonly used devices in the home and workplace...." EPA states that the draft report comes in response to "widespread media attention" and "public and private concerns."

Some of the research priorities listed by EPA are:

- Evaluation of confounding factors which may distort the EMF-health effects association suggested in epidemiological studies.
- Examination of populations exposed to other than electric power frequency (50/60 Hz) EMFs.
- Animal research to determine whether EMFs can induce cancer.
- Studies of EMF effects on the behavior of laboratory animals, emphasizing learned tasks and drug interactions.

- Confirmation of EMF effects on immune response in vitro.
- Analysis of EMF interactions to determine whether biological effects are due to currents induced by time-varying magnetic fields, and whether currents induced by electric fields have categorically different effects than those produced by magnetic fields.
- Development of models of possible mechanisms of interaction, including evaluation of exposure characteristics reported to have therapeutic action in biological systems.
- Identification of sources of electric and magnetic field exposures.
- Training of individuals responsible for field measurements and the development of measurement protocols.
- Three-dimensional maps to characterize EMFs from residential appliances and industrial equipment.
- New materials to shield magnetic fields and mitigate exposures.

Canada Issues RF/MW Exposure Standard

The Canadian government has published its revised limits for occupational and public exposures to radiofrequency and microwave (RF/MW) radiation in the 10 kHz-300 GHz range. The standard includes limits for contact currents for frequencies between 10 kHz and 30 MHz.

Like the 1982 American National Standards Institute (ANSI) RF/MW guidelines, the Canadian exposure limits change as a function of frequency—forming the now common "well shape." For workers, the strictest limit is 1 mW/cm² from 30-300 MHz, rising to 5 mW/cm² at 1.5 GHz and above. At the lower frequencies 10 kHz-1 MHz, the electric and magnetic field limits are 600 V/m and 4.9 A/m, respectively. For the general public, maximum power density limits are five times lower—200 µW/cm² from 30-300 MHz and 1 mW/cm² from 1.5-300 GHz. At 10 kHz-1 MHz, the limits are 280 V/m and 2.19 A/m.

The maximum allowable contact currents are, for occupational exposures, 400f mA for 10 kHz-100 kHz and 40 mA for 100 kHz-30 MHz and, for the general public, 150f mA and 15 mA in the two frequency ranges, respectively, where f represents frequency in MHz.

Portable transmitters operating below 1 GHz with an output power of seven watts or less are exempt from the limits.

The standard has been simplified since it was first proposed in 1987 (see *MWN*, S/O87 and N/D87). For instance, there are now fewer frequency ranges—but the safety levels are essentially the same, according to Dr. Maria Stuchly, who developed the standard for Health and Welfare Canada.

The new standard is intended for use by federal agencies. But David Charron of the Ontario Ministry of Labor's Radiation Protection Service told *Microwave News* that several provincial governments may also adopt it.

Limits of Exposure to Radiofrequency Fields at Frequencies from 10 kHz-300 GHz (Safety Code 6) is available for \$4.95 (Cdn), \$5.95 (U.S.) from: Canada Communication Group—Publishing, Ottawa, Ontario K1A 0S9, Canada, (613) 956-4802. The catalog number is H46-2/90-160E.

FROM THE FIELD

Medical Microwaves in Yugoslavia

The 1st International Scientific Meeting: Microwaves in Medicine '91 was held April 8-11 in Belgrade, Yugoslavia. The conference was conceived by the Yugoslav chapter of the Institute of Electrical and Electronics Engineers' (IEEE) Microwave Theory and Techniques Society (MTT-S) and organized jointly by the MTT-S, the Scientific Committee of Serbia and the Institute of Microwave Techniques and Electronics (IMTEL), based in Belgrade. The following report was prepared for Microwave News by IMTEL's Branka Jokanovic, Dr. Stanislaw Szmigielski of the Center for Radiobiology and Radiation Safety in Warsaw, Poland, and Professor Roberto De Leo of the University of Ancona, Italy. A limited number of copies of the 304-page conference proceedings are available for \$65.00 (U.S.) each from: Branka Jokanovic, IMTEL, Bulevar Lenjina 165b, 11070 Belgrade, Yugoslavia, (38+11) 135420, Fax: (38+11) 138928. See also p.14 for details of a conference on millimeter waves in medicine to be held in Moscow in September.

About 100 participants from Belgium, Bulgaria, Czechoslovakia, Hungary, Italy, Japan, Poland, South Africa, the U.S., the U.S.S.R. and Yugoslavia attended the conference, which featured five invited presentations and 42 papers. There were sessions on medical applications of microwaves, dosimetry and instrumentation, biological effects, health hazards and safety standards and the use of polarized light. The meeting also included a roundtable discussion of electromagnetic compatibility techniques led by Professor De Leo, and a review of potential medical applications of printed antennas led by Professor Aleksandar Nesic of IMTEL. The last two sessions were made possible by the Italian Embassy in Belgrade and mark the first step toward greater cooperation between Italy and Yugoslavia in this area.

An invited paper, "Microwave Acupuncture as Stimulus for the Interaction Between Electromagnetic Fields (EMFs) and the Nervous System," by Professor Andre Vander Vorst of the Catholic University of Louvain in Louvain-la-Neuve, Belgium, as well as a series of papers from the U.S.S.R., described the use of millimeter waves (40-80 GHz) to stimulate acupuncture points, a technique based on traditional Chinese medicine. According to Mikhail Golant and Vera Nadejeva from RPA "Istok" in Moscow, this form of acupuncture is widely used in the U.S.S.R., where 40,000 patients with conditions ranging from stomach polyps, duodenal ulcers, arterial hypertension and angina pectoris to traumas and advanced neoplasms have been treated using commercially available devices. Despite the excellent results claimed by the Russian researchers, this form of nonconventional therapy cannot be evaluated in terms of modern medicine, because, according to Drs. Yuri Kholodov and Natalia Lebedeva of the Institute of Higher Nervous Activity and Neurophysiology at the U.S.S.R. Academy of Sciences in Moscow, there are presently no accepted mechanisms of interaction between millimeter waves and the central nervous system.

Yugoslav, Czech and South African engineers have developed several interesting devices using microwave energy. For instance, Dr. B. Downing of the University of Cape Town, South Africa, has designed a low-cost microwave system, operating at 2.45 GHz, for deactivating HIV—the virus associated with AIDS—in breast milk collected to feed premature newborns. And Dr. Slobodan Manola and coworkers at the Institute of Physics in Belgrade presented a way of using microwave-induced low-energy gas plasmas to sterilize medical instruments and plastic items at 75-80° C.

Professor Paul Walinsky of the Department of Medicine at Thomas Jefferson University Hospital in Philadelphia, PA, reported that microwave balloon angioplasty of the coronary and peripheral blood vessels is a promising form of therapy for atherosclerotic vascular disease. In his invited talk, he concluded that microwave angioplasty is more effective than conventional angioplasty in maintaining vascular patency in the presence of thrombus.

The treatment of an enlarged prostate using microwave hyperthermia was addressed by Dr. Hyder Arastu and associates at the Albert Einstein Medical Center in Philadelphia, PA, in their invited lecture, "The Efficacy of Transurethral Interstitial Microwave Hyperthermia in the Management of Benign Prostatic Hyperplasia [BPH],"

and by Dr. Bronislaw Stawarz and colleagues at the MMA Postgraduate Medical School in Warsaw, Poland, in a paper on the treatment of BPH with intrarectal and intraurethral microwave applicators. The two presentations indicated that intraurethral microwave hyperthermia in advanced BPH is an efficient and safe alternative to surgery.

With respect to microwave hyperthermia, Dr. Branko Kolundzija of the University of Belgrade, Yugoslavia, presented a mathematical model for plotting energy deposition and temperature distributions, and Drs. Yoshio Nikawa and Fumiaki Okada of Japan's National Defense Academy in Yokosuka described an innovative applicator. In addition, Dr. Evgeni Khizhnyak of the Institute of Cell Biophysics of the U.S.S.R. Academy of Sciences in Pushchino and a group led by Professor Fernando Bardati of the University of Rome, Italy, described non-invasive techniques to map heating during hyperthermia. The dielectric properties of biological tissues were described from a theoretical point of view by Dr. Salvatore Caorsi and coworkers at the University of Genoa, Italy, and from an experimental point of view by IMTEL's Dr. Veljko Napijalo and Branka Jokanovic.

In a series of three papers, Dr. Zdravko Stojanovic of the Institute of Aviation Medicine in Belgrade, Drs. Zoran and Milan Djordjevic of the Pacemaker Center at the University Clinical Center in Belgrade and Dr. Zdravko Kelecevic, also of the Institute of Aviation Medicine, described their work on microwave-induced health effects and protective clothing. Stojanovic, a medical doctor, presented the results of a clinical study of 253 radar operators which showed a higher incidence of irregularities in the lymphocytes and the nervous systems of workers chronically exposed to microwaves.

In a review of the possible link between EMFs and cancer, Dr. Stanislaw Szmigielski concluded that EMFs should be classified as "possible" carcinogens.

Dr. Zlatko Koren of the Department of Electrical Engineering at the University of Zagreb, Yugoslavia, recently received a grant of 3.4 million ECU [European Currency Units—approximately \$4 million, U.S.] from the Committee of Science and Technology of the European Community to coordinate bioelectromagnetic research in European countries and to establish common safety standards for all European countries. The research project is expected to take four years, beginning with a series of workshops to plan for international cooperation in epidemiological, medical and experimental studies related to the biological effects of non-ionizing radiation. Prospective epidemiological studies of cancer morbidity, as well as medical examinations of personnel occupationally exposed to radiofrequency and microwave radiation, are being planned for this effort.

The Belgrade meeting, the first conference on microwave applications in medicine, was an opportunity to introduce recent developments in this field. The organizers hope that it will stimulate further research, particularly because this field is potentially one of the most important for nonmilitary uses of microwave technology.

The 2nd International Scientific Meeting: Microwaves in Medicine '93 will be held in Italy. Those interested in attending should contact Professor Roberto De Leo, University of Ancona, Via Breccia Bianche, 60131 Ancona, Italy, Fax: (39+071) 2204 835.

cancer promotion hypothesis.

"The study is important and interesting and could be very significant," Dr. Leonard Sagan told *Microwave News* after the BEMS meeting. Sagan, the program manager for radiation studies at the Electric Power Research Institute (EPRI) in Palo Alto, CA, said that he was reluctant to offer a detailed opinion, given that the results are preliminary and that the number of animals involved was small.

"This copromotion study is potentially highly significant," observed Dr. Craig Byus of the University of California, Riverside, who is a member of the Environmental Protection Agency's (EPA) Science Advisory Board (SAB) panel that is reviewing EPA's EMF cancer assessment (see p.7). Byus added that, "It may be that you can see the EMF effect more clearly in the copromotion model than through straight promotion—both approaches should continue to be pursued." Dr. Bary Wilson of the Battelle Lab in Richland, WA, another SAB panelist, agreed: "If this study continues to be positive, it will change the playing field."

Synergy between chemicals and ELF EMFs has been the subject of increasing attention over the last few years. In a recent review paper on experiments with both ELF EMFs and ELF-modulated microwaves, Dr. Ross Adey, in whose lab Cain works, noted that, "Bioelectromagnetic research reveals clear evidence of joint actions at cell membranes of chemical cancer promoters and environmental [EMFs]. The union of these two disciplines has resulted in the first major new approach to tumor formation in 75 years" (see *MWN*, N/D90).

McLean and Stuchly, in collaboration with Dr. Ronald Mitchel of Atomic Energy of Canada in Chalk River, Ontario, painted the skin of 96 female mice with DMBA, a known cancer initiating agent, and soon afterwards treated 48 of them with 0.3 µg TPA and the other 48 with the TPA and a 20 G, 60 Hz magnetic field. The TPA was applied once a week and the field was turned on for six hours a day, five days a week. After 17 weeks, there were more than three times as many mice with tumors—a statistically significant increase—among those exposed to the TPA-magnetic field combination than in the mice only treated with TPA. There was a similar and equally significant increase in the number of tumors per mouse. The exposures are continuing—"It is still too early to say what the actual findings will be," Stuchly said in an interview at the BEMS meeting.

Indeed, as *Microwave News* goes to press, Stuchly reports that, after 23 weeks of exposure, the mice only exposed to TPA had developed more tumors and that the differences between the two groups were no longer statistically significant. Nevertheless, the number of mice with tumors and the number of tumors per mouse were still higher in the TPA-EMF-exposed group. "It appears that the field accelerates the tumor development process," Stuchly said in late July. She also noted that there was considerable variation in the number of tumors per animal. "Some mice had only one tumor, while others had up to 20," she said.

In a previous study, the Canadian team exposed mice to the 60 Hz magnetic field without TPA, after using DMBA to initiate cancer, but found no change in tumor development. Those re-

sults have been accepted for publication in a future issue of *Bioelectromagnetics*. Similar studies in Sweden by Dr. Bo Holmberg and coworkers at the National Institute of Occupational Health in Solna have also failed to show a promotional effect of a 50 Hz magnetic field—without TPA—in the development of skin cancer in mice.

"I'll breathe easier when our study is replicated both in our lab and in another lab," McLean said. Indeed, the Health and Welfare team is not waiting for the experiment to be completed before planning a new set of exposures. McLean and Stuchly said that they will begin repeating the study in September and plan future experiments with lower exposures—5 G and/or 10 G—in an effort to determine a dose-response relationship. "If the effect is real, we must know where the threshold for the magnetic field effect is," Stuchly said, adding that she would also like to test the response of the mice exposed to an intermittent field—for instance, one that turns on or off every 15 minutes.

The Canadian researchers are also investigating the mice's immune response as part of the same study. These results were not ready for release at the BEMS meeting. In their earlier study, they showed a statistically significant decrease in natural killer (NK) cell activity among mice exposed to TPA and 60 Hz fields. Those findings suggest that "the magnetic field may affect tumor growth by suppressing an immune surveillance system (NK cell activity) that would otherwise prevent or retard the growth of some tumor or leukemia cells."

Dr. Stanislaw Szmigielski of the Center for Radiobiology and Radiation Safety in Warsaw, Poland, previously reported synergistic effects between microwave radiation and benzopyrene on the development of skin tumors in mice (see *MWN*, My81 and J/A82).

Cain's cellular findings parallel the Canadian animal results: The magnetic field enhanced the action of the TPA. Cain used a co-culture of two different cell types: C3H10T1/2 fibroblasts and mutant cells—offspring of the fibroblasts that had been transformed by UV radiation. When these two cell types are grown together in the same dish, they coexist as a monolayer, but in the presence of TPA the harmony is lost and the cancer cells grow on top of one another. "Essentially, the parent cells keep the daughters in line," Cain explained to *Microwave News*. "When you add TPA, the daughter cancer cells pile up." Cain found that the number of cancer cells doubled when the co-culture was exposed to both TPA and a 1 G, 60 Hz magnetic field for one hour every six hours, every day for four weeks—as compared to TPA exposure alone.

Both Cain and Stuchly agreed that their findings are complementary. "They are two pieces of the same puzzle," Cain said. "They point in the same direction," Stuchly concurred.

In a series of experiments, Drs. Elizabeth Balcer-Kubiczek and George Harrison of the University of Maryland School of Medicine in Baltimore have shown that ELF-modulated microwaves and chemicals can initiate cancer in normal cells (see *MWN*, J/A89). "These new co-promotion results coupled with those from our lab indicate that the carcinogenicity of EMFs must be taken very seriously," Balcer-Kubiczek told *Microwave News*.

and Cory Davis of Corpus Christi, TX, sued Aequitron Medical, Inc., of Minneapolis, MN, after their infant son died—an Aequitron Model 8200 monitor had failed to warn them that the child had stopped breathing. The terms of the March 1990 out-of-court settlement were not disclosed.

“The lawsuit contended that EMI was a major factor in the failure of the monitor and that the manufacturer failed to adequately warn of any potential problem,” Cage Wavell, the Davises’ Corpus Christi-based attorney, told *Microwave News*. The family lived in an apartment building several miles from the Corpus Christi Naval Air Station. Wavell noted, however, that in the absence of detailed measurements, EMI from household appliances, particularly an electric fan near the infant’s bed, could not be discounted.

“The company knew for years that the monitors had alarm problems and that many babies had probably died,” the Davises told a congressional subcommittee chaired by Rep. Henry Waxman (D-CA) at a November 1989 hearing in Washington, DC. Depositions from the Davis case indicate that Aequitron knew of the EMI problem as early as 1983, Wavell said. In the course of the litigation, the company provided documentation of several hundred failures of Aequitron monitors, he said.

A May 1990 GAO report to the subcommittee, *Underreporting of Serious Problems with a Home Apnea Monitor* (GAO/PEMD-90-17), reproduced one Aequitron document linking the Model 8200 to 68 deaths from 1983 through 1989. A GAO examination of company records revealed at least two other allegations of fatalities. Prior to the GAO investigation, the company had reported only five deaths associated with the monitor to the FDA, however.

When contacted by *Microwave News*, Aequitron refused to comment other than to say that the Davis suit had been settled.

Apnea monitors measure cardiorespiratory activity through electrodes attached to a patient’s chest. Laboratory studies and field surveys of eight models made by four manufacturers “demonstrated that EMI can cause disruption of apnea monitors at relatively low field strengths and at common communication frequencies,” according to an FDA report, authored by Paul Ruggera and Eugene O’Byrne, which will be presented at the Institute of Electrical and Electronics Engineers’ (IEEE) *Annual Meeting of the Engineering in Medicine and Biology Society*

in late October.

In the lab, the alarm of the most sensitive model failed when exposed to fields below 0.1 V/m at FM broadcast frequencies (88-108 MHz). Other models were found to be sensitive to very high frequency (VHF) television signals (54-88 and 174-216 MHz). Every monitor tested registered false breaths and heartbeats—which could prevent the alarm from sounding—at relatively low field strengths, according to the FDA researchers.

Field tests at 15 sites in Washington, DC, Omaha, NE, and Portland, OR, generally confirmed the lab results. At one location more than a mile from the nearest FM radio transmitter, with a maximum single signal of 1.7 V/m, erroneous breaths and heartbeats were detected by most monitors, they reported.

Based on these results and on RF measurements in several U.S. cities by the Environmental Protection Agency, the FDA concluded that a “significant percentage of the U.S. population lives in areas likely to experience EMI levels that could interfere with the most sensitive of these apnea monitors.” A preliminary report on the FDA’s findings appeared in the April issue of *Radiological Health Bulletin* and in the May issue of *Medical Devices Bulletin*, both published by the CDRH.

Though RF broadcast signals are the major focus of concern, an FDA “Safety Alert” titled *Important Tips for Apnea Monitor Users* warns that EMFs from electrical appliances or cellular telephones could affect the devices, and that even “draperies or rugs...can also cause interference with the monitor due to static electricity.”

This fall, the FDA will circulate the third draft of a technical standard for apnea monitors, which will include an extensive section on EMI. A final standard is not expected for at least another year, however. Though many manufacturers are already redesigning or retrofitting their devices to address the problem, a recall is still possible, a knowledgeable source at the FDA told *Microwave News*.

A working group of the International Electrotechnical Committee proposed a 3 V/m immunity requirement for medical devices from 26 MHz to 1 GHz in a December 1990 draft, *Medical Device Electromagnetic Compatibility Standard*.

EMI to medical devices has been the subject of increasing concern over the last few years (see *MWN*, S/O85, N/D85, M/J88, S/O88 and M/A90).

UPDATES

GOVERNMENT

Radiation Control Directors...Recent research findings on ELF EMFs and cancer “must compel the urgent attention of the radiological health community.” This was the warning issued by Dr. Leonard Solon, who recently retired as the director of the New York City Bureau for Radiation Control, to participants at the 23rd Annual Meeting of the Conference of Radiation Control Program Directors (CRCPD) in Wichita, KS, in mid-May. In his prepared paper, Solon outlined the research data and sketched several options for CRCPD members, who traditionally have focused on ionizing radiation. According to another

participant, Ken Barat of the Arizona Radiation Regulatory Agency in Phoenix, there was agreement among participants at the meeting’s NIER workshop that, “State radiation programs need to start dealing with [NIER] health issues.” In a telephone interview, Barat explained that NIER is now being handled by various agencies in different states. “If we don’t get involved, we’re going to get passed by,” he said.

LITIGATION

Waterbed Injury...A Tennessee teenage girl and her parents claim that “chronic exposure to electrical voltage she received

UPDATES

from a waterbed heater" caused her serious harm. In a suit filed on October 1, 1990, Kristen, James and Phyllis Pope charge that Kristen "suffered from and continues to suffer serious health problems," including joint and muscle soreness, discoloration of the legs, circulation problems and headaches. For an extended period, she could not walk without assistance. The Popes' attorney, David Smith of Kinnard & Smith in Nashville, said in a telephone interview that Kristen showed "dramatic improvement" after she stopped using the waterbed. Electrical engineers hired by the Popes measured 95-120 V on the waterbed, which they concluded was caused by the inverted insertion of the power plug into a wall socket, resulting in "improper polarization." The suit charges that the waterbed heater's manufacturer, Haku-to Co. Ltd. of Japan, and its subsidiary, Shigma, Inc., of Elk Grove Village, IL, should have provided polarized plugs or should have provided a written warning explaining proper insertion of the plug. The Popes are asking \$1.25 million in damages. The trial is scheduled to begin in November.

MEETINGS

EBEA's First Congress...The European Bioelectromagnetics Association (EBEA) will hold its first congress January 23-25, 1992, in Brussels, Belgium. Abstracts are due by October 31, 1991. In addition to platform and poster presentations, roundtable discussions on specific topics are planned. Contact: Dr. M. Hinsenkamp, Hôpital Erasme, Service d'Orthopédie-Traumatologie, Route de Lennik, 808, B 1070 Brussels, Belgium, (32+2) 526-3640.

MM Waves in Moscow...An *International Scientific Meeting on Millimeter Waves of Non-Thermal Intensity in Medicine* will be held September 24-27 in Moscow, U.S.S.R. According to the announcement, Soviet researchers will present the results of 20 years of experience in theoretical and experimental research on non-thermal effects of high frequency radiation "on living systems of different level[s] of complexity." For more information, contact the meeting's organizing committee at: Marx Avenue 18, GSP-3, Moscow 103907, U.S.S.R. (7+095) 2033266.

Guy Festchrift...After 35 years at the University of Washington, Seattle, Dr. Bill Guy has retired, and a one-day symposium, sponsored by the USAF, will be held in his honor at the university on October 26. Guy is best known for his work on RF dosimetry, bioeffects and standards. Contact: Dorothy Pratt, Bioelectromagnetics Research Lab, RJ-30, University of Washington, Seattle, WA 98195, (206) 543-1071.

PEOPLE

Dr. Om Gandhi of the University of Utah, Salt Lake City, will be the new president of the Bioelectromagnetics Society. He will take over from FDA's Dr. Mays Swicord next year....**Dr. Allan Frey** has replaced **Dr. Andrew Marino** as president of the International Society of Bioelectricity. Marino also recently resigned as the editor of the society's journal (see *MWN*, M/J91). Frey reports that the society may change its name....**Greg Rauch** is leaving EPRI's electrical systems division to join **Bill Feero** at Electric Research and Management. Rauch will open

a west coast office for the firm in Santa Cruz, CA....**Drs. Maria and Stan Stuchly** are moving to the University of Victoria's department of electrical and computer engineering in British Columbia, Canada. Stan has left the University of Ottawa and has taken up residence in Victoria as the department head. Maria will stay at Health and Welfare Canada until the end of the year before joining him....There has been a split at Environmental Research Information (ERI), the New York City consulting firm that has worked on EMFs for a number of utilities. **William Bailey** has set up Bailey Research Associates with former ERI staffers **Drs. Antonio Sastre, Deborah Weil and Linda Erdreich**; they will concentrate on EMF issues. **Dr. Jonathan Charry** said that ERI will continue to work on risk communication for corporate clients, but not on EMFs....**Dr. Russell Carpenter**, 89, who studied the effects of microwaves on the eye, died on July 28 in Williamstown, MA.

RADAR

Radar & Road Safety...A radar complex on the Yorkshire moors in the U.K. could cause traffic accidents on a nearby highway, according to a report by **Tim Williams** of ELMAC Services, a consulting firm. Williams measured electric fields of up to 30 V/m on a highway at Fylingdales in northern England, close to a Royal Air Force ballistic missile early warning system radar, which operates at a frequency of approximately 400 MHz. Williams notes that the peak fields, which are difficult to measure, may be two or three times higher than the average levels. These peak fields could interfere with electronically controlled vehicular safety systems, such as anti-lock brakes, which are designed to be immune to fields of up to 50 V/m. Measurements taken on footpaths near the complex also recorded fields of 30 V/m, which, though well below NRPB and IRPA safety standards, may expose hikers to "potentially hazardous levels" of RF radiation. The report, issued on June 17, was commissioned by Nuclear Free Local Authorities (NFLA), a Manchester-based coalition that monitors military activity. NFLA warns that areas presently not within the radar's 120° coverage may face a tenfold increase in exposure when a 360° phased array radar begins operation at the site in mid-1992. The group plans further measurements at that time. For a copy of *RAF Fylingdales EMR Survey*, contact: **David Bamber**, Nuclear Policy and Information Unit, Town Hall, Manchester M60 2LA, U.K., (44+061) 234 3244.

More on Police Radar...FDA's Center for Devices and Radiological Health (CDRH) has recommended that "users of police radar should not place the front surface of the radar unit (the antenna) within 15 cm (6 inches) of any part of the body, while the unit is transmitting." In a June 20 letter to **Dr. James Lin**, chairman of the IEEE's Committee on Man and Radiation (COMAR), **Dr. Alan Anderson**, director of CDRH's Office of Science and Technology, also advised that, "The FDA knows of no convincing evidence of a risk of cancer or other hazards from exposure to the level and type of microwave radiation produced by police radar units." Anderson was responding to Lin's March 19 request for an advisory opinion because COMAR had received several inquiries from police departments. Meanwhile, John

ETC...

Sweeney, an Agoura Hills, CA, attorney, has filed two new suits claiming that police officers Eric Bendure and Leo Hutchison of Petaluma, CA, developed cancer after using police radar units (see *MWN*, M/A91). Both suits were filed on April 18 in the U.S. District Court for California's Northern District. Sweeney had previously filed a police radar-cancer suit on March 12. More litigation may follow, because, according to Ohio Highway Patrol Trooper Gary Poynter, more than 50 police officers have reported developing cancer after using radar.

Order *Microwave News*

[] 1-year subscription (6 bimonthly issues) for \$250.00 (\$285.00 Canada & Foreign).


[] ____ back issues, 1981-1990, \$95.00 per year (\$100.00 Canada & Foreign).

[U.S. Funds Please]

Order from: *Microwave News*, PO Box 1799, Grand Central Station, New York, NY 10163, (212) 517-2800.

Name _____
Institution _____
Address _____
City _____
State _____ Zip _____

THE EMDEX II SYSTEM



The Latest in EMF Technology

- Power-Frequency Magnetic Field Meter
- On-Board Computer with CMOS-RAM
- Broadband & Harmonic Measurements
- 0.0 mG to 3.0 Gauss Range
- LINDA Measurement Wheel Option for Field vs Distance Recordings (with future 3-D plots)

Enertech Consultants
300 Orchard City Drive, Suite #132
Campbell, CA 95008
(408) 866-7266
FAX: (408) 866-7279

EMF on the Airwaves... Perhaps it's coincidence, perhaps it's synchronicity, but one of the hottest pop bands in the world is called EMF. In mid-July, the British group's single, "Unbelievable," was at the top of the charts. We're not exactly sure what EMF stands for, but we hear that the "E" is for ecstasy—a psychedelic drug popular in certain locales—and that the "MF" stands for something we cannot print here.

Microwave News Bound Editions

Two volumes, 1981-1985 and 1986-1990, are available for \$450.00 each.

For more information, contact: Louis Slesin at (212) 517-2800.

EMF Papers

A clipping service on non-ionizing radiation
Microwave News now offers *EMF Papers*. Twice a month, you can receive press clippings and other bulletins with the latest news on electromagnetic fields. Only \$100.00/month.

Subscribe today, or send \$25.00 for a sample packet.
To order, call: (212) 517-2800.

Magnetic Field Measurement Made Easy



Portable Hand-Held Gaussmeter

for DC and AC magnetic field readings from ± 100 milligauss to 150.0 kGauss. True RMS readings from 10 Hz to 20 kHz.

Accessories include a wide selection of precalibrated Hall probes, battery eliminator/charger and hard vinyl carrying case — One year warranty.



**WALKER
SCIENTIFIC INC.**

Rockdale Street
Worcester, MA 01606 U.S.A.
Telephone: (508) 852-3674 / 853-3232
Toll Free: 1-800-962-4638
Telex: 9102508517 / FAX (508) 856-9931
Code Name: "WALKER SCI"

CLASSIFIEDS

ELF MAGNETIC FIELD METER

MFG. by COMBINOVA AB, SWEDEN

- Meets Swedish requirements for accuracy.
- Locates sources 5 to 2000 Hz.
- Accurate, rugged, portable
- Programmable, stores 4000 measurements.



ERGONOMICS, INC.

P.O. BOX 964 • SOUTHAMPTON, PA 18966 • (215) 357-5124 / FAX (215) 364-7582

Health Effects of Nonionizing Electromagnetic Radiation: A Current Perspective

Symposium - Wednesday, October 9, 1991
Neumann College Life Center - Aston PA 19014
Sponsored by Neumann College School of Nursing
Newtown Township Environmental Committee - Radiation
For Info: Neumann NIEMR Program, 3407 West Chester Pike
Newtown Square, PA 19073 (215) 356-6615

Safe VDTs with 0.0 milliGauss (magnetic radiation) as well as 0.0 Volts/meter (electric radiation) at 60 Hz and at VLF frequencies. Used by U.S. Congress, U.S. EPA, NY State & Yale Medical School. Magnetic radiation milliGauss meters to measure power lines, VDTs, TVs. Call George Lechter at (800) 222-3003 or (617) 444-7778, or write for literature to Safe Technologies, Corp., 145 Rosemary St., Needham, MA 02194. The Safe Monitor has been featured on CNN, NBC and CBS.

Magnetic field meter for extremely low frequencies



ELF magnetic fields are under study as a possible health hazard. **ELF Sense™**, our two-component system, allows you to seek maximum field direction while easily reading its analog meter. Make accurate measurements close to sources such as electric blankets and VDTs. Standard 9v battery included. Checks, MO, COD \$295.00
ExpanTest, Inc.™, 232 St. John St., #316M, Portland, ME 04102.
207-871-0224.

MSI-20/25 Magnetic Field Meter:

For measuring ELF MAGNETIC FIELDS

- Accurately measures power frequency ELF fields
- Reads in milligauss on digital display - from 0.1 mG
- Has versatile fixed/flexible sensor module
- Provides information on harmonic frequencies on AC wiring circuits, power lines, VDTs, appliances, etc.
- Affordable at \$189.95 + \$6 p&h. Order from:

Magnetic Sciences International

2425B Channing Way, Box 489 415 486-1024
Berkeley, CA 94704 Fax: 415 644-0504



HAZARDOUS RADIO FREQUENCY ELECTROMAGNETIC RADIATION Evaluation, Control, Effects and Standards

Course No. 588DC - October 16-18, 1991 in Washington, DC

Fee: \$940

This short course examines the risks of exposure to intense RF fields for humans, sensitive electronics equipment, ordnance devices, and fuels. It provides broad understanding of the sources of RF electromagnetic fields, their transmission and interaction mechanisms, how to detect and quantify the fields, and how to protect equipment and people from their effects. The presentation is basically descriptive, with minimal use of mathematics. Examples of actual RF field surveys, investigation of potential overexposure by humans, and typical problem-solving methods are provided.


The course should be especially valuable to members of the medical electronics profession, manufacturers of portable and hand-held radio equipment, and users of test and industrial electronics equipment in addition to managers, scientists, physicians, attorneys, engineers, industrial hygienists, environmental specialists, security and law enforcement personnel, electronic systems planners, and equipment operators in government, industry and academe who need a better working knowledge of the topic.

Instructors: Dr. Bernhard E. Keiser and Dr. Zory R. Glaser

For complete information, contact Shirley Forlenzo - Continuing Engineering Education Program
(202) 994-8530 or Toll Free (800) 424-9773 FAX: (202) 872-0645

GW is an equal opportunity institution

MICRO WAVE NEWS



Vol. XII No. 4

A Report on Non-Ionizing Radiation

July/August 1992

INSIDE...

EMF NEWS pp.2-6

Power Line Talk:

CIRRPC Review Due This Fall • Miscarriages and Electric Blankets • Energy Bill Update • Does the NERP Steering Committee Have a Future? • Connecticut Golings-On

Commentary: Fear and Cowardice at EPA

Rhode Island Mitigation Study

Public Response Weak at DOE Hearings

Research Program Overview Released

Legal Notebook:

Relocation of Chicago Line Delayed • Judge Excludes EMFs In Alabama Power Case • Utility Agrees To Release Documents

Around the States:

Colorado • Florida • Illinois • Pennsylvania • Washington

HIGHLIGHTS pp.7-13

Snapshots from the World Congress:

Army v. Air Force on HPMs • Swedish Research on Microwaves & the BBB • EMFs Block Melatonin • Future Direction for EMF Epi Studies • Depression and Power Lines

Epidemiology Roundup:

More on Male Breast Cancer • CRT-Brain Tumor Risk • No Birth Defects from Electric Blankets • Melanoma and Fluorescent Lights

Epidemiology In Print

Bendure Police Radar Case Set for Trial

Senate Hearing on Police Radar

Other Police Radar Developments:

60 Minutes • IEEE Reaffirms Stance • FDA Update • Bendure Case Experts • Laser Traps

International NIR Commission Launched

FROM THE FIELD p.14

Werthelmer and Leeper on Cancer Rates

UPDATES pp.14-15

Pennsylvania Court Blocks Cellular Tower • U.S. & Swiss RF Measurement Standards • New ELF & RF Meters • NEXRAD EIS • Puerto Rico RF/MW Rules • EMFs In Hollywood

Making the Economic Case for EMF Bioeffects Research

For the last six months, Dr. Keith Florig has been saying that dealing with perceived electromagnetic field (EMF) health risks—prudently or otherwise—is now costing the U.S. over \$1 billion a year, and perhaps much more (see *MWN*, N/D91 and M/A92). The cost of *not* doing research, he says, is far greater than that of doing the work that might show, as some critics argue, that there are no low-level EMF risks.

Florig, a fellow at Resources for the Future in Washington, has just published the details of his analysis in the July 24 issue of *Science*, one of the country's most influential policy forums.

On the basis of a rough cost-benefit analysis, he estimates that if the cancer risks are as "large as suggested by some epidemiological evidence," the U.S. could "justify spending" on the order of \$10 billion a year on EMF mitigation. "This may not be much more than the highly uncertain estimates of the costs of our current ad hoc efforts—and, if applied entirely to the electric power system, would increase electricity costs by only several percent," Florig told *Microwave News*.

Billions of dollars may be being wasted, Florig allows, but this can only become known "through additional bioeffects research." He rejects as politically unrealistic the call of those who would prefer to "quell 'irrational'

(continued on p.13)

Judge Extends Time for Filing RF/MW Radiation Exposure Claims

A New York trial judge has ruled that claims arising from exposure to radiofrequency and microwave (RF/MW) radiation are not subject to the usual statute of limitations. The June 30 decision from Judge Edward Lehner gives people more time to file lawsuits after they have been injured, a policy similar to the one followed in asbestos and DES cases.

"This decision will not be lightly disregarded," said the plaintiff's lawyer, John Sweeney of John E. Sweeney & Associates in Agoura Hills, CA.

The product liability suit was brought by Thomas Ford, who worked as a U.S. Navy radar technician between 1965 and 1967. Ford believes that his military exposure to RF/MW radiation caused his non-Hodgkin's lymphoma. He filed a claim in 1990, which he said was two years after he began to suspect the radar. Ford holds the manufacturers of the radar equipment responsible for negligently causing his injuries (see *MWN*, N/D90).

(continued on p.13)

« Power Line Talk »

A panel set up by the Committee on Interagency Radiation Research and Policy Coordination (CIRRPC) has completed its review of EMF health risks and is set to release its report. The panel argues strongly that there is no compelling evidence of adverse health effects from power line or VDT EMFs, *Microwave News* has learned, and it opposes any major expansion of EMF research funding. Commissioned in the fall of 1990 at the request of the Department of Labor in reaction to the series of articles in *The New Yorker*, the review was put in the hands of the Oak Ridge Associated Universities (ORAU) in mid-1991, after a false start (see *MWN*, N/D90, J/A91 and S/O91). The 450-page CIRRPC response has not yet been seen outside of ORAU, said Diane Flack, a technical adviser in ORAU's Washington office. It will be made available to the public and the federal agency representatives that make up CIRRPC at the same time, she told *Microwave News*, in an effort to assure the independence of the expert panel that conducted the review. Top administration officials were briefed on the findings on June 15—and were given explicit warnings that the briefing was confidential. The White House science adviser, Dr. Allan Bromley, did not attend. Among other key points reportedly made by the panel: epidemiological links to childhood leukemia are inconclusive; there is no strong evidence of carcinogenicity; there is no compelling evidence of developmental or teratogenic effects; and neuro-behavioral effects are generally temporary and not severe.

« « » »

Dr. Gerri Lee's epidemiological study of miscarriage risks among users of electric blankets has many people talking. Lee, who is with the California Department of Health in Berkeley, presented some preliminary results at a by-invitation-only workshop sponsored by EPRI and the DOE in early July—she reported an up-to-fivefold increased risk among women who use electric blankets. In an interview with *Microwave News*, Lee said that she would prefer not to discuss her results because “they are based on crude preliminary analyses of retrospective, incomplete data.” Her study is much anticipated because it is the first prospective study of its kind, but Lee pointed out that she has only looked at the retrospective part of her data. “The final results could easily change,” she cautioned. If Lee does conclude that electric blanket users suffered high rates of miscarriages, her study would be the fifth to indicate that EMFs can affect pregnancy. Lee's final results are not expected until next year.

« « » »

At the time the House of Representatives included a major EMF research initiative in the national energy strategy bill it passed earlier this year (see *MWN*, M/J92), many on Capitol Hill expected Congress to approve the energy legislation quickly. But it now seems that time is running out to reconcile differences between the House and Senate bills, as legislators are anxious to get

on the campaign trail. The Senate version, which does not contain any EMF provisions, was approved on July 30, after a battle over coal miners' health benefits threatened to kill it. As we go to press, the legislation is in the hands of a House-Senate conference committee, only some of whose members have been named. The committee is expected to meet once in August and reconvene after Labor Day, according to a House aide. If the energy legislation fails, it will be a whole new ball game for congressional EMF research funding in 1993. Rep. James Scheuer (D-NY), chairman of the subcommittee that launched this year's EMF bill, will retire at the end of this session. Rep. George Brown (D-CA), the influential chairman of the House Science, Space and Technology Committee, who has shown a continuing interest in a national EMF program (see *MWN*, J/F92), is facing a tough reelection challenge from Republican Dick Rutan. Brown must run in a redrawn district—one that now favors a Republican, according to *Roll Call* (July 13), a Capitol Hill newspaper which lists Brown as one of the ten most vulnerable House Democrats.

« « » »

The prospects of the National EMF Research Program (NERP) Steering Committee that is being led by John Coughlin of the Wisconsin PSC have risen and fallen with the energy bill. If the EMF program contained in the energy legislation is enacted, Coughlin's committee will have little or no role, according to many observers. But if the energy bill fails, “We really will be the only game in town,” Coughlin told *Microwave News*. Key utility groups agree. Rick Loughery of the Edison Electric Institute (EEI) said that EEI supports a legislated research program but added that if the EMF program dies in Congress, then “the NERP is probably where we're going to turn.” Similarly, Anne Strauss of the New York Power Authority (NYPA) told us that, “We cannot afford to wait another two years” to start a major research effort. According to Loughery, “The next meeting for the NERP is going to be critical.” ...At the steering committee's July 14-15 meeting in Alexandria, VA, NIOSH's Dr. Lawrence Fine became a member. And a week later, Coughlin announced that DOE's Marvin Gunn would also join the committee, bringing to three—with EPA's David Kleffman—the number of federal government representatives. The committee also opened the door to more direct industry involvement by deciding to allow utility company officials to join as nonvoting members—a departure from a year-old practice meant to maintain distance between the NERP and industry. So long as the utility representatives are only observers, their involvement “doesn't compromise them or us,” said Coughlin. The subject of credibility was on the agenda at the July meeting as the committee discussed a draft policy stating that the NERP “must identify and avoid situations that may result from real, perceived or potential conflicts of interest.” The committee hopes

Fear and Cowardice at EPA

Little has been resolved in the more than two years since the Environmental Protection Agency (EPA) stunned the country with its report, which labeled EMFs "probable" or "possible" carcinogens. While some reviews have cast doubt on the strength of EPA's conclusions, recent studies—notably, Peters on childhood cancer and McLean and Stuchly on EMF-chemical cancer copromotion in animals—have made the link all the more convincing.

Incredibly, EPA has failed to sponsor a single study of any kind to explore the EMF-cancer connection since it issued the report. The agency is pretending that the report does not exist and that it never sounded the alarm. Staffers at EPA's Office of Research and Development, which is headed by Dr. Erich Bretthauer, have even refused to spend the meager \$1.9 million allocated by Congress for EMF research in 1992. With only a few weeks left in the fiscal year, this money will probably have to be returned to the treasury.

Last year, rather than fund any original work, Bretthauer gave most of his EMF money to the Health Effects Institute (HEI) in Cambridge, MA so that the institute could teach itself about EMFs in preparation for running a National EMF Research Program (NERP). That money was wasted. First, no one could understand why EPA was not using its own in-house experts. Then, Bretthauer and his aides, Dr. Ken Sexton and Dr. William Farland, got egg on their faces after word got around that HEI had a credibility problem over its work on asbestos. After all, the whole point of a NERP was that it be free from real or perceived biases. Otherwise, it would have been easier to let the electric utility industry handle the EMF question.

EPA's performance is no different than crying "Fire!" in a crowded theater. Having raised the alarm over EMFs, the agency has an obligation to try to allay public concerns or to adopt policies to control health risks. All sides agree that more

research is needed—Dr. Keith Florig has now shown that EMF research also makes good economic sense (see p.1)—so why does EPA refuse to spend its few available dollars at a time when EMF scientists are begging for money to keep their labs open?

The answer lies at the highest levels of the Bush Administration. Dr. Allan Bromley, the President's science adviser, and the U.S. Air Force want to stifle the EMF issue—and, in many ways, they are succeeding. The about-to-be-released CIRRPC report promises to show their hand by taking an absurdly dismissive view of the possibility of EMF health risks (see item at left).

After having been called onto the White House carpet a few times, Bretthauer and his crew got the message and they now turn a deaf ear whenever the subject is raised. Things are so bad that Bretthauer won't even let the Office of Radiation Programs, in another part of EPA, issue a booklet to answer the public's questions about EMFs. As one EPA staffer told us, "Our managers are absolutely terrified about this issue."

There are rumors that EPA Administrator William Reilly made a deal with Bromley: Bromley would support EPA on greenhouse gases if Reilly ignored EMFs. If true, Bush's performance at the Rio environmental summit would indicate that Reilly sold out EMFs for nothing.

It may be too late, but EPA could salvage the \$1.9 million by giving the money to the NERP Steering Committee, chaired by Wisconsin PSC Commissioner John Coughlin. This small amount of money would be a windfall for the committee, which is fighting for its life after more than a year of trying to get a research program off the ground.

If Bretthauer refuses to do EMF research, at least he could give the money to a group that *is* committed to doing it. The public deserves answers and it's time someone had the courage to give them some.

to insulate itself from potential conflicts by giving decision-making authority to a newly created board of directors and limiting the steering committee to an advisory role. Some current committee members will serve on the board. The committee is planning its fall meeting to coincide with either the EPRI science and communication seminar in San Francisco, October 13-16 or the annual DOE Contractors' Review in San Diego, November 9-12.

«« »»

On June 22, the Connecticut legislature overrode a veto by Governor Lowell Weicker, assuring that the state's EMF Interagency Task Force will continue to report to the General Assembly. "Even if the task force had lost its legislative mandate, we still would have followed the issue," Dr. Peter Galbraith of the Department of Health Services (DHS), cochair of the task force, told *Microwave News*. "But this way the DHS won't ap-

pear to have closed the book on EMFs." The new law—Public Act 92-169—essentially continues work begun under an earlier measure that Weicker signed in June of 1991 (see *MWN*, M/J91, J/A91 and M/A92). On July 28-30, the DHS and the task force sponsored a meeting, *Electromagnetic Fields: How Do We Deal with the Issues?* at which Drs. Michael Bracken, David Carpenter and Jan Stolwijk spoke. All three are members of the ad hoc committee that wrote the Connecticut Academy of Science and Engineering's recent report, which found that it would be "inappropriate" for public authorities to recommend a policy of prudent avoidance (see *MWN*, M/J92). According to Don Michak's account of the meeting in the *Journal Inquirer* (July 29), Carpenter "threatened to quit the panel" because the report downplayed the EMF-cancer link. This fall, the task force plans to issue a study of prudent avoidance, and in January, Connecticut Health Commissioner Susan Addiss will advise the legislature on recent research on EMFs and health effects.

The Economics of Mitigation

Magnetic fields from power lines can be reduced substantially—depending on how much one wants to spend, according to a report commissioned by the Rhode Island EMF task force. The \$81,500 study, financed by Rhode Island utilities, looks at the costs associated with different magnetic field-reducing techniques.

Burying power lines—the most effective option—costs nearly four times as much as traditional overhead designs, according to the report prepared by Commonwealth Associates of Jackson, MI. While a 345 kV H-frame configuration costs \$390 per mile to build, putting the same line underground would cost \$1,450 per mile. The cost and effectiveness of the other alternatives fall between those of the traditional and the underground designs.

“The task force will probably propose that the state Energy Facility Siting Board assume jurisdiction over the siting and construction of high voltage power lines, including those of 345 kV or below,” Scott Wolf, chairman of the Governor’s EMF Task Force, told *Microwave News*. He noted that the board now only regulates lines over 345 kV, of which there are “really none” in the state. The task force will issue its recommendations to the governor by the first week in August, he said.

The study, released to the public on June 24, features more than 90 pages of charts and diagrams. It focuses on mitigation techniques that “take advantage of the natural canceling effect of the three-phase circuit.” Analysis is limited to 115 and 345 kV transmission lines—those planned for Rhode Island. Similar mitigation reports have been commissioned in Florida, New York and Washington State (see *MWN*, J/F92).

Florida’s report will be completed by October, according to Ken Klein, of Energetics Inc., who is based in Washington and who manages the project (see *MWN*, M/A89 and M/J90). The study, which he said will cost less than \$300,000, is looking at alternative designs for 230 kV and 500 kV lines.

In New York, two mitigation studies are under way and should also be completed by October, according to John Wilson of Con Edison, who is a member of the Empire State Electric Energy Research Corp.’s EMF Task Force (see *MWN*, M/J90).

Excerpts from the Rhode Island report, *Cost Effectiveness Analysis: Mitigation of Electromagnetic Fields*, follow:

- For 345 kV overhead transmission, magnetic fields at the edge of [the] right-of-way can be reduced by 45% (relative to existing H-frame structures) by designing support structures to result in a compact delta configuration of the phase conductors...the incremental increase in construction cost for this design is 21% and in life-cycle cost, 14%.
- Edge of right-of-way magnetic fields can be reduced by 75% over existing 345 kV H-frame designs by using a six-wire configuration. ...The incremental increase in construction cost for this design is 41%, and in life-cycle cost it is 27%.
- Underground 345 kV transmission provides the greatest reduction in magnetic fields. [The field] is estimated to be 1.7 mG [directly above a buried pipe] and 0.12 mG 25 feet from the pipe for 600 amp loading. The estimated construction cost...is 372% more than for existing overhead design and 266% more on the basis of life-cycle cost.
- For 115 kV overhead transmission, there is more opportunity for the designer to compact the phase spacing than at 345 kV. By decreasing

the phase spacing and arranging the phases in a delta arrangement, the edge of right-of-way magnetic fields can be reduced by 57%....The construction cost and life-cycle cost of the compact design are nearly the same as for existing 115 kV H-Frame designs.

A limited number of copies of the Rhode Island report, for which there might be a charge, are available from: Scott Wolf, Chairman of the Governor’s EMF Task Force, Statehouse, Room 111, Providence, RI 02903, (401) 277-2850. For more on six-wire configurations, see *MWN*, J/F92.

DOE Research Plan Draws Weak Public Response

The Department of Energy (DOE) has tried to solicit comments on its EMF research agenda but has been frustrated by a lack of involvement by grass-roots citizens groups.

Only a handful of power line critics spoke at two meetings—in Denver on June 29 and in Philadelphia on July 9—that were held to learn the public’s opinion of DOE’s national EMF program. Most who testified were from the utility industry, government or various research organizations—all of which have participated throughout the planning process that the DOE began last November (see *MWN*, N/D91, J/F92, M/A92 and M/J92).

DOE officials have said that the final research plan, which is due in September, must reflect a consensus of all interested parties. The agency has not scheduled any more public meetings but is accepting written comments through August 7.

The DOE’s EMF staff was disappointed by the weak public turnout, Robert Brewer, director of the department’s utility systems division, told *Microwave News*. He said that the DOE had expected the upswing in media coverage of EMFs and the growing number of citizens groups across the country to generate much greater involvement.

The DOE had picked Denver and Philadelphia for the hearings because both are focal points in the debate over power line EMFs. Two of the major epidemiological studies of EMF exposure and childhood cancer were carried out in Denver (see *MWN*, N/D86). And a well-organized citizens group is opposing a 230 kV transmission line built by Philadelphia Electric Co. (PECO) in suburban Philadelphia (see *MWN*, M/J91).

At the Denver meeting, only three people spoke—none on behalf of citizens groups. And, of the three, one came forward only after being encouraged to do so by DOE staff during the course of the meeting, according to Brewer. In Philadelphia, 12 people spoke; four were EMF activists, including Louise Young, the author of *Power over People*, first published in 1973 and recently reissued by Oxford University Press.

The group fighting the PECO line, Parents Against an Unsafe Environment (PAUSE), did not show up in Philadelphia. Although the DOE announced the meetings in the *Federal Register* on June 2, PAUSE’s Dorothy English told *Microwave News* that she did not hear about it until late June. “We should have had more time,” English said.

Other citizens groups made similar complaints. For instance,

Harry Kochenderfer of the York County (PA) Citizens' Action Group testified that he could not comment on DOE's *Draft Strategic Overview* because he had only seen it for the first time that day. His group and several others are opposing a proposed 500 kV line between Pittsburgh and Harrisburg (see p.6).

Michael Reed of DOE's Morgantown, WV Energy Technology Center criticized his own department for not informing its field offices about the ongoing EMF planning process. In Philadelphia, he said that he had learned about the development of DOE's research agenda just a few days before the meeting. "EMF is very important to us," Reed said.

Legal Notebook

\$2.5 Million Power Line Relocation Delayed

On July 8, the Illinois Commerce Commission (ICC) agreed to reconsider an earlier decision which would have forced Commonwealth Edison Co. to relocate a 138 kV power line. Pending the outcome of its review, the commission granted the utility a stay—delaying the move, which the company estimates would cost \$2.5 million.

On May 28, the ICC ordered Chicago-based Commonwealth Edison to move the power line within three years. It found that the utility violated the state Public Utilities Act when it failed to seek permission for an upgrade from 34 kV. The upgrade was completed in 1987.

The ICC discovered the violation after Nick Lazazzera of Westchester, a suburb of Chicago, complained in 1990 that the transmission line was too close to his house and that it threatened his health and the value of his property. The commission didn't rule on either of these claims, but did order the utility to try to get rid of Lazazzera's television interference, about which he had also complained.

A spokesman for Commonwealth Edison, John Hogan, who called ICC's decision to rehear the case "very good news," said that the power line in question is an emergency standby line that is only "minimally energized." He said that Commonwealth Edison never had to ask permission to upgrade a power line in the past, and that ICC's May order was "arbitrary and unnecessarily costly."

The commission said that it granted the rehearing to determine whether Commonwealth Edison needed to apply for a permit, according to ICC spokesman David Farrell. A hearing date has not been set.

Judge Excludes Testimony in EMF Case

An Alabama judge has excluded EMF testimony from a lawsuit, arguing that there is not enough scientific evidence that EMFs are a health threat.

Alabama Power Co. had asked the judge to take this position in its case against Western Pochontas Properties Ltd. Partnership. In 1988, the Birmingham-based utility condemned a strip of land that runs through property owned by Western Pochontas in Shelby County, outside of Birmingham, to build a 30-

DOE Issues Overview of EMF Research Plan

The DOE has released its *Draft Strategic Overview: National EMF Research and Communication Program*, a summary of the agency's work on a coordinated EMF plan. The 21-page document describes the need for national research and lists the goals of the program (see *MWN*, N/D91). The DOE designed the overview to brief the general public and to provide a basis for comments and criticisms from advocacy groups.

The overview lists three priorities:

- Development of a research plan that takes into account all sides of the EMF issue;
- Involvement by other federal and state agencies and trade associations, as well as representatives from other countries; and
- Establishment of safeguards to ensure that research is of the highest scientific quality and credibility and to avoid "real or perceived" conflicts of interest.

Comments will be considered by the DOE officials preparing the final national plan, which is due in September. The overview was published in the June 2 *Federal Register* (pp.23,206-23,213); to order a copy of the *Draft Strategic Overview*, contact: Advanced Industrial Concepts Division, CE-232, 5E-066, DOE, 1000 Independence Ave., SW, Washington, DC 20585, (202) 586-5377.

mile, 230 kV power line. The two sides disagreed over how much money the utility should pay for the condemnation, which Western Pochontas claimed would devalue adjacent land. "Power lines devalue property," said Alan Baker of Balch & Bingham in Birmingham, which is representing Alabama Power, "but not as much as they say."

In his May 1 decision, Circuit Court Judge Al Crowson ruled that the testimony of Dr. Andrew Marino of the Louisiana State University Medical Center in Shreveport should not be admitted because of the speculative nature of EMF bioeffects—or, in legal terms, because it did not meet the Frye rule.

The Frye rule grew out of the 1923 case, *Frye v. U.S.*, in which the court considered the "admissibility of evidence derived from a crude precursor of the polygraph," according to *Weinstein's Evidence*, a leading legal treatise. The court stated that the subject of testimony must be "sufficiently established to have gained general acceptance in the particular field [to] which it belongs." The Federal Rules of Evidence—which were adopted in 1973 and govern proceedings in U.S. courts—have since overruled *Frye*, but some judges continue to use the rule in their decisions. In two previous cases in Alabama, for example, judges refused to allow scientific testimony on EMFs for this reason.

At the same time, the U.S. Third Circuit Court has rejected the Frye rule, calling it "vague and conservative, and easily manipulated by the courts, usually to reject novel scientific evidence."

"I disagree with the judge's decision," said Jeff Grantham of the Birmingham firm of Maynard, Cooper, Frierson & Gale,

State EMF Actions

Colorado...A group of scientists has found no link between EMFs and human health effects. Yet the researchers are quick to point out that, "It is equally clear that the book is not closed. Several questions remain unanswered...." The Universities Consortium on EMFs—five scientists from three Colorado universities—screened more than 11,000 articles to find those which were most methodologically sound. Although several of the human studies showed a correlation between EMF exposure and disease, "careful analysis...revealed possible bias in selection of controls." *Investigations in Power Line Frequency EMF and Its Risks to Health: A Review of the Scientific Literature*, released in June, was prepared with a \$160,000 grant from the Public Service Co. of Colorado. "The report was our first project," said Edward Dauer, professor of law at the University of Denver and chairman of the Governance Committee that oversees the consortium, which was formed in January 1991. "We plan to be research managers—in the business of helping utilities or public agencies administer research projects." To order a copy of the report, contact: Michelle Reynolds, UCHSC, 4200 East 9th Ave., B165, Denver, CO 80262, (303) 270-7545. Elsewhere in Colorado, the Supreme Court—which had reversed a ruling denying Public Service's request to upgrade transmission lines—has granted Douglas County's request for a new hearing, sending the case back to the district court (see *MWN*, N/D89, M/A91 and M/J92). A date has not been set.

Florida...On June 23, Hillsborough County mounted its latest attack on the Department of Environmental Regulation (DER), when it proposed a 3 mG limit at the edge of rights-of-way for power lines of at least 230 kV. "We wanted to offer a first step in reducing exposure to EMFs," Michael Skelton of de la Parte & Gilbert, the Tampa law firm representing the county, told *Microwave News*. Skelton also said the county chose to take action after the DER failed to reconsider state standards (see *MWN*, J/F92). "We shouldn't change the standard until we get more science," said DER's Buck Oven. "I don't know if 3 mG is good enough." The issue will be discussed at the Environmental Regulatory Commission's October meeting.

Illinois...Utilities should take "prudent measures" to reduce EMFs,

write two state agencies in a March report to the legislature. The Department of Public Health (DPH) and the state Environmental Protection Agency stress that setting state standards would be premature—given that EMFs are not a proven health threat—yet note that uncertain scientific evidence "indicates cause for concern." The report recommends that utilities reduce EMFs by providing larger rights-of-way, avoiding population centers and using mitigation techniques in future transmission lines. For a free copy of the 70-page report, *Possible Health Effects of Extremely Low Frequency Electric and Magnetic Field Exposure: A Review*, contact: Louise Boyd, DPH, Division of Environmental Health, 525 West Jefferson, Springfield, IL 62761, (217) 782-5830.

Pennsylvania...A battle is shaping up as citizens are opposing plans for a 268-mile, 500 kV transmission line between Pittsburgh and Harrisburg. PUC Commissioner Wendell Holland has called the dispute "one of the biggest cases I've ever seen," noting that the two sides have submitted at least 9,000 statements and other documents. Three subsidiaries of General Public Utilities—Pennsylvania Electric Co. in Johnstown, Metropolitan Edison Co. in Reading and Jersey Central Power & Light Co. in Morristown, NJ—are working on the project with the Duquesne Light Co. of Pittsburgh. The PUC is considering the utilities' proposal but has not set a date to begin public hearings. Harry Kochenderfer of the York County Citizens' Action Group in Franklintown is leading the opposition, along with two other citizens groups. Meanwhile, HB 2273, drafted by Rep. Patricia Carone in response to the proposed power line, continues to await a hearing in the Conservation Committee (see *MWN*, M/A92).

Washington...An EMF task force in Spokane is proposing that utilities be required to publish annually a six-year plan identifying potential routes for future power lines and substations. The group said the requirement would be a good way to keep the public informed. In its June report, the task force also recommends that the city not adopt safety standards because "not enough is known about the health risks associated with EMF...." For a copy of the *Electric/Magnetic Field Task Force Report*, contact: Irving Reed, Manager, Engineering Services, City of Spokane, 808 West Spokane Falls Blvd., Spokane, WA 99201, (509) 625-6270.

which is representing Western Pocahontas. Grantham added that he would have liked Marino to testify, but that "he's just one part of our case." Western Pocahontas, based in Huntington, WV, is focusing on the effects of power lines on property values, not on health. A trial date has been set for September in the Shelby County Circuit Court.

Georgia Utility Agrees To Release EMF Documents

On July 10, the Oglethorpe Power Co. withdrew its request for confidentiality in an EMF personal injury case, assuring public access to relevant documents.

Nancy Jordan and her family filed a lawsuit against Georgia Power Co. and Oglethorpe in 1991, claiming that power line EMFs caused her non-Hodgkin's lymphoma (see *MWN*, S/O91 and M/J92). The case is pending in state court.

On May 8, Trial Lawyers for Public Justice (TLPJ), a pub-

lic-interest legal group, filed a motion to block the protective order requested by Oglethorpe, which sought to keep certain documents from the public file. But the utility later agreed to release the information and TLPJ withdrew its motion. Oglethorpe is based in Tucker, GA.

"This is an important victory not only for the injured parties, but also for the public's right to know about the dangers of EMF," said TLPJ Foundation President Anthony Cunningham of Cunningham, Wagner, Vaughan & McLaughlin in Tampa, FL.

In withdrawing the request, attorneys for Oglethorpe wrote that most of the information the utility had wanted to keep confidential "did not relate to EMFs." James Orr of the Atlanta firm of Paul, Hastings, Janofsky & Walker, who is representing the utility, declined to comment further.

Georgia Power "took no position" on Oglethorpe's action, according to Robert Pennington of the Atlanta firm of Troutman & Sanders, which is representing Georgia Power in the case.

Scenes from the World Congress

The 1st World Congress for Electricity and Magnetism in Biology and Medicine, held at Disneyworld in Orlando, FL, June 14-19, attracted some 733 participants from 30 countries. Here are some snapshots from the meeting.

Army v. Air Force on HPM Research

One of the most surprising—and tense—moments of the congress took place in a back room at a sparsely attended session on high-power microwaves (HPM). Dr. Edward Elson of the Walter Reed Army Institute of Research (WRAIR) in Washington was describing experiments showing that animals became confused and disoriented after exposure to various types of short, high-peak, pulsed HPMs with average power levels below those specified as safe by the IEEE standard (C95.1-1991).

The Department of Defense (DOD) supports the standard, so it was surprising to hear Elson, an Army colonel, cast doubt about its adequacy, but then he went even further. The safety question may be resolved by politics, not by science, he said, taking aim at Pentagon plans to consolidate all military non-ionizing radiation research under Air Force control at Brooks Air Force Base in San Antonio, TX.

Elson's concern over what would happen to his research program if it were moved to Brooks is shared by some at the Naval Aerospace Medical Research Lab in Pensacola, FL.

Senior DOD officials favor the consolidation as a way of cutting costs, but those who actually do the research doubt the Air Force's scientific credibility. They believe that the Air Force puts a higher priority on promoting electronic gadgetry than on protecting health and safety.

Elson's message was clear: if the Army and Navy go to Brooks, the HPM work will stop. Spotting James Merritt, a longtime member of the Brooks team, in the audience, Elson challenged him to respond. A somewhat reluctant Merritt came to the microphone to say the work would indeed continue.

Understanding the effects of HPMs is important because the DOD plans to use microwaves—both defensively and offensively. For instance, in the battlefields of tomorrow, impulse radars, which emit ultrawide-band HPMs, will detect so-called stealth aircraft such as the B-2 bomber, and HPMs will zap the enemy's electronics. Elson's experiments suggest that pilots flying through HPM environments may become confused and unable to make the quick decisions that keep them aloft and alive.

Leakage Through the Blood-Brain Barrier

The history of efforts to investigate the effects of microwave radiation on the integrity of the blood-brain barrier (BBB) is a clear example of how politics can sidetrack an important line of research (see *MWN*, S/O86). In 1977, two Army scientists reported that pulsed 1.3 GHz radiation could cause BBB leakage at $30 \mu\text{W}/\text{cm}^2$, but this finding has never been properly pursued.

Although scientists in the U.S. have essentially been barred

from this kind of BBB study, those in other countries have dared to go forward. In Orlando, two Swedish researchers said they could increase the permeability of the BBB with extremely low levels of 915 MHz radiation.

Drs. Leif Salford and Bertil Persson of Lund University in Lund announced highly significant increases in leakage through the BBBs of rats at specific absorption rates (SARs) as low as 0.01-0.1 W/Kg. (Most standards assume that there are no health effects below 4 W/Kg.) They were surprised not to find a dose-response curve: they observed about the same leakage from 0.01 to 3 W/Kg (it increased above 3 W/Kg).

Some of those who heard their presentation suspected that the rats had experienced a thermal reaction. Not so, Persson told *Microwave News*, explaining that they had checked this possibility by measuring rectal temperatures immediately after exposure; they had used a fan to dissipate excess heat, he said.

Salford, a neurosurgeon, explained that he had become interested in microwaves as a way of treating brain tumors because the conventional therapies are woefully unsuccessful. If leakage through the BBB could be controlled, he reasons, perhaps drugs could one day be delivered directly to the tumors.

"The system we are using is very sensitive and we invite others to learn our techniques," Salford said in an interview. In the meantime, he and Persson said, their work will continue.

Protection from Melatonin Blocked by EMFs

Interest in the possible influence of EMFs on the pineal gland and the hormone melatonin continues to grow. Indeed, shortly after the congress, a number of those who were in Orlando flew to Palo Alto, CA for a two-day workshop on *EMFs and Melatonin*, jointly sponsored by the Electric Power Research Institute (EPRI) and the Department of Energy (see p.2).

At the congress, Margrit Wiesendanger, who works with Dr. Robert Liburdy at the Lawrence Berkeley Lab in Berkeley, CA, announced that extremely low frequency (ELF) magnetic fields can block melatonin's ability to control the growth of human breast cancer cells.

Wiesendanger first confirmed reports by Dr. David Blask, who has shown that melatonin can inhibit the growth of cancer cells *in vitro*. Using estrogen-positive MCF-7 human breast cancer cells, she then repeated the experiment in the presence of a 60 Hz field and found that melatonin's protective action was countered by the magnetic field.

The mechanism of interaction is unclear, Wiesendanger said. She offered two alternative explanations: the magnetic field may influence events at the membrane surface, possibly the way melatonin is bound to cancer cells; or the field may directly enhance the growth of the breast tumor cells.

"Our *in vitro* results suggest that direct cellular level interactions between ELF fields and melatonin and breast cancer cells are possible," Liburdy told *Microwave News*.

Future Directions for EMF Epi Studies

Some observers have a hard time making sense of the many EMF epidemiological studies that have appeared over the last few years. In her plenary address, Dr. Genevieve Matanoski of the Johns Hopkins University School of Hygiene and Public Health in Baltimore offered a guide for the perplexed by identifying some of the common threads of the research findings and outlining suggestions for future work.

Matanoski pointed out that for both childhood and adult studies the timing of the EMF exposure is emerging as a crucial variable. Exposures at an early age or repeated exposures over extended periods of time appear to enhance cancer risks, she said. As an example, she cited the male breast cancer study by Dr. Paul Demers and coworkers (see *MWN*, J/A90 and S/O91), which indicated a substantial increase in cancer among those workers who were first exposed before the age of 30 or first exposed 30 years prior to diagnosis. Indeed, Matanoski noted that her own study of telephone linemen indicated that the greatest risk of leukemia was among workers exposed at an early age (see *MWN*, J/A91).

Second, Matanoski stressed the importance of investigating the effects of combined exposures. "Instead of only thinking about confounders, we need to look at the combined risk of EMFs with both chemicals and ionizing radiation," she told *Microwave News* in an interview following her talk.

Depression and Power Lines

More than a decade has passed since Dr. Stephen Perry, an English general practitioner, published the first of a series of papers linking power line EMFs to depression and suicide. His work has been largely ignored—some people have been openly

scornful—but one presentation at the congress breathed new life into Perry's ideas.

Drs. Charles Poole, an epidemiological consultant based in Cambridge, MA, and Robert Kavet of EPRI reported an association between depressive symptoms and proximity to the right-of-way (ROW) of a power line. The link was moderately strong and reasonably precise, and it did not appear to be biased by attitudes about power lines or environmental issues in general.

Overall, Poole and Kavet found that depression was twice as common among people who lived along a ROW or who could see a power line from their property—a statistically significant increase. They also found a weaker link between non-migraine headaches and proximity to power lines.

"Exposure assessment is the weakest part of the study, but it would be relatively easy to go back and get these data or to try to replicate the study," Poole told *Microwave News*. He pointed out that their study cost only one fourth that of a cancer epidemiological study, but he declined to reveal where their study was done or who paid for it.

But Perry's work is not yet in the mainstream. A second paper presented in Orlando contradicted Poole and Kavet's findings. Dr. Shari McMahan of the University of California, Irvine, failed to find more symptoms of depression among women living next to a high voltage power line than among women living a block away. Her paper was adapted from her recently completed doctoral thesis.

McMahan measured the magnetic fields at the front door of the women's homes: average fields were 4.86 mG among those adjacent to the line and 0.68 mG among the controls. McMahan controlled for potential biases by not telling the 152 participants that she was investigating EMFs—she also no doubt profited by the fact that most people are not aware that magnetic fields drop off with distance from a power line.

Epidemiology Roundup

Male Breast Cancer Among Workers Under 65

Dr. Dana Loomis has observed a doubling of breast cancer deaths among male electrical workers under the age of 65. This result is not statistically significant, but Loomis told *Microwave News* that, "It would certainly suggest that breast cancer among men *might* be caused by electrical exposures." Loomis, of the University of North Carolina (UNC), Chapel Hill, also noted a "substantial deficit" of breast cancer deaths among older electrical workers, however.

In a letter to *The Lancet* (339, pp.1482-1483, June 13, 1992), Loomis wrote, "The results are consistent with earlier reports of excess breast cancer among younger men, particularly those who have worked in electrical trades and telephone-related occupations."

He cautioned that his study had only a small number of cases and that it lacked information on EMF exposures and potential

confounders.

In a survey of men from 24 states who died of breast cancer between 1985 and 1988, Loomis found four cases—the expected number—among electrical workers. However, three of the cases—one electric power worker, one electrical and electronics engineer-technician and one telephone worker—were younger than 65 years old at death. This finding is more than twice the expected rate.

This is the fourth study to link EMFs to male breast cancer. In 1989, Dr. Genevieve Matanoski and colleagues at the Johns Hopkins University School of Hygiene and Public Health in Baltimore reported an increased incidence of male breast cancer among young telephone company employees (see *MWN*, N/D 89 and M/A91). In 1990, Dr. Paul Demers and coworkers at the Fred Hutchinson Cancer Research Center in Seattle reported a sixfold increased risk among certain young electrical workers (see *MWN*, J/A90 and S/O91). Later that year, Drs. Tore Tynes