

Occupational Health...OSHA and the National Society to Prevent Blindness are planning a national campaign to improve worker protection against eye injuries. For more information contact a local OSHA regional office or the society at 79 Madison Avenue, New York, NY 10016....And the American Optometric Association has published a pamphlet, *A Guide to Eye Safety in the Work Environment*. Single copies are available at no charge; send a self-addressed, stamped business-sized envelope to: Communications Division, American Optometric Association, 243 N. Lindbergh Blvd., St. Louis, MO 63141....A large team of researchers headed by Anthony Sances, Jr., of the Medical College of Wisconsin in Milwaukee describes its studies on "Current Pathways in High-Voltage Injuries" in the February *IEEE Transactions on Biomedical Engineering*. The group applied voltages of 10-2000 volts (60 Hz) to hogs.

Ovens...The Office of Radiological Health's (ORH) Division of Compliance is investigating a leaking microwave oven. An oven was discovered in Norfolk, VA, that was emitting 40 mW/cm². According to a division spokeswoman, the door on the oven was improperly positioned, leaving a break in the seal between it and its frame. ORH receives about four reports a year which warrant oven testing....The mother of a Michigan baby girl allegedly burned by a microwave oven has been indicted for child neglect. After a number of tests, state officials have ruled out oven malfunction as a possible cause of injuries. (See *MWN*, December 1982.)...The American Society of Mechanical Engineers Committee K-19 is sponsoring a special session on Heat Transfer Measurements in Microwave Systems at its winter annual meeting in Boston, November 13-18. For information, contact Dr. Maurice Berry, Jr., FDA, 1090 Tusculum Avenue, Cincinnati, OH 45226, (513) 684-8653....Microwave oven shipments in January reached 312,000, a 16.7 percent increase over last year, according to the Association of Home Appliance Manufacturers....Magic Chef sees a strong market for its new line of "Little-Big" microwave ovens among builders and remodelers if the housing industry picks up as expected. The ovens require significantly less space for installation than other ovens with the same size cooking cavity.

Satellite Communications...NASA procurement requests for its 30/20 GHz communications program were expected out early this month. The scaled down effort is now under the Advanced Communications Technology Satellite Program (ACTS). As the US continues its on again - off again support for 30/20 GHz development, Japan is already offering four Ka-band transponders on its CS-2A satellite. Japan spent 1,126 percent more than America on satellite-link research last year, according to the January 31 *Aviation Week*. In the same issue, an article describes the strong competition that fiber optic technology may pose for some types of satellite service....MCI is growing with both technologies. The company recently purchased 24 transponders on the Hughes Communications Galaxy 2 and 3 satellites, which combined with MCI's expanding fiber optic network will increase the company's capacity for data and voice service by nearly 50 percent....Prudential Insurance Co. has invested \$45 million in direct broadcast satellite service (DBS) through an agreement with United Satellite Communications (USC) (formerly United Satellite Television Corp.). USC plans to beam entertainment programs directly to homes this fall. Because USC will use Japanese equipment, Orro Corp. of Santa Clara, CA, has announced suspension of its manufacturing for DBS: it estimates no other US company will require equipment within the next two years. Meanwhile, various DBS license holders and earth station manufacturers scheduled a meeting in Washington, DC, last month to form a standards development group, according to the February 21 *Broadcasting*. In January, United States Satellite Broadcasting asked the FCC to develop DBS earth station standards.

Standards...The TLV Physical Agents Committee of the American Conference of Governmental Industrial Hygienists (ACGIH) is set to meet March 23-24 in San Antonio, TX. On the agenda is consideration of proposed changes to the RF/MW radiation (TLV) standard. In 1981 the committee suggested that the standard be revised in a manner similar to the ANSI safety standard (though the ACGIH proposal is less strict than ANSI's) and extended down to 10 kHz (see *MWN*, September 1981). Last year the committee proposed allowing exceptions to the exposure limits under certain conditions (see *MWN*, July/August 1982). Both sets of revisions are still listed under ACGIH's "Notice of Intended Changes."

The committee wants to resolve any remaining objections to the proposed changes at the meeting so that the new RF/MW TLV can be approved. ...ANSI has published the 1983 issue of its *Catalog of American National Standards*, which lists some 10,000 approved ANSI standards. The catalog is available for \$10.00 from the ANSI Sales Office, 1430 Broadway, New York, NY 10018. Buyers will receive all 1983 supplements at no charge.

VDTs...Radiation tests have not resolved the controversy surrounding a cluster of pregnancy problems among VDT workers at Surrey Memorial Hospital, BC, reported last year. (See *MWN*, July/August and October 1982.) Consultants hired by the hospital and by the worker's union have come up with different results. Professor A.W. Guy of the University of Washington, Seattle, tested a Surrey VDT at the request of the hospital and concluded that it produced no harmful radiation. Commenting on his results, Guy said he detected weak signals from 60 Hz to 1 GHz, with most emissions at 15 - 20 kHz: the levels never exceeded a few volts per meter. On the other hand, Dr. Hari Sharma of University of Waterloo, Ontario, who took measurements for the Hospital Employees Union, said that he had found some "pretty high" pulsed fields at 15 kHz; peak power levels near the case of one unit went to 1,000 V/m. Sharma has measured a number of sets in Canada for radiation emissions, including those at the Ontario legislative library in Toronto. (See *MWN*, November 1982.) Earlier this year, scientists at the Canadian Center for Occupational Health and Safety hypothesized that the pulsed, low frequency radiation emitted by VDTs may produce adverse effects and recommended terminals be shielded until more research is done. (See *MWN*, January/February 1983.)...M.M. Weiss of Bell Laboratories in Murray Hill, NJ, takes a different view. In a recently published paper, Weiss states that "radiation emissions from VDTs either do not exist or are not measurable. In any case their intensity is less than that to which the population in general is exposed from other sources. It is the unanimous conclusion of all studies conducted thus far that VDTs do not represent a health hazard from any radiation exposure caused by their use. It is apparent that factors other than radiation must be sought to determine the cause for the health or comfort complaints reported by various investigators." Weiss's review along with papers by Bell's S.J. Starr and R.C. Petersen and by Professor W. Ham from Virginia Commonwealth University were originally presented at the October 1981 *Joint Conference on Occupational Health* in Nashville, TN, and are published in the February *Journal of Occupational Medicine*. ...Similarly, E.A. Cox of the UK's Health and Safety Executive recaps a number of radiation surveys in the January issue of *Displays: Technology and Applications*, and concludes that "there are no radiation emissions from VDTs that approach levels that could be considered to be of concern to the normal individual." Most emissions detected in the surveys are in the low kHz range. *Displays* is published by Butterworth Scientific Ltd. in Gifford, UK....Moving up in the spectrum, a letter in the February 24 *New England Journal of Medicine* takes issue with the potential X-ray doses from old color TVs estimated by Dr. David Nashel and co-workers and reported in the journal September 30. Stanley Savic calls the Nashel estimates "erroneous and misleading" and up to 200 times too high. Nashel based his numbers on 12 out of 1,124 sets with the highest emissions. Savic states that calculating the average from all 1,124 sets would be more accurate. (See *MWN*, October 1982.)...McGill University in Montreal and CWA Local 7200 in Minneapolis, MN, both plan to investigate VDTs. An ad hoc committee has been set up at the university to review available information and make recommendations for the safe use of some 375 terminals at McGill. Concerned over potential reproductive hazards, CWA will conduct a survey of 4,500 women VDT operators. According to a report in the Minnesota Public Interest Research Group's January *Statewatch*, the union plans to discuss VDT work issues, including the

Microwave News has published *VDTs: Health and Safety*, an 80-page booklet with an index containing all of our 1981-2 coverage of video display terminal issues. Copies are available prepaid for \$5.95 plus \$1.00 for postage and handling from: *Microwave News*, PO Box 1799, Grand Central Station, New York, NY 10163. (US funds please. If your check is not drawn on a US bank, please add \$3.00 per order.)

right to alternative work for pregnant VDT users, in contract bargaining next summer. In Canada, many union workers have already won this option....A hearing on Connecticut's proposed VDT study bill was set for March 1 and Massachusetts plans to discuss its study bill at an April 20 hearing. For information, contact the Connecticut Committee on Labor and Employee (203) 566-5299 and the Massachusetts Joint Committee on Commerce and Labor (617) 722-2030. The Connecticut legislature's General Law Committee scheduled a March 7 hearing on a consumer bill with a little more punch: VDT sellers would be responsible for informing buyers about potential hazards and for ensuring that terminals do not emit hazardous levels of radiation....A conference on *VDTs/CRTs & New Technology* was held at the University of Connecticut Health Center last month. For information, contact Jane Fleishman at the center, School of Medicine, Farmington, CT 06032....American Optometric Association in St. Louis, MO, has made a number of recommendations for easing eye problems associated with VDT work. The association recommends regular rest breaks, annual eye exams and indirect office lighting....Ophthalmologists at the University of Laval Medical Center in Quebec have completed a five-year study of over 100 VDT users and non-users. In an eight-page summary report from the Association of Ophthalmologists of Quebec (No. 82-11-29), Drs. Ide Dube and Rolande Michaud conclude that long-term, full-time VDT work "does not cause any harmful effects on the ocular and visual systems." Canadian union officials have questioned the wisdom of drawing conclusions from so small a study....A case of video-game epilepsy in the US is the third to link the onset of seizures with an electronic game's flickering lights. Writing in the February 11 *Journal of the American Medical Association*, Dr. Neil Dahlquist and

colleagues at the Mayo Clinic in Rochester, MN, report that a 15-year old boy experienced seizures after playing "Combat" and "Pac-Man." The doctors call this response "similar to television-induced seizures, which have been well recognized in epileptic patients who are sensitive to flickering lights or geometric patterns." Game screens flicker at about 15 Hz. (See *MWN*, April 1981 and September 1982.)...A VDT hot line has been set up by NYCOSH's New Technology Committee. You can phone in your questions about VDTs from 5:30 to 7:30 PM on the first and third Wednesday of each month. Call (212) 674-1595....The February 21 *Computeworld* zeroed in on the electronic gadgetry of special cars at the recent New York International Automobile Show. Ford's Concept 100 Electronic Car sports a CRT screen which, through a Navy satellite communications link and a microprocessor, would display the car's location on an appropriate map. There is also a screen in the back seat - Donkey Kong anyone?

Etc...Do ELF and VLF emissions warn of an impending earthquake? Writing in the February 3 *Nature*, Chi-Yu King of the US Geological Survey in Menlo Park, CA, reviews some of the recent findings which suggest that such signals may one day aid in predicting major earthquakes. For instance, one set of measurements taken in Japan detected anomalously high electromagnetic emissions half an hour before a magnitude seven earthquake. The radiation was localized in two different frequency bands, at 10-1,500 Hz and at about 81 kHz. Others have reported similar emissions in the USSR and China. At this point, there are no satisfactory explanations for the signals, but King does believe that these phenomena "must be taken seriously." ●

CONFERENCE CALENDAR

• March 8-10: *Microwave Systems Applications Technology*, Sheraton Washington, Washington, DC. Contact: Richard Hartman, EW Communications, 1170 East Meadow Drive, Palo Alto, CA 94303.

• March 8-10: *5th Electromagnetic Compatibility Symposium and Technical Exhibition*, Zurich, Switzerland. Contact: Dr. T. Dvorak, EMC-83, ETH Zentrum-IKT, 8092 Zurich, Switzerland.

• April 6-7: *Annual Meeting of the National Council on Radiation Protection and Measurements*, Washington, DC. Contact: NCRP, 7910 Woodmont Avenue, Bethesda, MD 20814.

• April 10-13: *61st Annual Convention of the National Association of Broadcasters*, Las Vegas Convention Center, NV. Contact: NAB, 1771 N Street, NW, Washington, DC 20036.

• April 12-15: *3rd Annual International Conference on Antennas and Propagation*, University of East Anglia, Norwich, UK. Contact: IEE, Savoy Place, London WC2R 0BL, United Kingdom.

• April 25-27: *Satcom '83: 3rd Annual Satellite Communications Conference and Exhibition*, Hyatt Orlando, Orlando, FL. Contact: International Association of Satellite Users, 6845 Elm Street, PO Box DD, McLean, VA 22101.

• May 2-5: *2nd Annual Test & Measurement World Expo*, Convention Center, San Jose, CA. Contact: Meg Bowen, Conference Director, 215 Brighton Avenue, Boston, MA 02134.

• May 15-19: *15th Annual Meeting of the Conference of Radiation Control Program Directors*, Eldorado Hotel, Reno, NV. Contact: Charles Hardin, CRCPD, 65 Fountain Place, Frankfort, KY 40601.

• May 22-25: *18th Annual Meeting of the Association for the Advancement of Medical Instrumentation*, Loews Anatole, Dallas, TX. Contact: AAMI, Suite 602, 1901 N. Fort Myer Drive, Arlington, VA 22209.

• May 23-26: *International IEEE/APS Symposium and National Radio Science Meeting*, University of Houston, TX. Contact: Professor Liang Shen, Department of Electrical Engineering, University of Houston, Houston, TX 77004.

• June 1-3: *IEEE/MTT-S International Microwave Symposium*, Sheraton Boston Hotel, Boston, MA. Contact: Frank Leith, Alpha Industries, 20 Sylvan Road, Woburn, MA 01801.

• June 5-9: *Conference on Nonlinear Electrodynamics in Biological Systems*, VA Hospital, Loma Linda, CA. Contact: Research Service (151), Jerry L. Pettis Memorial Veterans Hospital, 11201 Benton Street, Loma Linda, CA 92357.

• June 12-16: *5th Annual Bioelectromagnetics Society Meeting*, University of Colorado, Boulder, CO. Contact: BEMS, 1 Bank Street, Gaithersburg, MD 20878.

• June 19-23: *28th Annual Health Physics Society Meeting*, Baltimore Hilton Hotel and Convention Center, Baltimore, MD. Contact: HPS, 4720 Montgomery Lane, Suite 506, Bethesda, MD 20814.

• June 21-23: *International Aerospace and Ground Conference on Lightning and Static Electricity*, Fort Worth, TX. Contact: Nick Rasch, FAA Technical Center, ACT-340, Atlantic City Airport, NJ 08405.

• July 3-8: *7th International Congress of Radiation Research*, Amsterdam, Netherlands. Contact: Dr. J.J. Broerse, Radiobiological Institute TNO, PO Box 5815, 2280 HV Rijswijk, Netherlands.

• July 18-22: *20th Annual IEEE Conference on Nuclear and Space Radiation Effects*, Sheraton Gatlinburg Hotel, Gatlinburg, TN. Contact: E.F. Hartman, Div. 9336, Sandia National Laboratories, Albuquerque, NM 87185.

• July 18-22: *18th Annual Microwave Power Symposium*, Franklin Plaza Hotel, Philadelphia, PA. Contact: International Microwave Power Institute, Tower Suite 520, 301 Maple Avenue West, Vienna, VA 22180.

• July 18-22: *7th International Symposium on Bioelectrochemistry and Bioenergetics*, Stuttgart, West Germany. Contact: Professor M. Blank, Department of Physiology, Columbia University Medical School, 630 West 168th Street, New York, NY 10032.

• August 23-25: *IEEE International Symposium on Electromagnetic Compatibility*, Hyatt Regency-Crystal City, Arlington, VA. Contact: Aaron Sullivan, Jr., #7121 Wolf Tree Lane, Rockville, MD 20852.

• August 23-26: *URSI International Symposium in Electromagnetic Theory*, Santiago de Compostela, Spain. Contact: Dr. J.L. Sebastian, Dept. of Electricidad y Electronica, Facultad de Ciencias Fisicas, Ciudad Universitaria, Madrid (3), Spain.

• September 12-14: *36th Annual Conference on Engineering in Medicine and Biology*, Hyatt Regency Hotel, Columbus, OH. Contact: Alliance for Engineering in Medicine and Biology, 4405 East-West Highway, Suite 210, Bethesda, MD 20814.

• October 3-5: *3rd Annual Meeting of the Bioelectrical Repair and Growth Society*, San Francisco, CA. Contact: Dr. Lorraine Day, San Francisco General Hospital, 1001 Potrero, San Francisco, CA 94110.

• October 16-20: *Conference on Electrical Insulation and Dielectric Phenomena*, Buck Hill Inn, Buck Hill Falls, PA. Contact: Professor Markus Zahn, High Voltage Research Lab, MIT, Cambridge, MA 02139.

MICRO WAVE NEWS

Vol. IV No. 2

A Monthly Report on Non-Ionizing Radiation

March 1984

INSIDE...

HIGHLIGHTS pp.2-5

Three States Consider RF/MW Actions

New Industry Alliance for Policy
and Standards

Workshop on Space Shuttle EMC

IRPA RF/MW Exposure Guidelines

Ninth VDT-Pregnancy Cluster Reported

Congressional VDT Hearings

Cable TV RFI

EXCERPTS pp.8-9

Project ELF: Portions of
Judge Barbara Crabb's Decision
Requiring New EIS; Declaration
of Secretary of Navy

UPDATES pp.10-12

Non-Thermal Effect in Plants □
Computers on Eastern Airlines □
Hyperthermia Notes □ Health Along
a DC Power Line □ Latest from Clear
□ EPRI EMC Seminars □ VDT State
Legislation □ Canadian Diathermy
Guidelines □ 1985 Power Line Meetings
□ Ultrasound Risks □ Resources for EMC,
Occupational Health, Measurement, VDTs
□ and more...

Conferences p.12

Short Courses p.7

Classifieds p.9

Microwave News invites contributions to *From the Field*, our regular column featuring news and opinions from the RF/MW community. Letters from readers are also welcome.

Navy Appeals ELF Decision

The US Navy has asked a federal court to reconsider its decision to stop all work on the Navy's Project ELF communications system until a new environmental impact statement (EIS) is prepared. Although the Navy has agreed to comply with the court's order to write a new EIS, it wants to continue construction.

On January 31, US District Judge Barbara Crabb ruled in favor of the state of Wisconsin and Marquette County, Michigan, requiring the Navy to revise its 1977 EIS to include "the significant new information on biological effects of electromagnetic radiation that has been generated since 1977." Until the new EIS is completed, Judge Crabb has barred the Navy from building the new ELF facility in Marquette County, upgrading the existing facility at Clam Lake, WI, or supplying submarines with ELF receivers.

Project ELF is designed to use 72-80 Hz extremely low frequency (ELF) signals to communicate with submarines without requiring them to come to the surface.

In a motion filed with the US District Court for the Western District of Wisconsin on February 10, US Attorney John Byrnes asked Judge Crabb to allow the Navy to resume construction pending the completion of the revised EIS. Byrnes contended that "the potential harm to the national
(continued on p.6)

OSHA Keeps RF/MW Limit; No Enforcement Possible

The Occupational Safety and Health Administration (OSHA) has decided to retain its voluntary standard limiting exposures to radiofrequency and microwave (RF/MW) radiation. As a result of this and past decisions, there are no enforceable occupational standards for RF/MW radiation in the United States.

The Occupational Safety and Health Review Commission and the courts have ruled that OSHA's voluntary standards cannot be enforced either directly or under the general duty clause of the Occupational Safety and Health Act (see *MWN*, April 1982). Under these decisions, OSHA can enforce a RF/MW safety limit only by deleting the voluntary 10 mW/cm² standard, and thereby allowing the use of the general duty clause, or by setting a new mandatory standard.

In final rules published in the February 10, 1984 *Federal Register*, OSHA revoked 153 of the 194 voluntary or duplicative standards originally targeted for deletion on May 28, 1982 (47 FR 23477). The RF/MW 10 mW/cm² standard was among those originally slated to be revoked, but was retained at the request of the Federal Communications Commission (FCC), according to OSHA.

Last October, OSHA disclosed that it had suspended work on a mandatory RF/MW health standard (see *MWN*, November 1983). The reasons
(continued on p.6)

Three States Consider RF/MW Actions

Three states are considering radiofrequency and microwave (RF/MW) radiation safety measures. In Wisconsin, an advisory group has urged the state to establish a non-ionizing radiation program. In Connecticut and New Jersey, officials have proposed exposure standards for the general public based on the 1982 American National Standards Institute (ANSI) guidelines.

Recent developments in these states are summarized below.

Wisconsin

After two years of study, a special committee of the Wisconsin Radiation Protection Council has concluded that "there is an urgent need" for research on the effects of long-term, low-level RF/MW exposures and that little data are available for evaluating non-ionizing radiation health risks. In a February 1 final report, the group recommends that the state take a number of steps to address RF/MW radiation safety issues.

Noting that no state authority oversees RF/MW radiation safety, the committee has advised that the state develop a program to monitor radiation levels, provide public information and educate health care professionals. The group has also recommended that non-ionizing radiation be covered under Wisconsin's right-to-know labor law.

The committee's final report and recommendations were accepted by the council on February 17 and will be forwarded to the state Department of Health and Social Services. The department is responsible for making recommendations to the legislature.

Council staff scientist Teri Vierima told *Microwave News* that advice from the council carries a great deal of weight with the legislature. She added, however, that the proposals are unlikely to be considered in the current session, which ends in April.

In urging that public and private institutions in the state begin RF/MW bioeffects research, the committee stressed that little is known about non-thermal effects, which are of primary interest in terms of the general population. They state that, "while there is little evidence that current levels of exposure are hazardous, there is also little evidence that current levels of occupational, medical and public exposures do not produce long-term effects."

The eight-member Non-Ionizing Radiation Committee was set up in 1982 when the legislature began drafting Wisconsin's right-to-know law. The group has recommended that it become a permanent advisory committee under the Radiation Protection Council.

Connecticut

Connecticut's joint Environment Committee has scheduled a March 8 hearing to consider a bill establishing a state RF/MW standard at least as restrictive as ANSI's guidelines. House Bill 5675 would allow state regulators to follow either Massachusetts, which last year adopted a standard five times more stringent than ANSI's (see *MWN*,

September 1983), or New Jersey, which has proposed using ANSI levels (see *MWN*, January/February 1984).

Connecticut's bill, introduced in committee by Rep. Moira Lyons in late February, mandates that the state Commissioner of Environmental Protection adopt a standard for public exposure to 300 kHz – 100 GHz radiation and that the department set up a registration and monitoring program. Operators of RF/MW sources would have to demonstrate compliance with the standard before receiving operating permits. Certain sources, including mobile radios and consumer products, would be exempt from the rule.

In an interview with *Microwave News*, Lyons reported that the bill has a good chance of passing before the legislative session ends on May 6. Lyons said hearings held last year indicate that the broadcast community supports a standard (see *MWN*, November 1983).

Lyons expects the committee to forward the bill to the House soon after the March 8 hearing.

The state Department of Environmental Protection would have one year to comply with the measure after it became law. Lyons said the department's radiation section would probably be responsible for drafting the standard and conducting public hearings.

New Jersey

The New Jersey Commission on Radiation Protection is expected to vote on its proposed RF/MW standard this month. The group, which has the authority to establish state radiation guidelines, has recommended adopting ANSI guidelines (see *MWN*, January/February 1984).

After evaluating testimony from two public hearings and about a dozen written comments, the commission met on February 22 to discuss final revisions in the standard. According to RCA's Dr. Fred Sterzer, a commission member and the chairman of its non-ionizing radiation advisory committee, the only significant change was the exclusion of mobile RF/MW sources. (At one of the hearings, a representative from the state police warned that the use of police radios and other emergency communications systems could be affected by the ANSI standard.)

Sterzer said minor changes included a clarification of the standard's emission limits for microwave ovens. Emissions from ovens manufactured after 1971 would be limited to 5 mW/cm² measured at a distance of 5 cm.

At present there are no plans for further public hearings, though the state Department of Environmental Protection could decide that the revisions are extensive enough to require another meeting.

New Industry Alliance for Policy and Standards

A new industry alliance was founded last month to push for federal safety standards for non-ionizing radiation. Manufacturers and users of radiofrequency and microwave (RF/MW) technology will use the organization to focus their lobbying and educational efforts and to sponsor independent research in areas related to radiation safety.

The Electromagnetic Energy Policy Alliance (EEPA) is an outgrowth of the RF/MW industry's concern over state and local radiation standards, such as those already adopted by Massachusetts, and over costly siting disputes generated by public apprehension about radiation hazards. EEPA believes that national exposure guidelines would go a long way in eliminating these problems.

Barry Umansky of the National Association of Broadcasters (NAB) told *Microwave News* that EEPA will be run by a private management firm in Washington, DC, with a start-up budget of about \$100,000. NAB, the Electronic Industries Association (EIA) and the Association of Home Appliance Manufacturers (AHAM) were early supporters of the organization, which was initially called the Alliance for Responsible Non-Ionizing Radiation Policy.

The organization's founding members are AT&T, GTE, MCI Telecommunications, Motorola, NAB, Raytheon, RCA and Rockwell/Collins.

According to Raytheon's Dr. John Osepchuk, chairman of the EEPA organizing committee, the alliance's first year will be largely devoted to building up membership. Member contributions will vary but the precise formula has not been worked out. Asked what research areas might receive funding, Osepchuk said "it could be anything from 60 Hz fields to millimeter waves."

Work to set up the alliance started in late 1982, after a private conference held at the Homestead resort in Hot Springs, VA. That meeting, sponsored by NAB, EIA and AHAM, provided an intimate forum for industry representatives to discuss RF/MW policy and legal issues (see *MWN*, October 1982). The press was barred from the conference and no minutes were prepared.

EEPA's first board meeting is tentatively scheduled for March 9 in Washington, DC. The board's chairman is Dr. Daniel Walters of MCI. Also serving are Howard Rosenthal, RCA; Morton Topfer, Motorola; Edward Fritts, NAB; John Whittaker, GTE; Dr. Howard Sobol, Rockwell/Collins; and Dr. Joseph Shea, Raytheon. An eighth appointment will be made later.

Workshop on Space Shuttle EMC

A *Workshop on Payload Susceptibility to Space Shuttle Ku-Band Radiated Fields* will be held at the Johnson Space Center in Houston, TX, on May 30.

The workshop was prompted by concern that the relatively high fields radiated by the shuttle orbiter's Ku-band antenna might interfere with the payloads deployed from the spacecraft.

"A lot of people are worried," according to Ralph Lawton of McDonnell Douglas, who is organizing the workshop, "and we want to clear up any technical confusion that may exist."

Among the topics to be discussed are the susceptibility of integrated circuits and general avionics to Ku-band (11-18 GHz) radiation. Lawson said that there has already been so much interest in the workshop that it may be expanded into a two-day meeting.

When asked if there was any possibility that the loss of the two satellites launched from the space shuttle Challenger last month could have resulted from a failure in electromagnetic compatibility (EMC), Lawton answered with a quick and emphatic "No."

For more information, contact Lawton at McDonnell Douglas Technical Services Co., 16441 Space Center Blvd., Houston, TX 77058, (713) 488-5660, ext. 468.

IRPA Approves Interim RF/MW Exposure Guidelines

The International Radiation Protection Association (IRPA) has approved limits for occupational and public exposures to radiofrequency and microwave (RF/MW) radiation. After ten years of deliberations by a working group that became the International Non-Ionizing Radiation Committee (INIRC) in 1977, the interim exposure guidelines were approved by the IRPA Executive Council on July 8. The guidelines are scheduled for publication in the April issue of *Health Physics*.

The limits for occupational exposures are similar to — but stricter than — the safety levels adopted by the American National Standards Institute (ANSI) in 1982.

Like ANSI, IRPA's most stringent occupational exposure limit is 1 mW/cm². But IRPA mandates this level over a wider range of frequencies. While ANSI specifies a maximum exposure of 1 mW/cm² in the 30-300 MHz band, rising to 5 mW/cm² at 1.5 GHz, the IRPA band is 10-400 MHz and the 5 mW/cm² limit takes effect at 2 GHz.

IRPA's guidelines are also much stricter at lower frequencies: in the 100 kHz-1 MHz band, IRPA's exposure limit is 10 mW/cm², as compared to ANSI's 100 mW/cm² limit for 300 kHz-3 MHz.

For the general population, the IRPA limits are five times more stringent than its occupational limits; thus, for 10-400 MHz the limit is 200 μ W/cm². ANSI recommends the same limits for workers and the general public. Above 2 GHz, the public would be exposed to a maximum of 1 mW/cm² under the IRPA guidelines.

The IRPA and ANSI limits for frequencies above 10 MHz are based on the same conclusion: that exposures should not exceed a whole-body specific absorption rate (SAR) of 0.4 W/Kg when averaged over six minutes.

In its appended rationale for the guidelines, the IRPA committee cautions that present knowledge on biological effects is limited and that its guidelines should be "subjected to periodic revisions" as more information becomes available. For instance, "The emerging evidence for non-thermal mechanisms of biological effects cannot be ignored and has to be considered in establishing exposure limits" and "For frequencies below 10 MHz, very little information on biological effects exists."

Unlike all other RF/MW standards, the IRPA guidelines include a maximum exposure level for pulsed fields: instantaneous peak values for all frequencies should not exceed 100 times the six-minute averaged limits.

The IRPA committee recommends that radiation in the

extremely low frequency (ELF) range be considered separately. According to Dr. P. Czerski, a member of the IRPA committee, an ELF document is now in preparation by a joint IRPA and World Health Organization (WHO) working group. Its report should be published next year.

The members of IRPA's INIRC group were: H.P. Jammet, Chairman (France), B.F.M. Bosnjakovic (Netherlands), P. Czerski (Poland), M. Faber (Denmark), D. Harder (Germany), J. Marshall (Great Britain), M.H. Repacholi (Australia), D.H. Sliney (USA) and J.C. Villforth (USA); A.S. Duchene (France) served as Scientific Secretary.

Labor Group Reports Ninth VDT-Pregnancy Problem Cluster

Half of the pregnancies among VDT operators at a San Francisco airline reservations center ended in miscarriages, birth defects or other abnormal outcomes, a survey of VDT users by a women office workers' group has revealed. This is the ninth cluster of pregnancy problems identified among VDT operators (see *MWN*, November 1981 and January/February, April, May and July/August 1982).

The group, 9 to 5, the National Association of Working Women, which surveyed 873 VDT operators nationwide, said it had located 14 other possible clusters. The results of the survey were made public February 16 at a press conference in New York City.

Among 48 pregnancies at the United Airlines office in San Francisco between 1979 and 1984, 24 ended abnormally, according to 9 to 5. There were 15 miscarriages; the other nine pregnancies ended in still births or neo-natal deaths, premature births, birth defects or other irregular outcomes. Approximately 300 people operated VDTs at the United office during the period in which the cluster occurred.

Employees at United have asked the National Institute for Occupational Safety and Health (NIOSH) to do a Health Hazard Evaluation (HHE), and 9 to 5 has asked to observe the NIOSH investigation.

Dr. Jim Melius, chief of NIOSH's Hazards Evaluation and Technical Assistance Branch, said that NIOSH will make an initial site evaluation in mid-March. In a telephone interview, Melius told *Microwave News* that the investigation will be limited to gathering basic data, such as air quality and lighting intensity. This information will be used to determine whether further work is needed.

Joseph Hopkins, speaking for United Airlines, said the company would try to cooperate fully with NIOSH, but cautioned that company lawyers might advise otherwise. United had "no prior knowledge" of the February 16 release of the reported cluster, he said, and "we feel that we were singled out...without any chance to defend ourselves."

Between 75,000 and 100,000 VDTs are used by air carriers, including United, according to the Air Transport Association, a trade group. Most of these are operated by reservations clerks.

The United Airlines cluster was identified using data gathered last year by 9 to 5 from a "VDT Hotline" which received more than 6,000 calls (see *MWN*, June 1983). A self-selecting sample of callers completed questionnaires. Karen Nussbaum, 9 to 5's executive director, said that the survey "confirms that the health complaints of VDT operators are widespread and serious."

The eight previous clusters remain unexplained. Government officials have maintained that the clusters are chance events resulting from the widespread use of VDTs. 9 to 5's Nussbaum urged that research be focused on resolving the uncertainty about the nine clusters.

When it released the survey data, 9 to 5 also recommended that:

- NIOSH establish a national tracking system to monitor reported VDT-related health problems;
- Employers provide properly designed and maintained equipment, allow adequate rest breaks and generally adopt policies that reduce stress among their employees;
- Manufacturers produce equipment with standardized safety features and provide training and information to purchasers to lessen user risks.

NIOSH is considering these requests, according to Melius.

The 9 to 5 survey also found that a majority of questionnaire respondents "often or daily" experienced eyestrain (53.5 percent), exhaustion (51.6 percent) or muscle pain (56.2 percent) as a result of working at a VDT. Nearly half (48.6 percent) reported treatment by eye doctors for vision problems or changes in eyesight, and 43.6 percent said they experienced tension or anxiety.

More than 62 percent of the respondents are clerical or secretarial employees, and among the entire group the greatest number (38.7 percent) have worked at VDTs for between one and three years.

The reported cluster has renewed the controversy about VDT health and safety risks. For example, an editorial in the February 27, 1984 *Computerworld* criticized 9 to 5 for making broad charges and acting "in a manner designed to raise fear" among VDT operators. The group lacked sufficient data, the editorial charged, but added that, "This is not to shrug off the possibility of a long-range health hazard from VDTs," particularly from radiation; but it urged that this possibility "be studied coolly, rationally and thoroughly to prevent VDT radiation from becoming, like asbestos, a hazard that is discovered too late."

Copies of 9 to 5's report on the survey can be requested from the group at 1224 Huron Road, Cleveland, OH 44115.

VDT Hearings Resumed by Congressional Subcommittee

A congressional subcommittee continued its study of health and safety problems associated with video display terminals (VDTs) at a hearing held in Washington, DC, on February 28. At the first of several hearings planned for this year, the subcommittee on health and safety of the House

Committee on Education and Labor was urged to enact VDT safety rules by a representative of the Service Employees International Union (SEIU), District 925.

The subcommittee had met in October 1983 to consider the results of the Newspaper Guild/Mt. Sinai VDT study (see *MWN*, November 1983). A subcommittee spokesman said that scientists from the National Institute for Occupational Safety and Health (NIOSH), representatives of computer manufacturers and other union officials are scheduled to testify at three hearings planned for March and April.

District 925 Executive Director Jackie Ruff called for legislation to protect all VDT workers, not just those who belong to unions. She urged the subcommittee to require metal shielding and periodic testing for X-ray radiation and to guarantee the right to alternative work during pregnancy for VDT operators. No legislation on VDT health and safety is now pending in Congress.

Ruff also presented the results of the VDT hotline survey completed by 9 to 5, the National Association of Working Women (see preceding story). Among the findings were a possible cluster of pregnancy problems at a United Airlines reservations office in San Francisco and 14 other possible clusters which the group is investigating. At a press conference after the hearing, Ruff said that it is "very likely" that some of these clusters will be publicly identified in the near future.

Testifying with Ruff, Rebecca Alford, a VDT operator at the Equitable Life Assurance Society in Syracuse, NY, said that she "cannot help but think there is a connection" between her work and the multiple birth defects suffered by her recently-born child. The introduction of VDTs at Equitable three years ago "enslaved us to the new machinery and subjected us to health and safety hazards," according to Alford.

At the hearing, subcommittee Chairman Joseph Gaydos (D-PA) said that he will "proceed in a persistent manner" to evaluate possible risks of VDT use. The ranking minority member of the panel, Rep. Steve Gunderson (R-WI), added that, "If we can prove there is clearly a problem, then this subcommittee wants to act."

SEIU represents more than 90,000 clerical workers in the public and private sectors. Its District 925 is affiliated with 9 to 5.

Cable TV RFI

The National Cable Television Association (NCTA) has urged its members to ensure their systems are not potential sources of radiofrequency interference (RFI). This message follows stepped-up inspections of cable TV systems by the Federal Communications Commission (FCC), which resulted in thousands of dollars in fines to operators in 1983.

Though the commission is primarily interested in enforcing its rules for protecting aeronautical communications, FCC staffers report that interference to amateur radio is also a major problem.

In a special January 20 letter to its members, NCTA underscored that the FCC is taking a "tough stand" on

noncompliance with its technical standards, "especially in areas of prior clearance for aeronautical frequency and signal leakage." The commission requires that cable operators report the use of all signals which fall into the aeronautical band.

Though there are relatively few reports of cable TV RFI with ground-to-air communications, the commission levied approximately \$200,000 in fines last year for non-compliance with its rules to protect this service. For the most part, operators had failed to comply with FCC requirements for reporting the use of frequencies in the aeronautical communications bands. According to FCC spokesmen, the commission has not imposed any fines for actual interference.

The FCC's efforts have apparently impressed cable TV operators. For example, a recently fined cable systems owner fired off a memo to its managers explaining the importance of compliance with FCC rules and requesting that they monitor for leaks on a regular basis.

Airplane communications can be very sensitive to interference. For example, two years ago the commission discovered that planes landing at Andrews Air Force Base were picking up stray signals from a store's cash register scanner, a device that reads standardized bar codes on product labels.

In contrast to aeronautical RFI, interference to amateur radio has elicited scores of complaints but only one FCC fine of \$6,000 against Sonic Cable TV of California in 1982 (see *MWN*, November 1982 and January/February 1984). Although amateur radio is a much lower FCC priority than safety services like ground-to-air communications, the American Radio Relay League (ARRL) maintains this RFI is a major problem among its 400,000 members.

Discussions between the league and NCTA on how to handle ham operator complaints became so heated last year that talks between the two groups broke down altogether. Insiders say the organizations have now reached a truce. NCTA's Wendell Bailey reports that "there is now a spirit of mutual cooperation" as the two groups "look into the boundaries of the problem."

ARRL and NCTA have been bickering over a January 1982 league petition asking the FCC to bar cable TV systems from using any amateur radio frequencies (see *MWN*, October 1983). Because hams use sensitive receivers to pick up very weak signals, amateur radio is susceptible to all kinds of interference. Jeff Young of the FCC's Field Operations Bureau explained that almost all complaints are resolved without FCC intervention.

MICROWAVE NEWS is published monthly, except in January and July • ISSN 0275-6595 • PO Box 1799, Grand Central Station • New York, NY 10163 • (212) 725-5252 • Editor: Louis Slesin, Ph.D., Associate Editors: Martha Zybko, Mark Pinsky • Subscription: \$200 per year (overseas \$235) • Copyright © 1984 by Louis Slesin • Reproduction in any form is forbidden without written permission.

for that action have not been made public, but, at the time, OSHA officials said that non-ionizing radiation was not a high priority and that they intended to use the agency's limited resources to develop other health standards.

In a series of interviews, OSHA officials suggested that the agency had not intended to stop its efforts to control worker exposures to RF/MW radiation. The reason work on a new RF/MW standard had stopped while the voluntary standard remained in place was that two different offices within OSHA were involved and each thought that the other would cover RF/MW hazards. The staff at OSHA's Health Standards Programs believed that the voluntary 10 mW/cm² standard would be revoked, allowing enforcement under the general duty clause, while those writing the rules deleting the voluntary standards thought that a new standard was being prepared.

FCC Changes Its Mind

In the preamble to its February 10 rules, OSHA said that it retained the RF/MW standard to comply with a request from the FCC. Although the FCC had asked OSHA to keep the 10 mW/cm² standard, it later reversed its stand. But by then, OSHA would not consider the FCC's new position.

In order to understand what happened between the two federal agencies, a brief review of the events of 1982 is necessary. On January 28, 1982, the FCC proposed rules to control potential RF/MW radiation hazards (see *MWN*, March 1982). The commission planned to base its rules on OSHA's 10 mW/cm² standard: those projects which would result in occupational or public exposures in excess of 10 mW/cm² would be considered "major actions" under the National Environmental Policy Act (NEPA), which requires federal agencies to prepare an environmental impact statement for such projects.

Then, on May 28, OSHA proposed deleting the 10 mW/cm² standard. The FCC responded on July 27, saying that, "If OSHA removes the only existing federal non-ionizing radiation standard from its rules without adopting a replacement standard, the FCC will not have the means by which to fulfill its obligation to assess the environmental significance of its actions with respect to [RF/MW] radiation hazards."

Meanwhile, the FCC was receiving comments on its own proposal. Many of the responding companies asked the commission to rely on the American National Standards Institute (ANSI) guidelines, which were approved on July 30, 1982 (see *MWN*, September 1982). Robert Cleveland of the FCC's Office of Science and Technology told *Microwave News* that when he reviewed these comments and discovered an industry preference for the ANSI limits, he relayed the news to OSHA, only to be told it was too late because OSHA's comment period had closed on July 27. The FCC's comment period closed on August 18.

OSHA's Tom Seymour, who developed the rules deleting the voluntary standards at the Office of Fire Protection, confirmed that he knew the FCC had changed its mind. But, he said, the agency could not take this into account because "it would jeopardize the public record."

Thus, OSHA stated in the preamble to its final February

10 rules that standards like the 10 mW/cm² RF/MW limit, though advisory, "are used by other federal agencies, such as the FCC in exercising its own statutory obligations. OSHA believes that revocation of these provisions would have deleterious effects and would not accomplish the purposes of the revocation as expressed in the proposal."

OSHA's Other Rationale

In addition to responding to what he perceived to be FCC needs, OSHA's Seymour said that his agency had decided to keep the 10 mW/cm² standard because it was referred to in another set of OSHA regulations.

Section 1910.268(p)(2) of OSHA's health and safety rules requires the posting of a warning sign in "accessible areas associated with microwave communication systems where the electromagnetic radiation level exceeds the [10 mW/cm²] radiation protection guide..." Section 1910.268(p)(3) requires employers to "institute measures that insure that the employee's exposure is not greater than that permitted by the radiation guide." But these regulations only apply to "microwave transmission" for telecommunications, which is defined as the 1-300 GHz frequency band. The 10 mW/cm² protection guide, Section 1910.97, covers 10 MHz-100 GHz.

No one interviewed for this article, other than Seymour, had ever heard of these OSHA rules.

In the introduction to its February 10 rules, OSHA noted that the National Advisory Committee on Occupational Safety and Health (NACOSH) had advised the agency to turn the voluntary standards into mandatory ones. OSHA said it "agreed with NACOSH that rule making action might be warranted in the future..." and later added that a revision of the RF/MW standard is "planned in the future."

Seymour expressed his confidence that work on a new RF/MW standard would begin soon.

OSHA Administrator Thorne Auchter has announced that he will resign effective March 30 to join a construction company in Kansas. No replacement had been named at press time. ●

ELF Decision (continued from p.1)

defense caused by a delay in implementing Project ELF substantially outweighs any potential environmental effect."

Byrnes stated that if the Navy's motion is denied, an appeal to the US Court of Appeals is "highly likely."

In support of his motion for reconsideration, Byrnes submitted affidavits from Secretary of the Navy John Lehman, Jr., and Ronald Koontz, the Navy's program manager for the ELF communications system. According to Koontz, a one-year delay in completing the system, originally scheduled for April 1986, would increase the cost of the project by an estimated \$10-15 million. The full text of Lehman's declaration is reprinted on p.9.

On February 23, the state of Wisconsin asked Judge Crabb to clarify whether her January 31 decision stopped the Navy from using the ELF facilities, already installed and

operational, at Clam Lake until a new EIS is completed.

Briefs from each side will be submitted to the court by the middle of March, with Wisconsin's final reply brief due on March 20.

Work on EIS Begins

The Navy has announced that it will write a new EIS and has asked the IIT Research Institute (IITRI) in Chicago, IL, to collect bioeffects data published since 1977 as a first step in its preparation. IITRI's Dr. Anthony Valentino told *Microwave News* that the Navy has not asked IITRI to evaluate the data or to write the EIS. A decision on who will prepare

the EIS had not been made at press time. Valentino recently rejoined IITRI as manager of electromagnetic and environmental effects after five years at Argonne National Laboratory.

In her 69-page decision, Judge Crabb presents a history of Project ELF and recent developments in research on the bioeffects of ELF radiation, with special emphasis on studies linking ELF to leukemia, on Dr. Jose Delgado's experiments on the teratological effects of low frequency pulsed magnetic fields and on Drs. Ross Adey and Carl Blackman's demonstration of frequency and power windows. Excerpts from her decision are reprinted on pp.8-9. ●

SHORT COURSES

April 3: EMC: The FCC Means Business, Boston, MA. Fee: \$595. Contact: Carol Clark, McGraw-Hill Seminar Center, 331 Madison Ave., Suite 603, New York, NY 10017, (212) 687-0243.

April 9-10: Grounding, Bonding & Shielding, Washington, DC. Fee: \$625. Contact: Continuing Engineering Education, George Washington University (GWU), Washington, DC 20052, (800) 424-9773, or (202) 676-6106 in DC.

April 10-11: Radar Principles for the Non-Specialist, Washington, DC. Fee: \$625. Contact: GWU, see April 9 above.

April 10-12: Grounding & Shielding, Philadelphia, PA. Fee: \$815. Optional fourth day for \$235. Contact: Don White Consultants Inc. (DWCI), Star Route 625, PO Box D, Gainesville, VA 22065, (703) 347-0030. Repeated **May 8-11: Honolulu, HI; June 19-22: Chicago, IL.**

April 16: Applying Military Electromagnetic Compatibility Specifications, Chicago, IL. Fee: \$295. Contact: Jean Tucker, ECOS Environmental Solutions, 205 W. Harrison St., Oak Park, IL 60304, (312) 383-2505.

April 23: Electrostatic Discharge Control, San Antonio, TX. Fee: \$275. Contact: EMXX Corp., 6766 Deland Dr., Springfield, VA 22152, (703) 451-4619. Repeated **May 18: Boston, MA.**

April 23-26: Modern Microwave Measurements, Palo Alto, CA. Fee: \$895. Contact: Continuing Education Institute (CEI), 5410 Leaf Treader Way, Columbia, MD 21044, (301) 596-0111 or (213) 824-9545.

April 24-27: Phased Array Antenna Technology, Boulder, CO. Fee: \$675. Contact: Linda Billard, Technology Service Corp (TSC), 8555 16th St., Suite 300, Silver Spring, MD 20910, (800) 638-2628, or (301) 565-2970 in MD.

April 26-27: Cellular Radio Communications, Washington, DC. Fee: \$625. Contact: GWU, see April 9 above.

April 30-May 4: EMC Design & Measurement for Control of EMI, San Diego, CA. Fee: \$995. Optional fifth day for \$235. Contact: DWCI, see April 10 above.

April 30-May 4: NBS Noise Measurement Seminar, Boulder, CO. Fee: \$775. Contact: Sunchana Perera, Div. 723.05, National Bureau of Standards, Boulder, CO 80303, (303) 497-3546.

May 1-3: Mutual Design of Natural Gas Pipelines and Electric Power Lines, Palo Alto, CA. Fee: \$75 (EPRI members), \$275 (non-members). Contact: John Dunlap, Electric Power Research Institute (EPRI), PO Box 10412, Palo Alto, CA 94303, (415) 855-2305.

May 7-11: Microwave Circuits Design: Linear Circuits, Palo Alto, CA. Fee: \$895. Contact: CEI, see April 23 above. Repeated **June 4-8: Boston, MA.**

May 7-11: Electromagnetic Interference and Control, Washington, DC. Fee: \$875. Contact: GWU, see April 9 above.

May 8-11: Modern Antennas, Washington, DC. Fee: \$675. Contact: TSC, see April 24 above.

May 14-18: Fundamentals of Communication Satellite Systems, Washington, DC. Fee: \$875. Contact: GWU, see April 9 above.

May 15-17: Seminar on Mutual Design of Overhead Transmission Lines and Railroad Communications and Signal Systems, Chicago, IL. Fee: \$100 (approx.). Contact: EPRI, see May 1 above. Repeated **June 19-21: Washington, DC; and September 11-13: Atlanta, GA.**

May 15-17: Design Methods for Emission and Susceptibility Control, Boston, MA. Fee: \$695. Contact: EMXX, see April 23 above. Repeated **June 25-27: Sunnyvale, CA.**

May 15-17: An Introduction to EMI/RFI/EMC, Los Angeles, CA. Fee: \$815. Contact: DWCI, see April 10 above.

May 21-23: Hazardous RF Electromagnetic Radiation, Washington, DC. Fee: \$695. Contact: GWU, see April 9 above.

May 21-25: Microwave Circuit Design I: Linear Circuits, Los Angeles, CA. Fee: \$895. Contact: UCLA Extension Short Course Program, PO Box 24901, 6266 Boelter Hall, Los Angeles, CA 90024, (213) 825-1295.

May 21-25: Radar Systems & Technology, Washington, DC. Fee: \$875. Contact: GWU, see April 9 above.

May 21-25: Radiation Safety Officer's Course, San Antonio, TX. Fee: \$650. Contact: Medical School Continuing Education Services, University of Texas Health Science Center, 7703 Floyd Curl Dr., San Antonio, TX 78284, (512) 691-6295.

May 22-25: MIL-STD-461/462 & System-Level EMI Testing & Procedures, Washington, DC. Fee: \$995. Contact: DWCI, see April 10 above.

May 24-26: European Workshop on Nuclear Resonance in Medicine, Wiesbaden, West Germany. Fee: \$260. Contact: Dr. Peter Rinck, PO Box 2149, D6200 Wiesbaden 1, West Germany.

June 4-5: Lightning Protection, Washington, DC. Fee: \$625. Contact: GWU, see April 9 above.

June 12-14: Transmission Line Design Optimization, Schenectady, NY. Fee: \$100 (EPRI members), \$600 (non-members). Contact: B. Gnat, Power Technologies, Inc., PO Box 1058, Schenectady, NY 12305, (518) 374-1220. Repeated **June 26-28: Haslet, TX; July 10-12: Palo Alto, CA.**

June 13-15: Biological Effects of Transmission Lines and Substations, Chicago, IL. Fee: \$685. Contact: Ms. Hargett, Professional Development Services (PDS), 4 Professional Dr., Suite 148, Gaithersburg, MD 20879, (301) 926-2797.

June 18-19: Electrical Accidents Involving Power Lines, Washington, DC. Fee: \$475. Contact: PDS, see June 13 above. Repeated **June 21-22: Denver, CO.**

Project ELF Decision

Reprinted below are portions of District Judge Barbara B. Crabb's decision in State of Wisconsin v. Caspar W. Weinberger, the US Department of Defense, John F. Lehman, Jr., and the US Department of the Navy, decided on January 31, 1984.

I begin with the threshold question whether the information on biological effects generated since 1977 is significant enough to impose upon the Navy the duties of evaluation and explanation....

In 1977, there was little or no evidence to contradict the findings and conclusions of the 1977 National Academy of Sciences study and the Navy's 1977 environmental impact statement that extremely low frequency electromagnetic radiation had no effect upon animal fertility, growth and development or behavior. Scientific studies undertaken since then have produced results that raise questions about the validity of prior assumptions of the safety of extremely low frequency electromagnetic radiation.

In the areas of cellular function, enzymatic function, animal behavior, and growth and development, researchers such as Delgado, those at UCLA, and Adey and Blackman have found evidence that the biological effects of extremely low frequency electromagnetic radiation occur in a nonlinear dose-response relationship. These researchers and others have identified both the phenomenon of frequency and power intensity windows and the probable existence of two such windows at 15 Hz and 75 Hz.

Researchers at Battelle Laboratories have found teratogenic effects, as well as effects on animal behavior and on neurophysiology from exposure to electromagnetic fields at 60 Hz. Goodman at University of Wisconsin-Parkside has observed alterations in basic cell functions and in oxygen consumption in slime mold exposed to extremely low frequency electromagnetic radiation....

The primate studies at Pensacola and at UCLA reveal effects upon growth rate and behavior from exposure to electromagnetic radiation.

In addition, epidemiology studies raise the possibility that there may be a correlation between the incidence of cancer and the magnetic fields associated with electric power lines. Although they are only suggestive at this time, the 1977 epidemiology studies, such as those by Wertheimer-Leeper, provide quantified data and descriptions of control group characteristics and selection criteria sufficient to allow outside evaluation of their merit, in contrast to the earlier epidemiology studies from Eastern Europe and the USSR.

These studies provide new information that was not available to the Navy or to the public in 1977. Although the research results do not prove that biological effects will result from exposure to extremely low frequency electromagnetic radiation, neither are they mere reconfirmations of the Navy's 1977 assessment of the negligibility of any potential environmental effects.

The merit of the new information has been attested to by the expert witnesses....

The new information was accessible to the Navy. It derives entirely from Navy-sponsored studies or from published articles.

The new information raises questions about long-term exposure to ELF electromagnetic radiation that should be taken into consideration by the decisionmakers. For example, the window studies cast doubt on the Navy's reliance on long-term hazard-free experience with electric power lines as well as the Navy's discounting of research performed at frequencies and intensities different from those of the ELF facility. The studies demonstrate that the nature of the relationship between exposure and effect is not yet sufficiently understood to permit extrapolation from the presence or

absence of effects at any one frequency. Moreover, the observation of a frequency window effect within the range at which the ELF antennae will operate is information that is highly relevant to an assessment of the environmental impact of the project.

The 1977 environmental impact statement is no longer adequate as a source of information necessary to a rational decision on the relative risks and benefits of Project ELF....

*I conclude that the scientific information on biological effects generated since 1977 is significant enough to require careful review by the Navy. I refrain expressly from finding that any one of the studies, or all of them taken together, invalidate the Navy's previous assertion that long-term exposure to ELF electromagnetic radiation will produce no adverse biological effects. The research results remain equivocal. *the scientists do not agree on the import of that research, and I am not prepared to evaluate the substance of the individual studies or to weigh the relative merits of the various scientific opinions in this complex area....**

Despite the continuing uncertainty over the potential biological effects of electromagnetic radiation, those effects must be taken into account by the Navy because they represent significant new information relevant to the environmental consequences of the proposed action. This does not mean that the Navy must postpone operation of Project ELF until all uncertainty has been resolved. It does mean that the Navy must undertake a considered review of all that is known to date and evaluate the relative risks and benefits before proceeding with Project ELF.

Defendants contend that the Navy's establishment of an Environmental Review Committee and an ecological monitoring program, the various research projects it funded and its contract with IIT Research Institute for literature reviews and other work demonstrate a high degree of concern for keeping abreast of the relevant developments in the field of electromagnetic radiation effects and a careful consideration of those developments.

However, my view of the Navy's efforts is that they are of relatively little use in assessing the potential danger of electromagnetic radiation on animal life. By themselves, the activities do not show a high degree of care and, in any event, they are not a substitute for a thorough review of the relevant information and a careful weighing of the risks and benefits of Project ELF.

For example, the Environmental Review Committee focused primarily on the impact of Project ELF on the physical environment....

Similarly, the Navy's ecological monitoring program was devoted essentially to the environmental consequences of Project ELF. Only one of the thirteen research projects that made up the program was concerned with potential biological effects of extremely low frequency electromagnetic radiation and that was the Goodman slime mold field study at Clam Lake, for which there are no results as yet.

In addition to the slime mold study, the Navy has sponsored several animal studies. Of these, the Pensacola primate growth study and the UCLA monkey behavior study appear to be the most substantive. The Pensacola study was reviewed by a National Academy of Sciences panel and the UCLA study has been referred to frequently in other literature on biological effects of extremely low frequency electromagnetic radiation. However, other Navy studies such as the bird migration study, the multigenerational mice study and the review of the physical condition of Navy workers at the Clam Lake site produced inconclusive results or merely confirmed earlier findings. Moreover, the Navy never subjected any studies other than the Pensacola primate study to peer review and it never attempted a comprehensive review of the pieces of information generated by the studies it had sponsored.

With respect to the contract with IIT Research Institute for literature reviews, the evidence shows that IIT Research Institute evaluated articles and provided the Navy with studies and summaries of articles only on a sporadic basis and only after the decision had already been made not to supplement the 1977 environmental impact statement....

I conclude that the record does not demonstrate that the Navy fulfilled its duty of conducting a thorough and comprehensive review of the new scientific information on the biological effects of extremely low frequency electromagnetic radiation and the significance of that information....

In summary, I find and conclude that in proceeding with the reactivation of Project ELF without undertaking a thorough and comprehensive review of the significant new information on biological effects of electromagnetic radiation that has been generated since 1977 the Navy abused its discretion. In so proceeding, the Navy acted in violation of the National Environmental Policy Act....

I am not in a position to determine the full significance of the new information on biological effects. It may be that the significance of the new information is such that the Navy could have fulfilled its obligation of explanation in some way other than by filing a supplemental environmental impact statement. However, at this time it would not be in the public's interest or in the Navy's to permit the Navy to go forward with Project ELF without requiring it to file a supplemental environmental impact statement. The public has displayed an interest in this case and in the human health implications of Project ELF. A supplemental environmental impact statement will allow the public to address the issue of biological effects, as well as serving to advise the public that the Navy has taken the issue into consideration....

Declaration of John F. Lehman, Jr.

Reprinted below is the declaration of John F. Lehman, Jr., Secretary of the Navy, in support of the Navy's motion for reconsideration of Judge Barbara B. Crabb's decision to require a new environmental impact statement for Project ELF.

1. I, John F. Lehman, Jr., am the Secretary of the Navy.
2. The Trident and Poseidon submarines of the Navy's submarine force represent an integral part of the nation's strategic nuclear deterrence and are the nation's most survivable strategic deterrent.

3. In my capacity as the Secretary of the Navy, it is my responsibility to ensure the effective operation, safety and survivability of the Navy's submarine force. The survivability of the Trident and Poseidon submarines depends on their ability to remain undetected. They must also maintain continuous communication with the President and Secretary of Defense.

4. With current systems, continuous communication is possible only when submarines deploy a receiving antenna while operating at or near the surface. This requirement imposes an enormous restriction upon the submarine's operating depth and its speed, as well as increasing its exposure to detection. The ELF system permits submarines to receive communications without reducing speed, operating at the surface, or trailing an antenna. Thus, the ELF system represents a critical safeguard against a scientific breakthrough in submarine detection by another nation using aircraft or satellite systems that exploit nonacoustic phenomena such as kelvin wakes and internal waves near the surface.

5. The Soviets are devoting considerable time and money to anti-submarine research and to new techniques and systems of submarine detection. Any potential Soviet anti-submarine breakthrough that might result from this research can best be countered by assuring that US submarines have the ability to operate independent of depth and speed restrictions. Only ELF provides this capability.

6. Intelligence reports indicate that the Soviets have the ELF capability. In order to ensure the effectiveness of our own submarine forces, a comparable ELF capability is imperative.

7. We have long been aware of concerns about possible effects of extremely low frequency electromagnetic fields on human health. Our studies and research have revealed no human health hazards from the Navy's ELF Communication System. Nevertheless, it has been and remains the policy of the United States Navy that, in the event significant and serious human health hazards are shown to exist, the operation of the ELF Communication System will be discontinued.

8. In my judgment, the ELF system is essential to the national defense, and, therefore, any delay in its construction is contrary to national defense interests.

9. I certify under penalty of perjury pursuant to 28 USC 1746 that all of the above statements are true, complete and correct to the best of my knowledge and belief.

John F. Lehman, Jr.
February 9, 1984

CLASSIFIEDS

At \$200 a year, you can be sure our subscribers read every word in *Microwave News*. Let them read your message; advertise in *Microwave News*. Rates start at \$50 for 1/32 of a page, \$95 for 1/16 and \$175 for 1/8. For information or to reserve space, call us at (212) 725-5252.

VDT News: The VDT Health and Safety Report

Now you can get the only newsletter that reports exclusively on video display terminal (VDT) user health and safety. Published bimonthly, *VDT News* covers the full range of topics from scientific research to legislation, and from union actions to management strategies.

Subscriptions (\$18/year for individuals; \$35/year for institutions) should be *prepaid* to *VDT News*, PO Box 1799, Grand Central Station, New York, NY 10163.

Stay One Step Ahead!

Microwave News, now in its fourth year of publication, is indispensable to anyone concerned with compatibility and interference issues, bioeffects research, government actions, new standards and occupational health. We cover the whole non-ionizing radiation spectrum, from DC to daylight.

So, if you are concerned about the bioeffects or EMC-RFI of ELF, VLF, RF or MW radiation or MM waves, you should be reading *Microwave News* every month.

Subscribe now! A year of *Microwave News* costs just \$200 (\$235 outside of the US and Canada). Send your order to *Microwave News*, PO Box 1799, Grand Central Station, New York, NY 10163, (212) 725-5252.

BIOLOGICAL EFFECTS

Non-Thermal Effect in Plants...A research group headed by Dr. Andrew Marino of LSU Medical Center believes it has identified the first electric field effect in plants caused by a non-thermal mechanism. Writing in the December issue of the *IEEE Transactions on Biomedical Engineering*, Marino and co-workers report that an applied electric field of 5 kV/m at 60 Hz, producing an internal E-field of 0.00075-37.5 V/m in sunflower seeds, caused a statistically significant decrease of five percent in the germination rate. (The internal E-field is strongly dependent on moisture content and is hard to characterize.) An applied field of 1 kV/m (0.00015 V/m inside the seed) had no effect. In a telephone interview from his office in Shreveport, LA, Marino said that he did not intend to continue studying E-field effects on plants because they are extremely dependent on temperature and humidity. "They are too sensitive to changes in the microenvironment," he added.

Health Along a DC Line...People living near a 400 kV DC power line did not report more health complaints than those living far away from it, according to a survey of 438 Californians published in the January issue of the *American Journal of Public Health*. Drs. Roy Haupt and James Nolfi caution that the population used in their study was too small to rule out the "possibility of low incidence effects." Haupt, who now works for the state of Vermont, told *Microwave News* that one of the strengths of the study was that those responding to the survey were unaware that they were living near the power line and thus their perception of its effects did not come into play.

COMPATIBILITY & INTERFERENCE

Computing Aboard Eastern...Eastern Airlines has changed its policy and will now allow passengers to use computers aboard its aircraft (see *MWN*, October 1983). In a statement released January 31, Eastern said that the decision was reached "after extensive testing" which showed no evidence of electronic equipment interference with aircraft navigation and communications equipment. No reports or other documentation on the tests are available. The policy shift follows the retirement of D.W. Crosby, Eastern's chief engineer, who wrote to RTCA last August, prompting a new investigation into the potential problem of RFI by the commission's Special Committee 156. That committee held its second meeting on February 28-29, and new measurement data on path loss were presented. Details next month.

Resources...The February 1984 issue of the *IEEE Transactions on Power Apparatus and Systems* features an article on "Television Interference Due to Electromagnetic Scattering by the MOD-2 Wind Turbine Generators." K.H. Cavcey of the University of Missouri in Columbia and L.Y. Lee of BPA in Portland, OR, report supporting data for their thesis that at ground level the near field scattered component is an amplitude modulated secondary signal....KeyTek has published *Electrostatic Discharge (ESD) Protection Test*

Handbook. The 64-page booklet, complete with index, is available for \$5.00 from KeyTek Instrument Corp., 12 Cambridge St., Burlington, MA 01803.

INTERNATIONAL

Canadian Diathermy Guidelines...The Non-Ionizing Radiation Section of the Canadian Radiation Protection Bureau has issued guidelines to limit occupational exposures to stray radiation emitted by shortwave (27 MHz) diathermy equipment. The guidelines stem from surveys of diathermy operator exposures, which indicated a pattern of over-exposures (see *MWN*, September 1981 and *Health Physics*, March 1982). A copy of *Safety Code 25 — Shortwave Diathermy Guidelines for Limited Radiofrequency Exposure* (No. 83-EHD-98) is available from the Public Affairs Directorate, Department of National Health and Welfare, 5th Floor, Brooke Claxton Bldg., Ottawa, Canada K1A 0K9.

MEASUREMENTS

Resources...Two new publications from NBS' Electromagnetic Fields Division: (1) *Approximate Formulas for the Far Fields and Gain of Open-Ended Rectangular Waveguide* (NBSIR 83-1689), by Arthur Yaghjian, describes two methods that significantly reduce the previous limits of uncertainty for calculated probe characteristics when making near field antenna measurements. It is available for \$8.50, prepaid, from the National Technical Information Service, Springfield, VA 22161. Order No. PB 83-233999. (2) *Eigenmodes and the Composite Quality Factor of a Reverberating Chamber* (TN 1066), by a team from the University of Colorado in Boulder and NBS, describes a theoretical basis for the design of a metal chamber to contain a localized, homogeneous and isotropic EM field for EMI/EMC tests on electronic products and components. Available for \$4.00, prepaid, from the Government Printing Office, Washington, DC 20402. Order No. 003-003-02510-1.

MEDICAL APPLICATIONS

Hyperthermia Notes...The January 1984 issue of the *IEEE Transactions on Biomedical Engineering* is devoted to hyperthermia and cancer therapy. The 21 papers, edited by Drs. John Strohbehn, Thomas Cetas and George Hahn, cover electromagnetic and ultrasound applicators, dosimetry and modeling. Hahn leads off the special issue with an introduction to hyperthermia for the engineer...A host of recent articles on hyperthermia applicators: FDA's Dr. Gideon Kantor and Donald Witters describe the performance of one operating at 915 MHz with reduced leakage in the June 1983 issue of the *Journal of Microwave Power*. A team from the University of Illinois, Urbana, has published "Frequency Optimization of Focused Microwave Hyperthermia Applicators" in the February 1984 *Proceedings of the IEEE*. Two researchers from Shimane Medical University in Japan have designed an inductive applicator, which

they claim "produces much less heat in the fat layer than in the muscle layer." And Dr. J.J.W. Lagendijk from Utrecht, the Netherlands, describes a simple and cheap applicator for deep body heating. These last two papers are in the most recent issue (December 1983) of the *Journal of Microwave Power*. ...A "Diagnostic and Therapeutic Technology Assessment" of whole-body hyperthermia for the treatment of solid tumors, which appears in the January 13 *Journal of the American Medical Association*, concludes that this type of therapy is still investigational: "The clinical use of whole-body hyperthermia in combination with radiation therapy or chemotherapy is still in an early stage of investigation, although there is good in vitro evidence that a synergism with heat may exist with the other treatments." ...The 4th Annual Meeting of the North American Hyperthermia Group (NAHG) will be held at the Sheraton Twin Towers Hotel in Orlando, FL, March 23-27 — immediately before the 32nd Annual Meeting of the Radiation Research Society. Last year some 250 hyperthermia experts attended the NAHG meeting, and the attendance promises to be as high this year, with about 125 papers scheduled for presentation. For more information, contact Sherry Phillips, NAHG, 925 Chestnut St., Philadelphia, PA 19107, (215) 574-3153.

Ultrasound Risks...A panel of experts has warned that the use of ultrasound imaging during pregnancy should be limited to situations in which there is an "accepted medical reason for the procedure." The experts, who met at NIH in Bethesda, MD, February 6-8, said that they could not endorse routine ultrasound screening of pregnant women because there is not enough evidence that "routine screening benefits either the mother or the fetus." The panel concluded that ultrasound could be useful in risky or complicated pregnancies but warned that many of the studies on the safety of ultrasound in humans have been "inadequate" and that there is not enough information to "reliably assess" the risks of ultrasound imaging.

MILITARY SYSTEMS

Latest from Clear...The AF's Office of the Surgeon General has completed its review of the radar accident at Clear AF Station and presented it to Congressman Don Young (R-AK) (see *MWN*, November 1983 and January/February 1984). The AF has concluded that a reenactment of the accident is not warranted. A spokesman for Young said that the report "was totally unacceptable." As we go to press, OSHA's regional office in Seattle has decided to send OSHA's Health Response Team, based in Salt Lake City, UT, to Clear to run a new simulation of the accident and to determine the exposure levels experienced by the eight workers. Details next month.

OCCUPATIONAL HEALTH

Resources...Dr. Samuel Milham's report *Occupational Mortality in Washington State 1950-1979* (No. 83-116) has been published by NIOSH. The report contains the data

with which he linked leukemia with workers exposed to ELF electric and magnetic fields (see *MWN*, July/August 1982). Contact: Division of Surveillance, Hazard Evaluations and Field Studies, NIOSH, 4676 Columbia Parkway, Cincinnati, OH 45226. ...OSHA has published a booklet *Controlling Electrical Hazards* and a report *An Illustrated Guide to Electrical Safety*. The 12-page booklet is available free from OSHA's Publication Office, Room N-4101, Washington, DC 20210 (send a self-addressed mailing label). The 172-page guide is available for \$5.50, prepaid, from the Government Printing Office, Dept. 36-CV, Washington, DC 20402. To order with Visa or Mastercard, call (202) 783-3238.

POWER LINES

EPRI Seminars...The Electric Power Research Institute (EPRI) is organizing a series of seminars on methods of analyzing the effects power lines have on gas pipelines and railroad equipment when they share a common right-of-way. *Mutual Design of Natural Gas Pipelines and Electric Power Lines* will be held in Palo Alto, CA, May 1-3. The fee is \$75 for EPRI members and \$275 for non-members. A *Seminar on Mutual Design of Overhead Transmission Lines and Railroad Communications and Signal Systems* will be held in Chicago, IL, May 15-17; in Washington, DC, June 19-21; and in Atlanta, GA, September 11-13. The fee for each seminar in this series has not yet been set but is expected to be about \$100. For more information about the seminars contact John Dunlap, EPRI, PO Box 10412, Palo Alto, CA 94303, (415) 855-2305. The railroad seminar will be taught by staffers at IITRI, who recently published a two-volume report (EL-3301) for EPRI on the potential interference of power line radiation with railroad systems (see *MWN*, September 1983). Volume 1, *Engineering Analysis*, (\$29.50) describes the interaction of power lines and railroads and develops a methodology for siting them together. Volume 2, *Appendices* (\$25.00) documents the results of the study and is designed for the in-depth reader. They are available from EPRI's Research Reports Center, PO Box 50590, Palo Alto, CA 94303, (415) 965-4081.

1985 Meetings...This year has hardly begun, but it's not too early to start planning for 1985. The Institution of Electrical Engineers, based in London, England, is hosting two conferences: The 8th International Conference on Electricity Distribution (CIRED) will be held in Brighton, May 20-24. And the International Conference on AC and DC Power Transmission will be held in London, September 23-26. CIRED meetings are held every two years, alternately in England and in Belgium. The 1983 meeting attracted nearly a thousand participants from 35 countries. The AC-DC conference was last held in 1980. For more information on both these meetings, contact: Conference Services, IEE, Savoy Place, London WC2R 0BL, England.

VDTs

Legislation...The push for state VDT laws continues. Hawaii has passed a bill that directs the state Bureau of

UPDATES

Labor Standards to study VDT health and safety risks and, if necessary, to develop regulations. In Maine, the Bureau of Labor Standards is holding a public hearing on March 15 as part of its consideration of possible VDT safety rules, in keeping with the law passed in that state last June. The Ohio Health and Retirement Committee held a series of hearings on House Bill 552, which began January 25 and continued with three meetings in February. The Rhode Island House Labor Committee has scheduled a hearing for March 8 on Bill H7012, which is modeled on legislation drafted by the Newspaper Guild. And in Massachusetts, five more bills have been introduced, bringing to nine the number of proposals that will be under consideration when the Committee on Labor and Commerce meets March 14. California Assemblyman Tom Hayden has introduced the "Video Display Terminal Operator Occupational Safeguards Act of 1984": Assembly Bill 3175 would require employers to meet minimum office standards for lighting, furniture, radiation protection and terminal maintenance. Pregnant employees would be entitled to non-VDT work, and all VDT operators would be provided 15 minutes away from terminals for each hour of work. Free annual eye examinations and free eyeglasses (when necessitated by VDT work) would be available to all employees, to be paid for by their employers. In Connecticut, where legislators are awaiting the results of a study they ordered last June, Rep. William Kiner has prepared a new bill and hearings are planned for the spring. Kiner's proposal, which has yet to be introduced, would require annual eye examinations, regular monitoring and testing of all VDTs and ongoing evaluation of possible radiation risks from VDTs.

Resources...Measurement of X-ray radiation from VDTs has led two Canadian researchers to conclude that levels are "extremely low." In fact, the measurements indicated there was "no difference whether the VDT is switched on or off." C. Pomroy and L. Noel of the Radiation Protection Bureau in Ottawa estimate that the annual dose from working at 5 cm from a VDT for 2,000 hours over one year is 0.0006 mR. The current FDA standard is 0.5 mR/hr. Their report appears in the February 1984 *Health Physics*. ...In our last issue, we reported the results of an ongoing investigation of VDTs at Ontario Hydro, a Canadian electric utility. The company has now also released "Analysis of Operator Exposure to Electric Fields From Video Display Units" (Report No. 83-503-K). Written by Dr. S.M. Harvey of the company's Electrical Research Department, the report can be requested from Ontario Hydro, 757 McKay Road, Pickering, Ontario L1W 3C8, Canada....The Library of Congress has published a white paper on VDTs. *Video Display Terminals: The Controversy About Health and Safety Issues* summarizes major research to date and discusses possible causes of VDT operator health complaints. Written by Christopher Dodge, a specialist in the library's Science Policy Research Division of the Congressional Research Services, the white paper can be obtained from him at the Library of Congress, Washington, DC 20540.

CONFERENCES

April 4-5: 20th Annual Meeting of the National Council on Radiation Protection and Measurements, Washington, DC. Contact: NCRP, Suite 1016, 7910 Woodmont Ave., Bethesda, MD 20814, (301) 657-2652.

April 9-13: International Magnetics Conference, Hamburg, West Germany. Contact: T.S. Nelson, PO Box 480, Murray Hill, NJ 07974.

April 10-11: Satcom'84, Sheraton Washington, Washington, DC. Contact: International Association of Satellite Users, PO Box DD, McLean, VA 22101, (703) 759-2094.

April 14-19: 19th Annual Association for the Advancement of Medical Instrumentation Meeting and Exhibit, Washington Hilton, Washington, DC. Contact: AAMI, 1901 North Fort Myer Dr., Suite 602, Arlington, VA 22209, (703) 525-4890.

April 24-26: IEEE 1984 National Symposium on Electromagnetic Compatibility, Hyatt Regency Hotel, San Antonio, TX. Contact: William McGinnis, Southwest Research Institute, PO Drawer 28510, San Antonio, TX 78284, (512) 684-5111, ext. 2721.

April 29-May 2: 62nd Annual Convention of the National Association of Broadcasters, Las Vegas Convention Center, NV. Contact: NAB, 1771 N Street, NW, Washington, DC 20036, (202) 293-3570.

April 29-May 4: 9th Conference & Exposition on Overhead and Underground Transmission and Distribution, Bartle Hall, Kansas City, MO. Contact: J.R. Miller, Kansas City Power & Light Co., PO Box 19964, Kansas City, MO 64141.

April 30-May 3: 5th Annual Meeting of the Canadian Radiation Protection Association, Banff, Alberta. Contact: Stuart Hunt, 15 Glacier Place, St. Albert, Alberta, T8N 1R7, Canada

May 6-12: 6th International Congress of the International Radiation Protection Association (IRPA), Berlin, West Germany. Contact: Dr. R. Neider, Bundesanstalt für Materialprüfung, Unter den Eichen 87, D-1000 Berlin 45, West Germany.

May 7-9: 1984 Microwave Power Tube Conference, Naval Postgraduate School, Monterey, CA. Contact: John Skowron, Raytheon Co., Foundry Ave., Waltham, MA 02254, (617) 899-8400, ext. 4311.

May 7-11: Nuclear Magnetic Resonance 1984: National Symposium, Hyatt Regency Grand Cypress Resort, Orlando, FL. Contact: Ms. Norine Karwel, Educational Symposia, PO Box 17241, Tampa, FL 33682, (813) 879-8765.

May 20-24: 16th Annual Meeting of the Conference of Radiation Control Program Directors, Des Moines, IA. Contact: CRCPD, 71 Fountain Pl., Frankfort, KY 40601, (502) 227-4543.

May 30: Workshop on Payload Susceptibility to Space Shuttle Ku-Band Radiated Fields, Johnson Space Center, Houston, TX. Contact: Ralph Lawton, McDonnell Douglas Technical Services Co., 16441 Space Center Blvd., Houston, TX 77058, (713) 488-5660, ext. 468.

May 30-June 1: IEEE MTT-S International Microwave Symposium, San Francisco, CA. Contact: Dr. Ferdo Ivanek, Harris Corp., Farinon Division, 691 Bayport Ave., San Carlos, CA 94070, (415) 594-3529. The 1984 IEEE Microwave and Millimeter Wave Monolithic Circuits Symposium will be held in San Francisco May 29-30 in conjunction with the MTT-S meeting.


June 3-8: 29th Annual Meeting of the Health Physics Society, Hyatt Regency, New Orleans, LA. Contact: Richard Burk, Jr., HPS, 4720 Montgomery Lane, Suite 506, Bethesda, MD 20814, (301) 654-3080.

June 25-28: 1984 International IEEE/AP-S Symposium and National Radio Science Meeting, Westin Hotel, Boston, MA. Contact: Professor Harold Raemer, Dept. of Electrical Engineering, Northeastern University, Huntington Ave., Boston, MA 02115.

June 26-28: 7th International Symposium and Exhibition on Electromagnetic Compatibility, Wroclaw, Poland. Contact: W. Moron, EMC Symposium, Box 2141, 51-645 Wroclaw 12, Poland.

June 26-28: 1984 International Conference on Lightning and Static Electricity, Orlando, FL. Contact: J.J. Fisher, US Naval Air Systems Command, PO Box 15036, Arlington, VA 22215, (202) 692-7822.

MICRO WAVE NEWS



Vol.V No.2

A Monthly Report on Non-Ionizing Radiation

March 1985

INSIDE...

HIGHLIGHTS pp.4-5

**Guy Long-Term RF/MW Study:
New Tumors Found,
Replication Attempt Unlikely**

**NBS Asked to Set Up Program
for EMC Testing**

Operator Exposures to Induction Heaters

FROM THE FIELD pp.6-7

**Request by Walter Poggi of Retlif Testing
Labs to NBS for an EMC LAP**

**List of Primary Malignant Tumors Among
University of Washington Study's Rats**

UPDATES pp.8-11

Power Line Studies □ **Navy EMC** □
German Exposure Standard □ **Lightning
Injuries** □ **Marha on VDT Radiation** □
Surge Arresters □ **Supermarket Rashes** □
T&D Expo □ **New from NBS** □ **VDT
Legislative Affairs** □ **US-USSR
Cooperation** □ **Project ELF and EMPRESS
II** □ **Changes at ANSI C95** □ **EPRI on
Industrial MW Applications** □ **New
Hyperthermia Journal** □ **VDTs and
Epilepsy** □ **Electricity in Medicine** □
Bologna Meeting on EM Fields □ **URSI
Review** □ **Bioeffects Resources** □ **and
more...**

Conferences p.7

Short Courses p.5

Classifieds p.12

Microwave News invites contributions to *From the Field*, our occasional column featuring news and opinions from the non-ionizing radiation community. Letters from readers are also welcome.

Polish Epidemiological Study Links RF/MW Exposures to Cancer

Polish researchers have identified a tripling of the incidence of cancer among military personnel exposed to radiofrequency and microwave (RF/MW) radiation as compared to unexposed servicemen. The observed cancer risk was greatest for the blood-forming organs, the lymphatic tissues and the thyroid gland.

The study, one of the first to link cancer to RF/MW radiation in a human population, provides independent confirmation of recent animal data that indicate that RF/MW radiation may act as a cancer promoter.

According to the new Polish results, the odds of developing cancer increase with the length of exposure and are greatest for younger age groups.

In a personal communication to *Microwave News*, Dr. Stanislaw Szmigielski of the Center for Radiobiology and Radioprotection in Warsaw said that he had found "a definite increased risk of neoplasms resulting from occupational exposures to RF/MW radiation for the tested population."

Szmigielski and a large team of collaborators spent two years compiling and analyzing all cancer cases reported from 1971 to 1980 in the total population of career servicemen in the Polish military. They also ascertained the length of time each patient was exposed to RF/MW radiation and the location of each type of tumor. This is by far the largest epidemiological study of the effects of non-ionizing radiation ever completed.

The exposed population was limited to those personnel with "sure, long-lasting and massive exposures to RF/MW radiation," according to Szmigielski. Just three percent of the career military personnel fit into this category but they accounted for about nine percent of the total number of cancer cases (see Table I).

(continued on p.2)

FY86 Bioeffects Research: ELF Budget Outlook Bleak

President Reagan's 1986 fiscal year (FY86) budget would wipe out all research at the Environmental Protection Agency (EPA) on the bioeffects of non-ionizing radiation and would severely reduce the electric field effects program at the Department of Energy (DOE).

Research on power line, or extremely low frequency (ELF), radiation would be particularly hard hit by the President's proposal.

Dr. David Carpenter, director of New York State's Division of Laboratories and Research, said that he is "very worried about the funding situation" and that it is "an impending catastrophe." The public is anxious about ELF fields, he explained, and even if there is no real risk, research is needed to settle the question.

(continued on p.3)

Greatest Risk for the Young

Statistical analysis revealed that the relative incidence of cancer was highest for the youngest age group: 20-29 year-olds who were exposed to RF/MW radiation had a 550 percent greater chance of getting cancer than those in the same age who were not exposed. Cancer risks for the exposed group decreased with age but were still statistically significant for all age groups, especially for those under 50.

Breaking down the cancer data by the location of the tumor indicated that the blood-forming organs and lymphatic tissue were the most likely to develop cancer. Those soldiers exposed to RF/MW radiation had a 6.7 times greater chance of contracting these types of tumors than those in the control group. The thyroid was the next most vulnerable, with a 4.3 risk factor (see Table 2).

Overall, servicemen who worked with RF/MW radiation were 3.1 times more likely to get cancer than those in other military occupations — significant at the 0.01 level (see Table 3). Szmigielski's research team also found a "high correlation" between the chance of developing cancer and the number of years of exposure.

Interestingly, the exposed and non-exposed servicemen had essentially the same rate of lung cancer, the most common type of cancer in the Polish military.

The research team is planning to present their results at a symposium later this year.

Consistent with Guy Study

The Polish findings are consistent with the experimental data presented last summer by Dr. Bill Guy's research team at the University of Washington in Seattle. Guy reported a generalized increase in tumors among rats exposed to radar-type radiation, with the endocrine system particularly vulnerable to pulsed microwave radiation (see *MWN*, July/August 1984 and story on p.4). In addition, last October Dr. Ruey Lin of the Maryland Department of Health and Mental Hygiene reported a link between exposure to electromagnetic fields and the incidence of brain tumors among workers (see *MWN*, October 1984).

Szmigielski told *Microwave News* that "I am very surprised with the results we obtained," adding that the observed differences were much greater than he had suspected at the beginning of the study. He concluded: "There is an urgent need to repeat this study, using another well-defined and well-controlled population."

Internationally known for his studies on the effects of RF/MW radiation on the immune system, Szmigielski was a member of the editorial board of *Bioelectromagnetics* from 1980-1983. He has previously reported a synergy in the carcinogenic action of benzopyrene when coupled with exposure to 2450 MHz microwaves (see *MWN*, May 1981). Szmigielski can be contacted at the Center for Radiobiology and Radioprotection, 128 Szaserow, 00-909 Warsaw, Poland. ●

TABLE 1
CANCER INCIDENCE
(percent)

	Exposed	Non-Exposed
Population Size	3	97
Cancer Incidence	8.8	91.2

TABLE 2
TUMOR RISK FACTORS
(Exposed v Non-Exposed)

Tumor Type	Risk Factor
Esophageal & Stomach	3.2
Skin (including melanoma)	3.1
Thyroid	4.3
Blood-Forming Organs & Lymphatic Tissue	6.7

TABLE 3
INCIDENCE OF ALL TUMORS
(per 100,000 subjects per year)

Age Group	Whole Population	Exposed	Non-Exposed	Chi-Square	p	Risk Factor
20-29	9.2	44.2	8.0	15.49	< 0.01	5.5
30-39	19.4	81.7	17.2	25.86	< 0.01	4.7
40-49	90.4	348.8	82.9	63.06	< 0.01	4.2
50-59	364.7	558.6	353.4	6.74	< 0.05	1.6
Total	68.2	192.2	64.2	79.11	< 0.01	3.1

The New York State Power Line Project has been a major source of funds for ELF bioeffects research for the last few years. Carpenter said that his program has enough money to complete on-going projects but is otherwise "essentially broke" with "no realistic possibility for more funds."

The other major source of ELF research funds is the Electric Power Research Institute (EPRI), which is supported by member utilities. Dr. Robert Patterson of EPRI's Environment Assessment Department said that this year's funding level would be about the same as last year, \$1.5 million. He added that there are no plans to increase the research effort in light of the federal cuts.

Dan Van Atta, EPRI's manager of public information, said that the electric field effects program is "not a high priority" at this time, compared with other research areas such as acid rain.

Dr. Michael Marron of the Office of Naval Research voiced concern about the cutbacks in both ELF and radiofrequency and microwave (RF/MW) radiation research. In a telephone interview, Marron said, "I'm disturbed that civilian agencies are not more concerned about the bioeffects of non-ionizing radiation." He added that the perception that the problem is solved is "a long way from the truth."

Marron said that there was no basic research going on in any part of the Department of Defense on ELF. The Naval Aerospace Medical Research Lab had been doing studies, but these ended in this year's (FY85) budget (see *MWN*, September 1984). Some research is continuing on specific projects, like the Navy's ELF submarine communication system, but this is not considered to be basic research.

Zeroed Out at EPA

The non-ionizing radiation group at the Health Effects Research Laboratory in North Carolina will be dissolved next October 1, at the start of FY86, unless Congress intervenes and restores at least some of the cut funding.

Few EPA staffers would talk on the record about the budget, but informed sources told *Microwave News* that the Office of Management and Budget (OMB) had eliminated the request for non-ionizing radiation research in EPA's budget. Apparently, EPA officials did not contest this decision, and many observers believe the program is doomed without agency support.

These cuts come at an awkward time. EPA recently initiated a program on ELF bioeffects under orders from Congress, following a similar proposal two years ago to close down the EPA research program (see *MWN*, January/February 1983). In restoring funds, the House Committee on Science and Technology specifically directed EPA to look into the health impacts of power lines (see *MWN*, June 1983).

EPA research on higher frequency radiation would also be hurt. For instance, the agency was planning to begin a major lifespan study of rats exposed to 500 MHz radiation later this year. One objective of that study would have

been to investigate the findings reported by the University of Washington (see story on p.4 and *MWN*, July/August 1984).

The EPA non-ionizing radiation research budget for FY85 was about \$2 million, approximately evenly divided between extra- and intra-mural projects.

Dr. Richard Phillips, who took charge of the non-ionizing radiation program only a few months ago after leaving Battelle Pacific Northwest Labs, said in a telephone interview that he was surprised by the cuts but would not comment until he knew more about them.

A further complication arose after the President announced his budget: Joseph Cannon, EPA assistant administrator for air and radiation, resigned to practice law in Washington, DC. Cannon was responsible for the development of non-ionizing radiation standards and could have argued that EPA needed continued research to complete that mission. Indeed, there are rumors circulating in Washington that EPA might close down the Office of Radiation Programs and farm out its duties to other parts of EPA or transfer the responsibilities to other federal agencies like the Nuclear Regulatory Commission.

ELF and EMP Research at DOE

Ken Klein, acting director of DOE's Electric Energy Systems Division, which sponsors research on power line health effects and on electromagnetic pulse (EMP) impacts, reports that his budget would be cut in half compared to FY85 — \$10.0 million, down from \$20.7 million.

The electric field effects work would be reduced from \$4.7 million to \$3.0 million under the President's proposal. EMP research would be cut from \$3.0 million to \$1.8 million.

In his FY85 budget proposal, Reagan had requested \$3.7 million for electric field effects research, but Congress later added \$1 million.

While the new budget is being considered by Congress, the Energy Engineering Board at the National Academy of Sciences will conduct its own review. Fred March, the board's staff officer, is arranging a workshop for April 24-26 to review the DOE program. Among those invited to present papers on electromagnetic effects are Drs. Don Justesen, Richard Phillips and Tom Tenforde. The workshop will be closed to the public, though March said that the board may later publish the proceedings.

FDA and NIEHS

At the Food and Drug Administration's (FDA) Center for Devices and Radiological Health, Dr. Mays Swicord said that the budget for his Electromagnetics Branch is still uncertain, though he expects his FY86 program to be comparable to that in FY85.

Similarly, Dr. Don McRee, who heads the Non-Ionizing Radiation Working Group at the National Institute of Environmental Health Sciences (NIEHS), said that his FY86 budget would be about the same as last year. In FY85, the NIEHS budget was \$485,000. Swicord's and McRee's combined research budgets are less than \$1 million. ●

Guy Study: New Tumors Found, Replication Attempt Unlikely

Researchers at the University of Washington in Seattle have identified two new primary tumors among rats chronically exposed to microwave radiation and one new tumor among the control group. The new finding adds further support to the well-publicized results from Professor Bill Guy's Bioelectromagnetics Research Lab that pulsed microwaves may act as a cancer promoter in experimental animals (see *MWN*, July/August 1984). At this time, there are no indications that a replication study will be funded.

The revised total tumor count is 18 to 5, exposed to controls. The two new malignancies among the exposed rats were in the endocrine system, increasing the incidence of this type of tumor from seven to nine as compared to only two among the controls.

"The corrected Guy results in no way diminish the reliability of the original findings, in fact their statistical significance is increased," according to Dr. Don Justesen of the VA Hospital in Kansas City, MO, who has been closely following developments related to the University of Washington study.

Professor Guy, the principal investigator on the \$4.5 million study funded by the U.S. Air Force, said that he knows of no plans to replicate his experiment or to further investigate the statistically significant increase in tumors among the exposed rats. "We're assuming we are not replicating," Guy told *Microwave News* in a telephone interview.

Guy said that he was uncomfortable about leaving the study as it is: "There are unresolved issues and I feel uneasy about them."

The Air Force has refused to comment on the new results or on the likelihood of funding for a replication study. Numerous phone calls over a two-month period to John Mitchell, chief of radiation physics at the School of Aerospace Medicine at Brooks Air Force Base in San Antonio, TX, and to Dr. Jerome Krupp, the project officer for the Guy study, were not returned.

A spokeswoman for Air Force Surgeon General Max Bralliar said that he was aware of the University of Washington study but would not comment until the final report had been received and evaluated.

Guy and co-workers exposed 100 male rats to 0.48 mW/cm² of 2450 MHz, 8 Hz amplitude modulated pulsed microwaves (10 microsecond pulses, 800 pulses per second) for 21 hours a day for up to 25 months. The rats received a maximum average specific absorption rate of 0.4 W/Kg. One hundred rats served as controls.

Guy explained that the three new tumors were identified when members of his research group reviewed the experimental data and found a number of metastatic tumors that were not associated with any primary tumors. On re-analyzing the slides, the missing tumors were located.

He added that the previously reported finding of an increase in adrenal weight among the exposed rats was a

direct result of the mass of the adrenal tumors and was no longer significant in itself.

Some time ago, the Air Force asked Guy's group to look into one positive result that was found halfway through the study: after 13 months, the exposed animals had a significant increase in splenic B and T cells as compared to controls. After 25 months, no difference was detected.

Guy reports that the replication of this part of the experiment did not support the original finding but did turn up abnormal concentrations of B lymphocytes in the bone marrow. These results will be reported at next June's Bioelectromagnetics Society meeting in San Francisco.

The Air Force has now issued seven volumes of the final report on the Guy study. Still to come is Volume 8, which contains the tumor data that researchers are waiting for. A complete list of the tumors identified by the Guy team appears in "From the Field" on p.7. Guy has sent the final manuscript of Volume 8 to Brooks and expects it to be published soon. A final summary volume will be completed in March, Guy said.

For a copy of Guy's reports, write to Jerome Krupp, USAF School of Aerospace Medicine, Brooks AFB, TX 78235.

NBS Asked To Set Up Program for EMC Testing

Five companies have asked the National Bureau of Standards (NBS) to establish a laboratory accreditation program (LAP) for electromagnetic compatibility (EMC) and telecommunications testing. If the LAP is approved, it would become part of NBS's National Voluntary Laboratory Accreditation Program (NVLAP).

Walter Poggi, president of Retliff Testing Laboratories in Ronkonkoma, NY, urged NBS to set up the LAP in order "to better control the quality of electromagnetic compatibility testing laboratories in this country and to help to promote better acceptance of U.S. generated test data overseas." (The complete text of Poggi's letter appears on p.6.)

In his January 23 letter, Poggi wrote that the "lack of a national accreditation program has seriously hurt laboratories." Without some type of program, he explained, "it is going to continue to be difficult to have U.S. generated data accepted by foreign government agencies."

In a telephone interview with *Microwave News*, Poggi cited examples of the problems faced by U.S. labs: For testing to be acceptable in Canada, a lab must have a licensed Canadian engineer on staff. In Japan, rules can force a lab to disclose technical and financial data. These are trade barriers, Poggi said, making it nearly impossible for small manufacturers to enter foreign markets.

The U.S. has an open door policy, Poggi said, so American labs need a LAP to ensure an "equitable and efficient" system.

Joining Retliff in the letter to NBS were: Met Electrical Testing Co., Inc., of Baltimore, MD; Hyak Laboratories, Inc., of Springfield, VA; Timco Engineering, Inc., of

Miami, FL; and Emaco, Inc., of San Diego, CA. All five companies are members of the American Council of Independent Laboratories.

NBS has invited comments on the need for the LAP. Submissions should be sent to the Director, Office of Product Standards Policy, NBS, ADMIN A 603, Gaithersburg, MD 20899 before April 9. For further information, contact NBS's Peter Unger at (301) 921-3431.

Operator Exposures to Induction Heaters

The majority of induction heaters expose operators to magnetic fields above 2.3 A/m, the plane-wave equivalent of greater than 200 mW/cm², according to a recent Canadian survey. Officials at the Radiation Protection Bureau in Ottawa believe that the high intensity of these stray fields may pose a potential health hazard.

Dr. Maria Stuchly and David Lecuyer measured the magnetic fields near 76 induction heaters operating at frequencies from 180 Hz to 27 MHz and with output powers often exceeding 100 kilowatts — two were over one megawatt.

More than 55 percent of the heaters caused maximum worker exposures of more than 2.3 A/m, the highest field intensity that could be measured with the available equipment. Averaged over a 6-minute period to allow for the unit's on-off cycle, operator exposures exceeded 2.3 A/m for 38 percent of the units. Nearly 60 percent exceeded 1.6 A/m, the plane-wave equivalent of approximately 100 mW/cm². (Note that the operators are in the near field, so the concept of power density does not strictly apply.)

In general, the lower the operating frequency, the higher the power output, which results in larger stray fields. For low frequency heaters, Stuchly and Lecuyer found that the intensities can be very high, up to 1000 A/m. These results are in line with those from surveys conducted in the early 1980s in Poland and Sweden.

A limited number of electric field measurements were also made. These confirmed theoretical predictions that the electric fields associated with the heaters were much weaker than the magnetic fields.

Induction heaters have a wide range of applications in processing metals, such as hardening, welding, melting and sealing. In their on-off cycle, the units are on for 2 to 60 seconds and then off, so that the metal target can be replaced. Operators generally stand one meter or less from the heater's energized coil.

Stuchly presented these results in a poster paper at the July 1984 *Annual Meeting of the Bioelectromagnetics Society* in Atlanta, GA, and in an address to the URSI symposium on the *Interaction of Electromagnetic Fields with Biological Systems*, held in Florence, Italy, last August. They will be published in a forthcoming issue of *Health Physics*.

In Florence, Stuchly pointed out the difficulties in assessing the health impacts of these fields because of the lack of bioeffects research at low frequencies and the absence

of applicable standards. She concluded by posing the question: "What do these exposure levels mean? Is there a risk?"

In a telephone interview with *Microwave News*, Stuchly said that "a potential health hazard" may exist. Interestingly, she pointed out that at low frequencies, the fields would not violate current Russian and Polish standards. Stuchly also noted that the fields produced by the heaters are likely to be amplitude modulated at extremely low frequencies, which may have additional biological consequences.

Stuchly said that she has no information on the number of Canadian workers exposed to electromagnetic fields from induction heaters, or on the total number of units now in operation.

SHORT COURSES

April 22: **Tutorial on Part 15 and Part 68 FCC Regulations**, at Electro/85, New York, NY. Fee: \$170 (IEEE members), \$210 (others). Contact: IEEE METSAC, 614 Hammond St., Chestnut Hill, MA 02167, (800) 833-3613 or (617) 232-4193 in MA.

April 24: **FCC/VDE Commercial Applications**, Portland, OR. Fee: \$295. Contact: EMXX Corp., 6706 Deland Dr., Springfield, VA 22152, (703) 451-4619. Repeated May 8: Boston, MA.

April 29-May 3: **Antennas and Arrays: Analysis, Synthesis and Applications**, Washington, DC. Fee: \$920. Contact: Continuing Engineering Education, George Washington University (GWU), Washington, DC 20052, (800) 424-9773 or (202) 676-6106 in DC.

May 1-2: **EMP Design & Test**, Orlando, FL. Fee: \$595. Contact: Greg Gore, R&B Enterprises, 20 Clipper Rd., West Conshohocken, PA 19428, (215) 825-1960. Repeated May 6-7: Philadelphia, PA; May 8-9: Boston, MA; June 12-13: Chicago, IL.

May 6-10: **Radiation Safety**, Evanston, IL. Fee: \$895. Contact: Continuing Engineering Studies, 2804 Technological Institute, Northwestern University, Evanston, IL 60201, (312) 492-3365.

May 7-10: **Near-Field Antenna Measurement Techniques**, Atlanta, GA. Fee: \$715. Contact: Technology Service Corp., 962 Wayne Avenue, Suite 600, Silver Spring, MD 20910, (800) 638-2628 or (301) 565-2970 in MD.

May 13-17: **Adaptive Antenna Signal Processing for Interference Rejection**, Los Angeles, CA. Fee: \$945. Contact: UCLA Extension, Dept. of Engineering & Science, 10995 Le Conte Ave., Rm 637, Los Angeles, CA 90024, (213) 825-1047.

May 14-15: **Grounding, Bonding & Shielding**, Philadelphia, PA. Fee: \$545. Contact: R&B, see May 1 above. Repeated May 16-17: Boston, MA; June 18-19: Chicago, IL.

May 14-16: **Military Uses of High Frequency Spectrum**, Washington, DC area. Fee: \$360-510. (Classified U.S. Secret) Contact: Armed Forces Communications & Electronics Association/Professional Development Center, 5641 Burke Centre Parkway, Burke, VA 22015, (800) 336-4583 or (703) 425-8535 in VA.

May 20-24: **Millimeter-Wave Engineering and Applications**, Washington, DC. Fee: \$835. Contact: GWU, see April 29 above.

May 21-23: **Digital Design for Interference Specifications**, Clearwater Beach, FL. Fee: \$800. Contact: Ms. Jean Whitney, TKC, 8609 66th Street N., Pinellas Park, FL 33565, (813) 544-2594.

June 10-14: **EPRI High Voltage Transmission Line Design Seminar**, Lenox, MA. Fee: \$150 (EPRI members); \$1150 (others). Contact: L.D. Anzivino, HVTRF (Mail Code H63), GE, 100 Woodlawn Ave., Pittsfield, MA 01201, (413) 494-3320.

FROM THE FIELD

Retlif's Request for an EMC LAP

Reprinted below is the complete text of Walter Poggi's letter to the National Bureau of Standards (NBS) requesting the establishment of a laboratory accreditation program (LAP) for electromagnetic compatibility (EMC) and telecommunications testing. Poggi is president of Retlif, Inc., an independent testing lab. See story on p. 4.

January 23, 1985

Office of the Director
National Bureau of Standards
ADMIN A1134
Gaithersburg, MD 20899
Sir:

I, Walter A. Poggi, representing Retlif, Inc. Testing Laboratories and authorized in the matter to represent Met Electrical Testing Company, Inc., Hyak Laboratories, Inc., Timco Engineering, Inc., and Emaco, Inc., hereby request the development of a Laboratory Accreditation Program (LAP) under the National Voluntary Laboratory Accreditation Program (NVLAP) of the National Bureau of Standards (NBS) in the *Test Technology: Electronics*, covering the *Test Disciplines: Electromagnetic Compatibility (Military Standards), Electromagnetic Compatibility (FCC Standards) and Telecommunications Testing (FCC Standards)*. It is our desire that this LAP will cover testing services provided under military standard MIL-STD-461 and Federal Communications Commission Standards Part 2, Part 15, Part 18 and Part 68.

In an effort to better define the areas covered and to present a logical breakdown of the areas, we have attached for your review (Appendix A) our suggested outline for such a LAP.

It is the opinion of the group that a LAP is required in this area to better control the quality of electromagnetic compatibility testing laboratories in this country and to help to promote better acceptance of U.S. generated test data overseas. As I am sure you are aware, at this time there is not a national accreditation program in this country covering this type of laboratory. Although many laboratories in this area are listed or recognized by the FCC this does not represent an approval by the FCC and certainly does not attest to the quality of the measurements and procedures used by such laboratories. This lack of national accreditation program has seriously hurt laboratories such as ours in international matters. It is now evident that without some type of an accreditation program it is going to continue to be difficult to have U.S. generated test data accepted by foreign government agencies. This is most evident at this time in regards to the acceptance of telecommunication equipment manufactured in the country by Japan. Without acceptable U.S. generated test data the ability to export to Japan becomes a difficult problem mandating testing of U.S. manufactured products in Japan. This situation certainly will force most small to mid size manufacturing companies out of the Japanese marketplace because of cost and logistics. We can see the type of problems occurring with most European countries as well. Unfortunately most, if not all, foreign marketplaces are nowhere near as open as ours and we therefore must have such items as laboratory accreditation programs in place so that we have viable and reputable tools to use in international negotiations regarding testing of products.

We assume that additional independent as well as in-house laboratories will avail themselves of this LAP. Obviously, our

group as listed above would immediately be involved and we would estimate that an additional 10 to 15 laboratories may take part. As far as the users of such laboratories, we would feel that each laboratory should, on the average, maintain a customer file of approximately 300 customers evenly divided between military and commercial work. Certainly we would look forward to being involved and supporting the development of this LAP. This support would be in the form of both personnel and funding. However, we would feel that it would be unfair for the laboratories alone to fund such a program which will aid manufacturers and even governmental agencies when it comes to international trade. We would hope that the funding required would be so as to not be overbearing for the involvement of independent laboratories which for the most part can be classified as small business.

We look forward to your timely action on this request and certainly stand ready to be of assistance to you in any way we can.

Very Truly Yours,

Walter A. Poggi
President
Retlif, Inc.

Appendix A

- *Test Technology: Electronics.*
- *Test Disciplines: Electromagnetic Compatibility (FCC Standards), Electromagnetic Compatibility (Military Standards), Telecommunications (FCC Standards).*
- *General Requirements: (A) Company History; (B) Staffing; (C) Instrumentation FCC/CISPR: — Mil-spec: —; (D) Applicable Documents (Calibration and QC Manuals); (E) General Laboratory Practices; (F) Facility Layout (Including FCC Listed Outdoor Site).*
- *Electromagnetic Compatibility (FCC Standards) Requirements:*
Line Conducted Emission: 20 Hz-10 kHz, 10 kHz-150 kHz, 150 kHz-30 MHz, 30 MHz-200 MHz;
Radiated Emissions: 20 Hz-10 kHz, 10 kHz-150 kHz, 150 kHz-30 MHz, 30 MHz-1000 MHz, 1 GHz-400 GHz;
Antenna Conducted Emissions: 10 kHz-18 GHz;
Frequency Stability (Temperature): 10 kHz-1 GHz, 1 GHz-18 GHz;
Frequency Stability (Voltage): 10 kHz-1 GHz, 1 GHz-18 GHz;
Occupied Bandwidth;
Modulation Characteristics;
Power Output.
- *Electromagnetic Compatibility (Military) Requirements:* Line Conducted Emissions: MIL-STD-461 A and B all notices;
Line Conducted Susceptibility: MIL-STD-461 A and B all notices;
Radiated Emissions: MIL-STD-461 A and B all notices;
Radiated Susceptibility: MIL-STD-461 A and B all notices;
High Level Radiated Susceptibility: 200 V/m, 10 kHz-40 GHz.
- *Telecommunications (FCC Standards) Requirements:* Environmental Simulation;
Leakage Current Limitations;
Hazardous Voltage Limitations;
Signal Power Limitations;
Longitudinal Balance Limitations;
On Look Impedance Limitations;
Billing Protection.

Primary Malignant Tumors Among University of Washington Rats

To The Editor:

Here is a breakdown of the primary neoplastic lesions in our Air Force rats, diagnosed by Dr. Larry Kunz.

Sincerely yours,

C.K. Chou, Ph.D.
Research Associate Professor
Bioelectromagnetics Research Laboratory
University of Washington
Seattle, WA 98195

Primary Malignant Tumors in Animals

Exposed

Animal	Tissue	Lesion
A14	thyroid	c-cell carcinoma
B06	lymph node	myelomonocytic leukemia
B14	thyroid	c-cell carcinoma
B19	urin/bladder	transitional cell carcinoma
C11	adrenal	cortical carcinoma
D15	subcutaneous tissue	fibrosarcoma
E10	adrenal	cortical carcinoma
E14	skin	basal cell carcinoma
E19	pituitary	carcinoma
G05	blood vessel	hemangiosarcoma
G06	pituitary	carcinoma
G11	peritonium	liposarcoma
H01	adrenal	cortical carcinoma
H05	thymus	lymphocytic lymphoma
H10	stomach	squamous cell carcinoma
H15	thymus	myelomonocytic leukemia
J05	bone marrow	malignant lymphoma
J11	skin	auditory sebaceous gland squamous carcinoma

Sham Exposed

B09	liver	carcinoma
B12	cervical lymph node	lymphocytic lymphoma
C12	lymph node	myelomonocytic leukemia
G04	adrenal	carcinoma
H12	thymus	malignant lymphoma

MICROWAVE NEWS is published monthly, except in January and July • ISSN 0275-6595 • PO Box 1799, Grand Central Station • New York, NY 10163 • (212) 725-5252 • Editor: Louis Slesin, Ph.D., Associate Editor: Mark Pinsky • Subscription: \$200 per year (\$235 overseas) • Copyright © 1985 by Louis Slesin • Reproduction in any form is forbidden without written permission.

CONFERENCES

April 9-11: **Electrical Overstress Exposition**, Hynes Auditorium, Boston, MA. Contact: EOE, 2504 N. Tamiami Trail, Nokomis, FL 33555.

April 14-17: **63rd Annual Convention of the National Association of Broadcasters**, Las Vegas, NV. Contact: NAB, 1771 N Street, NW, Washington, DC 20036, (202) 293-3570.

April 16-17: **8th International Colloquium on the Prevention of Occupational Risks due to Electricity**, London, UK. Contact: International Fire Security & Safety Exhibitions & Conferences Ltd., Cavendish House, 128/134 Cleveland St., London W1P 5DN, UK, (01) 387-5050.

April 16-19: **4th International Conference on Antennas and Propagation (ICAP 85)**, Coventry, UK. Contact: Institution of Electrical Engineers (IEE), Savoy Place, London WC2R 0BL, UK, (01) 240-1871, ext. 222.

April 17-19: **3rd International Conference on Developments in Power System Protection**, London, UK. Contact: IEE, see April 16 above.

April 22-24: **47th Annual American Power Conference**, Palmer House, Chicago, IL. Contact: Illinois Institute of Technology, IIT Center, Chicago, IL 60616.

April 24-27: **3rd European Workshop on NMR in Medicine**, Copenhagen, Denmark. Contact: Dr. S.B. Petersen, Dept. of Neurology 2082, State University Hospital, Rigshospitalet, Blegdamsvej 9, DK 2100 Copenhagen 0, Denmark.

April 29-May 2: **23rd International Magnetism Conference**, Radisson-St. Paul Hotel, St. Paul, MN. Contact: R.O. McCary, GE, Corporate R&D, Schenectady, NY 12345, (518) 385-5436.

April 30-May 4: **International Conference on Magnetic Resonance in Cancer**, Banff, Alberta, Canada. Contact: Mrs. H.D. Milligan, Division of Continuing Medical Education, 12-103 Clinical Sciences Bldg., University of Alberta, Edmonton, Alberta T6G 2G3, Canada.

May 4-7: **5th Annual Meeting of the North American Hyperthermia Group**, Biltmore Hotel, Los Angeles, CA. Contact: NAHG, 925 Chestnut St., Philadelphia, PA 19107, (215) 574-3153. Held in conjunction with the Radiation Research Society Meeting.

May 5-9: **33rd Annual Meeting of the Radiation Research Society**, Biltmore Hotel, Los Angeles, CA. Contact: RRS, 925 Chestnut St., Philadelphia, PA 19107, (215) 574-3153.

May 6-9: **IEEE 1985 International Radar Conference**, Washington, DC. Contact: J.Q. Adams, ITT-Gilfillan, M/S 45, 7821 Orion Ave., PO Box 7713, Van Nuys, CA 91409, (818) 988-2600, ext. 6903.

May 6-10: **2nd Annual Magnetic Resonance Imaging 1985: National Symposium**, MGM Grand, Las Vegas, NV. Contact: Educational Symposium, PO Box 17241, Tampa, FL 33682, (813) 879-8765.

May 14-16: **3rd Transmission & Distribution Expo**, O'Hare Expo Center, Chicago, IL. Contact: Conference Management Corp., 17 Washington St., PO Box 4990, Norwalk, CT 06856.

May 14-16: **Test & Measurement World Expo**, Convention Center, San Jose, CA. Contact: Meg Bowen, T&M Expo, 215 Brighton Ave., Boston, MA 02134, (617) 254-1445.

May 14-17: **1st Annual Meeting of the Electromagnetic Energy Policy Alliance**, Hotel Intercontinental, San Diego, CA. Contact: Richard Ekfelt, EEPA, 1800 M St., NW, Washington, DC 20036, (202) 452-1070.

May 19-23: **17th Annual Meeting of the Conference of Radiation Control Program Directors**, Milwaukee, WI. Contact: CRCPD, 71 Fountain Place, Frankfort, KY 40601, (502) 227-4543.

May 20-24: **8th International Conference on Electricity Distribution**, Brighton, UK. Contact: IEE, see April 16 above.

May 26-31: **30th Annual Meeting of the Health Physics Society**, Chicago, IL. Contact: HPS, Suite 300, 1340 Old Chain Bridge Rd., McLean, VA 22101, (703) 790-1745.

June 4-6: **1985 IEEE MTT-S International Microwave Symposium**, St. Louis, MO. Contact: John Bogdanor, McDonnell Aircraft, Dept. 313, St. Louis, MO 63166, (314) 232-3936.

BIOLOGICAL EFFECTS

Lightning Injuries...Doctors at the Army Institute of Surgical Research's Burn Center at Fort Sam Houston, TX, have been studying injuries caused by lightning. Writing in the January 11 *Journal of the American Medical Association (JAMA)*, they present five case studies of patients who survived lightning strikes. The degree of injury depended on the power, duration, sites of entry and exit of the lightning bolt and the position and grounding of the victim. Of the five, two showed signs of cardiac abnormalities — including one who also suffered ear damage (bilateral perforated tympanic membranes). Another patient developed peripheral neuropathy. In some lightning injuries, cataracts can develop over time: as of 1972, there were 90 examples in the literature. For the five cases reported in *JAMA*, the doctors observed no "visual aberrations," though they note that cataracts could have developed after the patients left the hospital.

Resources...In a letter published in the December 8 issue of the British medical journal, *Lancet*, J.A. Bonnell of the Central Electricity Generating Board (CEGB) in London presents preliminary results of a health survey of workers exposed to 50 Hz power line electric fields. According to Bonnell, the study did not identify any ill effects. A paper describing the findings will be published in the *British Journal of Industrial Medicine*. . . . Dr. Stuart Lindsay, a physicist at Arizona State University in Tempe, has won a two-year, \$66,811 contract from EPA to investigate observed resonances in DNA at 600 MHz. Lindsay will try to determine possible molecular bases for the effect, using a multipassed vernier tandem interferometer. This work should complement that being done by the University of Maryland, FDA and NCI in testing the theories of Dr. Earl Prohofsky of Purdue University (see *MWN*, May and November 1984). There are still skeptics who do not believe that this work will lead to a better understanding of the interaction of microwaves with living systems. For instance, Dr. Kenneth Foster of the University of Pennsylvania in Philadelphia is convinced that the observed DNA resonances are at best "a startling spectroscopic finding about the behavior of DNA in solution," rather than a possible mechanism for bioeffects of low-level microwaves. In a letter published in the January 26 *Science News*, Foster repeats the well-known argument that the energy of the microwaves is much smaller than that of DNA's random motion. . . . M.F. Diprose and F.A. Benson of the University of Sheffield's (UK) Department of Electronic and Electrical Engineering and A.J. Willis of the university's Department of Botany have published an extensive review paper, "The Effect of Externally Applied Electrostatic Fields, Microwave Radiation and Electric Currents on Plants and Other Organisms, with Special Reference to Weed Control," in the April-June 1984 *The Botanical Review*. Copies are available from the Scientific Publications Office, New York Botanical Garden, Bronx, NY 10458, for \$10.75 (U.S.), \$11.50 (elsewhere), prepaid, postage included. Ask for issue 50(2). . . . Dr. Jonathan Charry, for-

merly with Rockefeller University and now at the Institute for Basic Research in Developmental Disabilities on Staten Island in New York City, has published a 38-page review article on the bioeffects of small air ions, such as those from high voltage DC power lines, in *Environmental Research*, 34, 351, 1984. He concludes that "small air ions are likely to have biological effects, that these effects may be related to polarity and that where effects occur they are likely to be small in magnitude and difficult to detect reliably."

INTERNATIONAL

U.S.-U.S.S.R. Cooperation...Exchanges between American and Soviet scientists continue. In March, three Soviet researchers will visit Dr. Don McRee's lab at the National Institute for Environmental Health Sciences (NIEHS) in Research Triangle Park, NC. The following month, McRee will head a delegation to Kiev for a meeting with Professor Mikhael Shandala at the A.N. Marzeev Research Institute of General and Communal Hygiene. Traveling with McRee will be Drs. Clifford Mitchell (NIEHS), Jack Monahan (FDA), Mays Swicord (FDA), Bill Guy (University of Washington), William Kaune (Battelle) and Don Justesen (VA); EPA's Richard Phillips may also go. On the agenda in Kiev are a review of the duplicate experiment (see *MWN*, July/August 1982 and June 1983) and the development of a research plan for the next two years. NIEHS recently released a two-volume report, *Proceedings of U.S.-U.S.S.R. Workshop on Nervous System Effects of Electromagnetic Waves*, which was held in Research Triangle Park in May 1982. Volume 1 includes a review of the U.S. and U.S.S.R. literature (for exposure in the 0-300 GHz frequency range) by Dr. Richard Lovely and Professor Shandala and co-authors, respectively. Volume 2 includes 14 papers by researchers from both countries and the protocol for the duplicate experiment (see *MWN*, July/August 1982 and October 1983.) A limited number of copies are available free from McRee, NIEHS, PO Box 12233, Research Triangle Park, NC 27709.

German Exposure Standard...West Germany has set its own exposure standard for the frequency range 10 kHz-3000 GHz. The standard applies to workers and the general public. Dr. Tom Rozzell of the Office of Naval Research outlines the standard in the December 1984/January 1985 issue of the *Bioelectromagnetics Society (BEMS) Newsletter*. The following average values are set for six-minute or greater exposures (f = frequency in MHz). 10 kHz-30 kHz: 2,000 V/m (E-field), 500 A/m (H-field); 30 kHz-2 MHz: 1,500 V/m (E), $7.5/f$ A/m (H); 2 MHz-30 MHz: $3000/f$ V/m (E), $7.5/f$ A/m (H); 30 MHz-3 GHz: 100 V/m (E), 0.25 A/m (H) or an average power density of 2.5 mW/cm²; 3 GHz-12 GHz: $100(f/3000)^{1/2}$ V/m (E), $0.25(f/3000)^{1/2}$ A/m (H), or an average power density of 2.5($f/3000$) mW/cm²; 12-3000 GHz: 200 V/m (E), 0.5 A/m (H), or an average power density of 10 mW/cm². The standard (DIN 57 848, Teil (Part) 2 or VDE 0848 Teil 2) was adopted in July 1984. For a copy of the BEMS newsletter,

send \$1.50 and a self-addressed, stamped envelope to BEMS Newsletter, PO Box 3651, Arlington, VA 22203. For more information, contact: Dr. J.G. Bernhardt, Institut für Strahlenhygiene des Bundesgesundheitsamtes, In-golstadter Landstrasse 1, 8042 Neuherberg, West Ger-many.

MEASUREMENT

New from NBS... Researchers at the National Bureau of Standards have been busy. Here is a list of some of their recent papers and reports and how to get them: • "Calibration of Flat 60 Hz Electric Field Probes" by Martin Misakian appears in *Bioelectromagnetics*, 5, 447, 1984. • "Multiple-Source, Multiple-Frequency Error of an Electric Field Meter" by Drs. J. Randa and M. Kanda has been published in *IEEE Transactions on Antennas and Propagation*, 33, 2, 1985. • "An Electromagnetic Near-Field Sensor for Simultaneous Electric and Magnetic Field Measurements" by Kanda is in *IEEE Transactions on Electromagnetic Compatibility*, 26, 102, 1984. • *Theory of Near-Field Phased Arrays for Electromagnetic Susceptibility Testing* by David Hill, Technical Note 1072. Order No. 003-003-02559-3, \$4.50, prepaid, from U.S. Government Printing Office (GPO), Washington, DC 20402. • *An Error Analysis for the Use of Presently Available Lunar Radio Flux Data in Broadbeam Antenna-System Measurements* by William Daywitt, Technical Note 1073. Order No. 003-003-2555-1, \$2.00, prepaid, from GPO. • *Building Penetration Project*, No. NBSIR 84-3009, by J.C. Wyss, W.J. Anson and R.D. Orr, describes electromagnetic properties of various building materials and a computer program that calculates building attenuation in the frequency range 10 kHz-10 GHz. The 310-page document is available, prepaid, for \$25.00 from the National Technical Information Service (NTIS), Springfield, VA 22161. Order No. PB 85-126001. • *Comparison of Measured and Calculated Mutual Coupling in the Near Field Between Microwave Antennas* by Carl Stubenrauch and Michael Francis, No. NBSIR 84-3010. Order No. PB 85-105963, \$10.00, prepaid, from NTIS. • *Metrology for Electromagnetic Technology: A Bibliography of NBS Publications* edited by R.A. Kamper and K.E. Kline, No. NBSIR 84-3014. (This volume covers the period between 1970 and 1983.) Order No. PB 84-112985, \$10.00, prepaid, from NTIS. • *A Preliminary Investigation into Using the Sun as a Source for G/T Measurements*, No. NBSIR 84-3015. (Useful for antennas 4-6 meters in diameter; G/T is gain-to-system noise temperature.) Available for \$7.00, prepaid, from NTIS. Order No. PB 85-128148. Single copies of the following NBS papers are available from Fred McGehan, Division 360.2, NBS, Boulder, CO 80303: • *Some Problems Associated with Interpreting Shielding Effectiveness Measurement Results* by P.F. Wilson and M.T. Ma; and • *Preliminary Investigations into Shielding Effectiveness Measurement Techniques* by J.W. Adams and A.R. Ondrejka (discusses five methods for lossy materials).

MEDICAL APPLICATIONS

Electricity in Medicine... Margaret Rowbottom, formerly with the Wellcome Historical Medical Museum in London, UK, and Professor Charles Susskind of the University of California, Berkeley, are the authors of *Electricity and Medicine: History of Their Interaction*. The 303-page illustrated volume, complete with extensive footnotes, covers a host of treatments, including diathermy. It is available for \$30.00 (cloth) or \$12.50 (paper) from the San Francisco Press, Box 6800, San Francisco, CA 94101, (415) 524-1000.

New Hyperthermia Journal... Taylor & Francis will begin publishing the *International Journal of Hyperthermia* in 1985. The new quarterly, which costs \$80.00 in the U.S. and 40 pounds in the U.K., will cover biological and clinical studies, as well as techniques for delivering heat and measuring temperature. Its editors are Drs. S.B. Field (U.K.), G. Hahn (U.S.), J. Overgaard (Denmark) and T. Sugahara (Japan). This is the official journal of the North American Hyperthermia Group, the European Cooperative Hyperthermia Society and the Japanese Hyperthermia Society. For subscriptions or sample copies, contact Taylor & Francis, Inc., 242 Cherry St., Philadelphia, PA 19106, (215) 238-0939.

MEETINGS

Bologna Meeting... The Office of Naval Research (ONR) is sponsoring a "mini-symposium" on the influence of electromagnetic fields on organized biological structures, such as membranes, at the *8th International Symposium on Bioelectrochemistry and Bioenergetics*, which will be held in Bologna, Italy, June 24-29. The Bologna meeting is being sponsored by the Bioelectrochemical Society (BECS) and the Italian Group of Bioenergetics. The Bioelectromagnetics Society (BEMS) is helping arrange the mini-symposium — which should allow for discussions among BECS and BEMS members. For more information about the mini-symposium, contact Dr. Tom Rozzell, ONR London, Box 39, FPO, NY 09510; and for the main symposium, contact Dr. C. Bonfiglioli, c/o Institute of Botany, Via Imerio 42, 40126 Bologna, Italy, (051) 234276.

T&D Expo... The *3rd Transmission and Distribution Expo* will be held at the O'Hare Expo Center in Chicago, May 14-16. Among the scheduled seminars are "Lightning Protection of Distribution Lines and Equipment," "Locating Radio and TV Interference," "Transmission Siting and the Regulatory Agency" and "Future Role of HVDC." See Conference Calendar for details on whom to contact.

URSI... The next General Assembly of the International Union of Radio Science (URSI), its 22nd meeting, will be in Tel Aviv, Israel, August 24-September 4, 1987....URSI has released a *Review of Radio Science 1981-1983*, which was prepared for the participants at last year's assembly, held in Florence, Italy, in September. The summary papers, with a huge number of accompanying references,

UPDATES

cover a wide range of subjects, including EMI, bioeffects, metrology, propagation, remote sensing, etc. The volume, edited by S.A. Bowhill of the University of Illinois at Urbana-Champaign, is available for \$20.00 (including surface postage) from: URSI, Avenue Albert Lancaster 32, B-1180 Brussels, Belgium.

MILITARY SYSTEMS

Navy EMC...The U.S. Navy is accepting proposals for assistance in establishing an Electromagnetic System Environment Design and Engineering (EMSEDE) program. The new initiative is "to institutionalize EMC in the design of ships," explained Dr. Bob Haislmaier, who coordinates EMC activities in the Office of the Chief of Naval Operations. EMSEDE should help avoid EMI problems before they arise, he added. The successful bidder will require a security clearance. For a copy of RFP No. N00039-85-R-0207(Q), call NAVALEX at (202) 692-6050; closing date at the end of March.

Project ELF...The AIBS report on ELF bioeffects should go to the Navy in mid-March and be available to the public soon afterwards (see *MWN* July/August and September 1984). ELF Program Manager Capt. Ronald Koontz at the Naval Electronics Systems Command in Arlington, VA, told *Microwave News* that the Navy has not yet decided whether or not it will write a new environmental impact statement for Project ELF. That decision, he explained, will depend on the comments received on the AIBS report....In other developments, the Navy announced that it will not prepare an EIS for the construction of ground systems for the transmitter facility in Republic, Michigan. The finding of "no significant impact" appears in the January 7 *Federal Register* (50 FR 875)....In Wisconsin, "Stop Project ELF," a group that has actively tried to prevent the Navy from building the submarine communication system, has lost two of its leaders. John Stauber and Jennifer Speicher have turned over the project to Madge Micheels-Cyrus, who will continue grass roots organizing against Project ELF out of Hayward, WI....Progress is being made on an alternative communication system using lasers. The January 21 *Aviation Week* reports that the wavelength of the laser has been shifted to the deep blue part of the spectrum (from blue-green) and preliminary tests are overcoming previous skepticism about its reliability. DOD estimates that the laser system and submarine receivers would cost about \$1 billion.

EMPRESS II...The Navy has extended the deadline for comments on its draft environmental impact statement on the second Electromagnetic Pulse Radiation Environment Simulator for Ships (EMPRESS II) until December 1 (see *MWN*, October 1984). The extension was granted at the request of Maryland Governor Harry Hughes to allow for the inclusion of new test data being collected at the University of Maryland. (This is the second delay; comments were originally due on November 5, 1984, but that date was extended until December 1, 1984.) In late January, the

governor said that the Navy had reassured him that "if the studies indicate there will be adverse environmental effects, EMPRESS II testing will *not* be conducted in the Chesapeake Bay."

OCCUPATIONAL HEALTH

Supermarket Rashes...It might have been a case for a medical detective when employees at an Ohio supermarket reported a high incidence of a mysterious rash. Luckily, recent findings on the activation of drugs and chemicals by light provided the answer. It all started last July, when a 33-year-old supermarket cashier went to an Ohio clinic with a serious rash on her forearm. It turned out that several of the woman's co-workers had similar rashes. NIOSH representatives examined a cross section of the workers and found that 27 percent had developed the rash, but they also observed that the condition struck only certain kinds of employees — cashiers, baggers and produce clerks. What these workers all had in common was contact with fresh produce and flowers. Putting the pieces of the puzzle together, NIOSH made a diagnosis of phytophotodermatitis, a condition caused by contact with certain plants followed by exposure to sunlight. These plants — such as celery, dill, parsley and chrysanthemums — contain psoralens, which can rub off on skin and cause rashes if stimulated by long-wave UV light (350 nm). Sunlight is usually enough to provoke phytophotodermatitis; however, in this case, NIOSH found that workers who had used tanning salons were more likely to develop rashes. NIOSH urged employees who handle produce to wash exposed areas regularly and to avoid tanning salons and excessive exposure to sunlight. A report on this episode is described in the January 11 *Morbidity and Mortality Weekly Report* — but it is not the first such report: NIOSH had investigated similar episodes in supermarkets throughout the midwest in 1980 and 1981.

POWER LINES

Studies...The Florida study on the health and safety of power lines, headed by Professor H.B. Graves of Pennsylvania State University, did not meet its January 1 deadline. But because the state Department of Environmental Regulation will not be taking any action until the fall, the pressure to complete the report has abated. William Palmer of the Florida Electric Power Coordination Group in Tampa estimates that the report should be out by early April. The price of the report has not yet been set....A team at Carnegie-Mellon University in Pittsburgh, PA, headed by Professor M. Granger Morgan has published a paper on its risk assessment studies, "Power Line Fields and Human Health," in the February *IEEE Spectrum*. A longer paper on the perception of the risks associated with ELF electric and magnetic fields will appear in a forthcoming issue of *Risk Analysis*, the journal of the Society for Risk Analysis, based in McLean, VA. One of the group's conclusions cited in the *Spectrum* article is that "Im-

provement is needed in the way many states site and approve power-transmission facilities."

STANDARDS

C95 Changes its Name...The ANSI C95 committee on RF Radiation Hazards, best known for its 1982 RF/MW exposure standard, is proposing to change its name to "Non-Ionizing Radiation Hazards," and to change its purview to: "Hazards to mankind, volatile materials and explosive devices which are created by man-made sources of electromagnetic radiation. It is not intended to include infrared, X-rays or other ionizing radiation." C95 members are voting on the two proposals, as well as on new procedures to accredit the committee. Ballots are due by April 15.

Surge Arresters...The new ANSI/IEEE C62.1-1984 standard, *Surge Arresters for AC Power Circuits*, was approved on December 17. The new standard, which has not yet been printed, is a revision of the 1981 standard. Meanwhile, NEMA and IEEE have requested that the C62 committee be accredited as an American National Standards Committee with the following scope: "Definitions, classifications, ratings, methods of test, performance characteristics, physical characteristics and application of surge arresters of all types." For more information, contact NEMA, Suite 300, 2101 L St., NW, Washington, DC 20037.

TECHNOLOGY

EPRI on Industrial MW Applications...EPRI has published *Microwave Power in Industry*, an overview and assessment of microwave drying and heating applications. According to R.D. Smith of Thermo Energy Corp. in Palo Alto, CA, who wrote the report, sales of industrial microwave heating equipment amount to only \$4 million a year, compared with an annual domestic market for microwave ovens of about \$1.6 billion. Of the 24 megawatts (MW) of presently installed industrial capacity for microwave drying and heating, food processing accounts for 19 MW and rubber manufacturing for 3.2 MW. Because microwave heating is relatively expensive, it is only suitable for certain processes. The report examines case studies of the jobs microwaves do well: frozen food tempering, rubber vulcanization, bacon cooking and pasta drying. It is available for \$13.00 from the EPRI Research Reports Center, Box 50490, Palo Alto, CA 94303, (415) 965-4081. Ask for Report No. EM-3645.

VDTs

Marha on VDT Radiation...In a paper presented at the first international conference on VDTs and reproductive risks held in London, UK last November (see *MWN*, January/February 1985), Karel Marha of the Canadian Center for Occupational Health and Safety (CCOHS) suggested that VDT radiation emissions might have a biological effect and recommended directions for further research. Cit-

ing the differences in field characteristics (repetition rates and wave shapes) between published studies and those associated with VDTs, he concluded that "it is imperative to experimentally evaluate any biological effects of the actual fields or simulated fields identical to those emitted by some VDTs." In the meantime, Marha advocated using copper foil and grounding wire to shield against the pulsed VLF electric fields (see *MWN*, December 1983). He cautioned that his studies indicate that lead aprons do not absorb or reflect VLF emissions. One way to protect workers, Marha said, was to use the fact that the fields decrease rapidly with distance. He recommended that operators should not sit or stand close to the side or rear of the units. Shielding against the pulsed ELF and VLF magnetic fields is much more difficult, and Marha concluded that the solution to the problem probably lies with flat screen displays replacing CRTs. Marha can be contacted at CCOHS, 250 Main Street East, Hamilton, Ontario L8N 1H6, Canada, (416) 523-2981.

Legislative Affairs...A published transcript is now available from last year's congressional hearings on VDT health and safety (see *MWN*, May 1984). Single copies of the 623-page document, *OSHA Oversight - Video Display Terminals in the Workplace*, can be requested from the subcommittee on health and safety of the House Committee on Education and Labor at Room B345A, Rayburn Building, U.S. House of Representatives, Washington, DC 20515, (202) 225-6876. At least two other congressional subcommittees are reportedly studying the VDT issue, but it is unclear whether either will hold hearings... Meanwhile, as expected, the list of states considering VDT legislation is growing. In one state, **Oregon**, the senate has already approved a bill. Oregon SB57 (sponsored by Sen. Margie Hendriksen) is now pending before the house labor committee, which is expected to act soon. Other bills awaiting action are: **California** Assembly Bill No. 687 (Assemblyman Tom Hayden), **Connecticut** Bill No. 6011 (Rep. Irene Favreau) and Bill No. 6012 (Rep. Joe Adamo), **Maine** Legislative Document No. 318 (Rep. Edith Beaulieu), **Maryland** House of Delegates Bill No. 1258 (Delegate Anne Perkins), **Minnesota** House File 2333 (Rep. Karen Clark), **Missouri** House Bill No. 406 (Rep. Ron Auer), **New Jersey** Assembly Concurrent Resolution 132 (Assemblywoman Jacqueline Walker), and **Washington** state House Bill No. 468 (Rep. Janice Niemi).

Seizures...Epileptic seizures induced by the flicker of computer displays are rare, though reported cases continue to raise concern. A letter in the February 2 *Lancet* from researchers at the U.K.'s University of Aston in Birmingham suggests that VDTs are so unlikely to induce epileptic seizures in photosensitive people that "for practical reasons [the risk] can probably be ignored." Television sets used as computer monitors may be slightly more likely to cause seizures in photosensitive users. The researchers are all members of the Department of Vision Sciences at the university.


CLASSIFIEDS

RADHAZ/EMC SERVICES

Radhaz/EMC site surveys, training, testing and consulting services by highly skilled and experienced professional personnel. Write or call for complete brochure. R&B Enterprises, 20 Clipper Road, West Conshohocken, PA 19428, (215) 825-1960.

THE BODY ELECTRIC

- The inside story of an orthopedic surgeon's struggle with the medical bureaucracy to find a viable alternative to drugs as cure-alls.
- Fascinating experiments and case studies that show how bioelectricity and regeneration open new possibilities for treating cancer and other diseases.
- As exciting as *The Double Helix*.



THE BODY ELECTRIC
*Electromagnetism and
The Foundation of Life*
By Robert O. Becker, M.D.,
and Gary Selden

William Morrow and Company
105 Madison Avenue
New York, NY 10016
364 pp., \$17.95

Gerling Laboratories

Microwave oven technologists providing consultation and technical services on all phases of microwave oven design and performance. Write for a copy of our *Technical Background and Consulting Rate Sheet*. 1628 Kansas Avenue, Modesto, CA 95351, (209) 521-6549. Telex: 466668/GLABS CI.

ADVERTISE IN MICROWAVE NEWS

Call (212) 725-5252

Microwave News at a Discount

Back issues of *Microwave News* are now available at a discount. You can order all 10 of our 1984 issues for just \$95 (\$100 outside the U.S. and Canada), a savings of more than 50 percent. Previous issues (1981-1983) are available for \$50 per year. **Order now.**

VDT Legislative Report

Get all the state bills in the U.S. with convenient summaries *as soon as they are introduced*. For more information, contact *VDT News*, (212) 725-5254.



CONTINUING ENGINEERING EDUCATION PROGRAM

THE GEORGE WASHINGTON UNIVERSITY
WASHINGTON, D.C. 20052

PRESENTS

MICROWAVE TECHNOLOGY SHORT COURSES

Course No. 588DC

HAZARDOUS RADIO FREQUENCY ELECTROMAGNETIC RADIATION:
Evaluation, Control, Effects and Standards
June 3-5, 1985, Washington, D.C.—\$730

The course examines the sources of RF electromagnetic fields, their transmission and interaction mechanics, how to detect and quantify the fields, and how to protect equipment and people from their effects.

Instructors: Dr. Bernhard E. Keiser and Dr. Zory R. Glaser

Course No. 252DC

ELECTROMAGNETIC INTERFERENCE AND CONTROL
August 5-9, 1985, Washington, D.C.—\$920

This course provides an understanding of Electromagnetic Interference (EMI) and the resulting Electromagnetic Control (EMC) solutions. The extension of spectrum usage, in amplitude, frequency, and density of usage at all frequencies, is having a major impact on the number and severity of EMI situations. As a result, the EMC field is growing rapidly. Participants will analyze examples of actual interference situations and their solutions.

Instructor: Dr. Bernhard E. Keiser

ADDITIONAL SCHEDULED COURSES INCLUDE:

1128DC	Recent Advances in NMR Spectroscopy for Medicine	April 10-12, 1985
0676SD	Grounding, Bonding, and Shielding	April 15-18, 1985
0249DC	Radiowave Propagation for Communication Systems Design	May 13-17, 1985
0806DC	Military Communication Systems	May 20-24, 1985
1083BM	Planning for and Operating a Nuclear Magnetic Resonance Imaging Facility	June 3-5, 1985
0893DC	High Frequency Spectrum	June 10-14, 1985
1080DC	Frequency Synthesis	June 17-19, 1985
0794DC	VDT Ergonomics: Man-Machine Interface	June 19-21, 1985
1037DC	Microwave High-Power Tubes and Transmitters	July 22-26, 1985

CITY CODES FOR ADVERTISED COURSES

DC—Washington, DC BM—Boston, Massachusetts SD—San Diego, California


For further information, or a course brochure, contact Shirley Forlenzo toll free at (800) 424-9773 or (202) 676-8530.

Telex: ITT 4992135



TECHNICAL EDUCATION IS AN INVESTMENT IN THE FUTURE

MICRO WAVE NEWS



Vol. I No. 5

A Monthly Report on Non-Ionizing Radiation

May 1981

INSIDE...

ANSI C95.1 STANDARD—DRAFT
Full Text p. 5

BIOLOGICAL EFFECTS p. 8

CONFERENCES p. 8

GOVERNMENT p. 2

TECHNOLOGY p. 6

UPDATE
Around the Country...and the
World, Litigation p. 7

VDTs p. 7

WORLD TRADE CENTER p. 3

-
- Reagan Reverses Navy
on ELF p. 2
 - Major New Bibliography p. 8
 - Co-Carcinogenicity
with Benzopyrene:
News from Poland p. 8
-

Would Multiple Copies of *Microwave News*
Be More Efficient? Ask About Our Special
Multiple Copy Rates

ANSI News: The Search for Consensus

Work on revising the American National Standards Institute (ANSI C95.1) safety standard for exposure to radiofrequency and microwave radiation (RF/MW) continues, with no firm completion date yet in sight. A new draft of the C95.1 standard is scheduled to be circulated among the full C95 Committee on Radio Frequency Radiation Hazards membership in June, by-passing a separate C95.IV subcommittee vote. "The committee may be able to achieve consensus without another meeting, but if not, the members will assemble again," Professor Saul Rosenthal, chairman of C95, said.

When no agreement on the standard could be reached at last February's C95 meeting, Rosenthal asked Professor Bill Guy's C95.IV subcommittee to try to agree on a new standard. According to a number of sources, a new draft is ready, though no one was sure which changes have been made. Guy has been travelling in Europe and the USSR, and could not be reached for comment.

The current, proposed revision represents some major changes: the standard is 1 mW/cm² from 30–300 MHz, rising to a maximum of 5 mW/cm² at 1500 MHz to 100 GHz. For lower frequencies, the standard reaches a maximum of 100 mW/cm² at 3 MHz. (See p. 5 for full text of the standard, as proposed to the C95

(continued p. 4)

HOUSE SCHEDULES HEARINGS ON VDTs AND RF SEALERS

Congressman Albert Gore, Jr., democrat from Tennessee and chairman of the Subcommittee on Oversight and Investigations of the House Committee on Science and Technology, is planning to hold hearings on the potential health effects of VDTs and RF sealers and heaters on May 12–13.

Gore said that he was "troubled" that a recent FDA report on radiation from VDTs (see p. 7) "failed to recognize the agency's own scientific conclusion that research information on health effects for the range of frequencies emitted by VDTs is lacking."

With respect to the millions of workers exposed to RF radiation in industry, Gore said that they may suffer blood and central nervous system disorders as well as birth defects.

The hearings will be held in room 2325 of the Rayburn House Office Building, beginning at 2 pm on both May 12 and 13. Among those testifying are the new head of OSHA, Thorne Auchter, John Villforth, director of BRH, Sheldon Samuels, and Drs. Milton Zaret and Paul Tyler.

The complete list of invited witnesses in tentative order of appearance is: **May 12 on VDTs:** Charles Perlik, Jr., Newspaper Guild; Dr. Paul Tyler, Armed Services Radiobiology Research Institute; Dr. Milton Zaret, Zaret Foundation; John Villforth, BRH; Dr. Joe Elder, EPA; Vico Henriques, Computer and Business Equipment Manufacturing Association; George Mine and Dr. Bruce Dickerson, IBM; and a representative of newspaper management, still to be announced. **May 13 on RF sealers and heaters:** Howard Samuel and Sheldon Samuels, IUD/AFL-CIO; Dr. Joe Lary, NIOSH; Drs. Ezra Berman and Ralph Smialowicz, EPA; Dr. David Conover, NIOSH; Thorne Auchter, Dr. Bailus Walker, and Robert Curtis, OSHA; Angelo Vassallo, Solidyne Corp.

GOVERNMENT

Reagan Reactivates Project ELF

The Reagan Administration, reversing the recommendation of the Secretary of the Navy, has decided to reactivate the ELF Project antenna in Clam Lake, Ashland County, WI. Last month, there were reports that the Navy had advised abandoning the Project (see *Microwave News*, April 1981). No clear reasons for the reversal have emerged, though Eliot Marshall in *Science* (May 8) suggests that the Navy had "put their efforts into getting new airplanes and let others make the case for the unpopular old ELF." The decision drew immediate criticism from Senators Proxmire of Wisconsin and Levin of Michigan.

The Clam Lake facility, deactivated in January 1979, should be operational by the end of the year. The ELF antenna consists of two 14-mile underground grids. Designed for communicating with submerged submarines, the Project has a budget of \$5.2 million in FY81 and \$34.9 million in FY82.

Reagan's ELF decision is the congressionally mandated report due last April 1, according to a Pentagon spokesman.

Secretary of Defense Caspar Weinberger deferred a decision on a larger 130-mile antenna at K.I. Sawyer AFB in Michigan until later this summer, after a complete review of DOD's overall strategic command and control systems. The two antennas are designed to operate in sync.

Meanwhile, Walter Sullivan of the *New York Times* reported that the Navy and the Defense Advanced Research Projects Agency are investigating the possible use of blue-green lasers as an alternative to the ELF system (April 22). The announcement was made by DARPA's Dr. Douglas Tanimoto at the American Physical Society meeting in Baltimore.

Two More PAVE PAWS?

The Air Force is considering building two more PAVE PAWS radar installations in the southeastern and southwestern US, and has tentatively budgeted \$75 million for FY83 and \$100 million a year for FY84-86 for the project, according to a report in *Aviation Week & Space Technology* (April 13, 1981). Two phased array radars are already in operation: one on Cape Cod, Massachusetts (Otis AFB), and one in California (Beale AFB); they monitor the Atlantic and Pacific oceans respectively.

The PAVE PAWS radars (PAVE is an AF code word and PAWS stands for Phased Array Warning System) are designed to detect and track submarine launched missiles at distances as great as 3,000 miles.

A spokesman for the AF Systems Command HQ at Andrews AFB in Maryland said that a decision on whether or not to proceed will be made by the Secretary of Defense this summer, and any funding request would then be forwarded to the Congress this fall. No particular sites have yet been surveyed, he added.

BRH Reconsiders Oven Amendment

The Bureau of Radiological Health is reconsidering a recent amendment to its microwave standard. (*Federal Register*, April 24, 1981, p.23233 and p.23266.) The amendment, dealing with instruments to measure leaks, was promulgated last November (45 FR 79028), and would have become effective on November 30, 1981. The comment period has been reopened.

Last December, the Association of Home Appliance Manufacturers (AHAM) petitioned BRH to review its decision, partly because the new rule would change the rejection level of new ovens, according to a BRH spokesman. While the Bureau did not agree with AHAM, it decided that "there was enough disagreement and misunderstanding to open it up again," he said.

EMP News

The Defense Department continues to seek contractors for electromagnetic pulse (EMP) work. The Defense Nuclear Agency has scheduled a May 19 briefing at Kirtland AFB, NM, on needed support for the advanced research EMP simulator (*Commerce Business Daily*, April 17). The Air Force has already sought R&D proposals for its EMP weapons lab (CBD, April 16) and decided to extend its EMP contract with the Mission Research Corp. in La Jolla, CA (CBD, April 17). Meanwhile, *Aviation Week & Space Technology* (April 13) reports that the AF wants to spend \$20 million on EMP hardening for B-52's.

BRIEFS

EPA's Dave Janes has been appointed acting director of the Surveillance and Emergency Preparedness Division in the Office of Radiation Programs, and is now working out of Crystal City, VA (703) 557-8217. Roger Mattson, the past director, has returned to the NRC. Ric Tell is now acting branch chief, but is still in Las Vegas. . . . The *BRH Bulletin* has changed to a monthly publication schedule as an economy measure. . . . The FCC has opened the way for the rapid development of cellular mobile telephone systems. In an April 9 ruling, the Commission assigned 40 MHz (825-845 and 870-890) for the new communications system. . . . On April 21, the FCC ruled that direct broadcast satellite service is in the public interest and will now review COMSAT's application. . . . NASA scheduled a second industry briefing on its Advanced Communications Satellite program (30/20 GHz) May 6-7 in Washington, DC. . . . NASA Lewis Research Center is looking for a contractor to study the role of satellites in wide-area land mobile radio services. . . . The Office of Naval Research is negotiating a contract with Scientific Research Associates of Glastonbury, CT, for research on computer modeling of microwave devices and one with Research Triangle Institute of Research Triangle Park, NC, for additional study of "pulsed radiation effects in contemporary devices and integrated circuits" Hanscom AFB is soliciting R&D proposals for a system for "automatic network analysis of microwave devices and antennas" NTIA has awarded \$93,763 to Booz, Allen and Hamilton, Inc. of Bethesda, MD, to analyze common carrier microwave communications systems.

MICROWAVE NEWS is published monthly. • ISSN 0275-6595. • P.O. Box 1799, Grand Central Station • New York, NY 10163 • (212) 794-9633 • Editor: Louis Slesin, Ph.D., Associate Editor: Martha Zybko • Subscription: \$165 per year (overseas \$200) • Copyright © 1981 by Louis Slesin • Reproduction in any form is forbidden without written permission.

AT THE WORLD TRADE CENTER

The Port Authority (PA) of New York and New Jersey has released some monitoring data on the non-ionizing radiation levels atop the World Trade Center (WTC) in downtown New York City. Robert Silliman, from Silliman and Silliman of Washington, DC, made the measurements for the PA. (See *Microwave News*, March 1980, for a detailed report on the WTC.)

The monitoring reports were released to Joyce Feldman, a radiation specialist in the Environmental Protection Agency's (EPA) New York office, in a March 17 letter from Robert Linn, deputy director of the PA for world trade. The reports were also made available to *Microwave News*.

The readings were taken on the south tower while two UHF TV stations were broadcasting at 50% power from the north tower, and one FM station (WTFM—operating with 3.9 kW ERP) and one TV translator (W60AI) were transmitting from the south tower. Two VHF TV stations (WCBS-2 and WNEW-5) were also in operation but were not included in the PA survey because, according to Silliman, their contribution was insignificant. Another FM station (WKCR—0.76 kW ERP) was located on the same mast as WTFM, but was not on the air. (The monitoring methodology used by Silliman is explained in the Linn letter, which is excerpted below.)

When WTFM was turned on, Silliman found radiation levels as high as 540 $\mu\text{W}/\text{cm}^2$ on the WTC roof. The PA installed a 22-foot protective "wagonwheel" shield between WTFM and WKCR in order to eliminate such hot spots. Figure 1 compares the total radiation levels with and without the wagonwheel shield. Figures 2 and 3 show the radiation levels from WTFM and WKCR respectively with the shield in place. (WKCR was turned on for testing purposes only, and its signal is not included in Figure 1. These are only two of eight figures released.) While the shield reduced the WTFM radiation levels, WKCR radiation increased from about 130 $\mu\text{W}/\text{cm}^2$ to 1200 $\mu\text{W}/\text{cm}^2$ on the roof.

In his letter, Linn calls the WKCR radiation levels "unacceptably high," and states that "despite WKCR's desire to go on the air, they will not be permitted to commence operations until this problem is rectified The [PA] is presently going through the final engineering required to implement the necessary changes to WKCR to reduce the EMR levels in this area to within the 100 microwatt interim standard adopted" by the PA.




Asked about the error margins associated with these measurements, Silliman said that his instruments were accurate to within ± 1 dB, but agreed with an EPA estimate that an accuracy of ± 3 dB (a factor of 2) was a fair estimate under field conditions.

Tom Sorensen, broadcast coordinator at the PA, said that two more TV stations (WOR-9 and WPIX-11) would begin broadcasting from the main mast by the end of May, and that WNET-13 would be on the air from the WTC by the fall. (WABC-7 is already broadcasting from the WTC.) No work on the other FM stations is now going on, he said.

*The [chart] recorder and field intensity meter are set up for one station and the receiving antenna carried over the path oriented for maximum sensitivity in one receiving direction Next, the process is repeated for an orthogonal direction Then a third pass is made, oriented for vertical polarization The analysis of the chart is made by segments such as from the start to the first checkpoint and from one checkpoint to the next checkpoint. The highest response is noted within the span and its position within the span noted. The EMR levels for the other two components are observed at the same point in the span and added to give the EMR level from one source.

When it comes to adding the EMR level from two or more stations, the following procedure is followed. 1. For each sector and measurement height, the analysis of each station is scanned and the source having the highest analysis for the sector noted together with the position within the sector at which the highest level occurred and its value. 2. The values for the other stations to be added are then determined for the same height and the position within the sector at which time the highest level for the highest source was determined. Once again, the levels for the three orthogonal orientations were added.

The sum so determined is reported as the estimated peak EMR level to be expected for the several stations for the particular segment analyzed. Each additional segment of the path is analyzed in the same manner.



committee last February.) The 1966/1974 exposure standard is not frequency dependent, and only specifies a maximum exposure of 10 mW/cm² for frequencies between 10 MHz and 100 GHz.

The C95.IV subcommittee has been revising the old 10 mW/cm² standard for a number of years. The original standard, which was adopted by the Occupational Safety and Health Administration, was established in 1966, and revised with only minor changes in 1974. (According to the ANSI charter, all standards must be revised or reaffirmed every five years. Note that while the subcommittee number is C95.IV, the standard number is C95.1.)

Earlier this year, the full C95 committee voted on the new RF/MW standard: of 43 voting members, 32 returned ballots, with 25 ayes, 5 nays, and 2 abstentions. While a clear majority favored the new standard, some leading organizations—including the Bureau of Radiological Health (BRH), the Environmental Protection Agency (EPA), and the Electronic Industries Association (EIA)—did not approve it. Some votes have been recently added and changed, but the next official tally will come with a new vote this summer.

A number of unresolved issues must be settled before the standard can be approved:

- **Population v Occupational Standard:** The proposal now applies to "non-occupational as well as occupational exposures." Many officials from federal, health-oriented agencies would prefer to limit the standard to the workplace. Last September, John Villforth, director of BRH, did not approve the standard, writing, in part, "If interpreted literally, the standard could endorse non-occupational exposures of any number of members of the general public for indefinite durations, even continuously, at the proposed guide levels. It seems incongruous that the greatest risk and stress, if any, could be exerted on members of the community who might be least qualified to take the risk, under circumstances having the least control." Indeed, in 1973, BRH's Henry Rechen and EPA's Dave Janes both refused to endorse the ANSI 10 mW/cm² standard because of an absence of cautionary language regarding its application to the general public.

In an effort to satisfy these objections, some new language has been introduced—this is italicized in the full text. Now, some parties on both sides are unhappy. For instance, Morris Shore of BRH still favors an additional safety margin for population exposures while others believe that the standard provides safety for all and that the new language unduly undermines the standard.

How BRH will finally vote is still an open question, but Dave Janes will abstain as long as the standard includes the general population.

- **Exclusion Clause:** (also italicized in the text) The standard excludes sources that have a maximum input power of seven watts or less. This was introduced, among other reasons, so that the millions of hand-held radio users would not be in violation of the standard. Allan Eckhaus of Consumers Union finds this exemption "confusing." "The standard is an exposure standard, so why are emissions from certain electronic products excluded?" he asks.

A second element in the exclusion clause is also problematic: the standard can be exceeded if the exposure conditions can be shown to produce whole body specific absorption rates (SARs) below 0.4 W/Kg and peak SAR's below 8 W/Kg. As one C95 member complained at the last meeting: "Where do I find a SAR meter?" Some members of EIA voted against this new addition to the exclusion clause because "it necessitates the use of a laboratory procedure for making measurements in the field." Only a couple of labs across the country are believed to have the expertise to make the measurements necessary to grant the exemption. Dr. Quirino Balzano of Motorola, on the other hand, is pleased with the SAR clause: "The standard now recognizes that, in the near field, high electric field readings do not necessarily cause biological effects," he said in an interview. He stressed that it is easy to produce near field levels which exceed the ex-

posure guides, even for very low power devices. The SAR language was inserted to deal with the near field problem, he added.

Others are uncertain about the basis for the 20:1 ratio between the peak to whole body average SAR's, and the lack of specificity about the absorbing organ—especially the eye.

- **Averaging Time:** The standard's six-minute averaging time is causing some confusion. "If you allow 8 W/Kg for six minutes, you can allow 16 W/Kg for three minutes, 32 W/Kg for a minute and a half and so on," CU's Eckhaus argued. He went on to object to the standard's failure to specifically deal with pulsed sources. At the last C95 meeting, no one was really sure about the origin of the six-minute averaging time. At issue here is the thermal basis for the standard.

Other Objections

On a more general level, there are disagreements about the overall scientific basis for the standard—some say the numerical exposure limits are too high, others say too low, and still others disagree with the complex frequency dependency.

RCA's Howard Johnson, the EIA representative on C95, does not think that ANSI should be in the health standard setting business at all. "I believe that the government, not a voluntary standards setting organization, should establish public health standards," he said. (EIA representatives will meet to consider its vote when the new draft arrives.)

Even the "voluntary" nature of ANSI participation has been called into question. Given the budget cuts for travel, many interested parties can no longer attend all the meetings, and most public interest organizations simply cannot afford to participate in the lengthy and expensive process.

Finally, some members have found inconsistencies in the "Rationale Document," which accompanies the ANSI standard. These too will have to be cleared up.

Administrative Notes

For a history of the C95.IV work on the new standard, through summer 1979, see Guy's testimony before the Subcommittee on Natural Resources and Environment of the House Committee on Science and Technology, July 12, 1981: *Research on Health Effects of Nonionizing Radiation*. The minutes of the last two subcommittee meetings, in San Antonio in September 1980 and Bethesda in October 1980, have not yet been distributed. The minutes of the February C95 meeting will be sent out as soon as they are completed. All those who attended the meeting will be receiving a copy. Others should contact the C95 secretary Stephen Caine, Dept. of Navy, Naval Electronics Systems Command, ELEX 832, Washington, DC 20360.

Guy has announced his intention to resign as the chairman of C95.IV as soon as the new standard is approved.

NIOSH & ACGIH

In other standard setting news, the National Institute for Occupational Safety and Health (NIOSH) continues to work on its RF/MW criteria document. According to its latest schedule, it should be released for review in the early fall.

The American Conference of Governmental Industrial Hygienists (ACGIH) is also in the process of revising its 10 mW/cm² standard. Proposals will be discussed at the annual American Industrial Hygiene Conference, to be held in Portland, OR, May 25-29, 1981.

Some recent developments among the other C95 subcommittees include:

- **C95.I:** A new "Recommended Practice for the Measurement of Hazardous Electromagnetic Fields—RF and Microwave" (C95.5-1981) was approved on March 16, 1981, and is in the process of being published. This document discusses the problems associated with measuring RF/MW in the near field. The subcommittee now intends to combine the far field standard (C95.3-1979) with C95.5 into one document.
- **C95.II/III:** Glenn Heimer has retired as chairman and been replaced by Dr. John Osepchuk. The comment period for the new RF radiation hazard symbol (C95.2) runs until June 2, 1981. For more information contact: Ms. M. Lynch at the IEEE, 345 East 47 Street, New York, NY 10017.
- **C95.V:** Florian Janoski has resigned as chairman due to work pressures and has been replaced by Ramie Thompson. The subcommittee is continuing its work towards a standard for electro-explosive devices.
- **C95.VI:** At the February C95 meeting, the subcommittee was retired.
- **C95.VII:** In the absence of an agreed set of early indicators for RF/MW hazards, the subcommittee is still trying to develop some guidelines. Dr. Tyler, the chairman, was looking forward to seeing the new OSHA report on medical surveillance (see *Microwave News*, February 1981).

C95 Committee on Radio Frequency Radiation Hazards

Chairman: Professor Saul W. Rosenthal
Polytechnic Institute of New York
Long Island Graduate Center
Route 110
Farmingdale, NY 11735
(516) 694-5500 Ext. 108

Subcommittees and their Chairmen:

- I. Techniques, Procedures and Instrumentation
Dr. R.C. Baird
Electromagnetic Fields Division
National Bureau of Standards
Boulder, CO 80302
(303) 497-3301
- II/III: Terminology and Units of Measurements
Dr. John M. Osepchuk
Raytheon Research Division
28 Seyon Street
Waltham, MA 02154
(617) 899-8400 Ext. 3795
- IV. Safety Levels and/or Tolerances with Respect to Personnel
Professor A.W. Guy
Department of Rehabilitation Medicine
School of Medicine
University of Washington
Seattle, WA 98195
(206) 543-1071
- V. Safety Levels and/or Tolerances with Respect to Electro-Explosive Devices
Mr. Ramie Thompson
Franklin Research Center
Philadelphia, PA 19103
(215) 448-1236
- VI. Safety Levels and/or Tolerances with Respect to Flammable Materials
Subcommittee retired in February 1981, past chairman:
Joseph Thiel of the Texas Dept. of Health

VII. Medical Surveillance
Captain Paul Tyler, MD
Director
Armed Forces Radiobiology Research Institute
Bethesda, MD 20014
(301) 295-1211

Draft C95.1 Standard—February 1981

Safety Level with Respect to Human Exposure to Radio Frequency Electromagnetic Fields (300 kHz–100 GHz)

1. SCOPE AND PURPOSE

Recommendations are made to prevent possible harmful effects in human beings exposed to electromagnetic fields in the frequency range from 300 kHz to 100 GHz. These recommendations are intended to apply to non-occupational as well as occupational exposures. These recommendations are not intended to apply to the purposeful exposure of patients by or under the direction of practitioners of the healing arts.

2. DEFINITIONS

Radio frequency protection guide (RFPG): The radio frequency field strength or equivalent power density (mW/cm^2) which should not be exceeded without (1) careful consideration of the reasons for doing so, (2) careful estimation of the increase energy deposition in the human body, and (3) careful consideration of the increased risk of unwanted biological effects. Measurements to determine adherence to the recommended protection guides shall be made at distances 5 cm or greater from any object (refer to ANSI C95.3-1979 for RF measurements).

3. RECOMMENDATIONS

For human exposure to electromagnetic energy of radio frequencies from 300 kHz to 100 GHz, the radio frequency protection guides, in terms of equivalent plane wave free space power density, and in terms of the mean squared electric (E^2) and magnetic (H^2) field strengths as a function of frequency, are given in Table 1.

For near field exposure, the only applicable radio frequency protection guides are the mean squared electric and magnetic field strengths given in Table 1, columns (3) and (4). For convenience, these guides may be expressed in equivalent plane wave power density.

For both pulsed and non-pulsed fields, the power density and the squares of the field strengths, as applicable, are averaged over any 0.1 hour period and should not exceed the values given in Table 1. For mixed or broadband fields consisting of a number of frequencies for which there are different values of radio-frequency protection guides,

TABLE 1
RADIO FREQUENCY PROTECTION GUIDES

(1) Frequency Range (MHz)	(2) Power Density (mW/cm^2)	(3) E^2 (V^2/m^2)	(4) H^2 (A^2/m^2)
0.3–3	100	400,000	2.5
3–30	900/ f^2	4,000 (900/ f^2)	0.025 (900/ f^2)
30–300	1.0	4,000	0.025
300–1500	$f/300$	4,000 ($f/300$)	0.025 ($f/300$)
1500–100,000	5.0	20,000	0.125

Note: f is the frequency, in Megahertz (MHz)

(continued p. 6)

FDA Wants More Data on Hyperthermia Unit

The Food and Drug Administration did not approve a pre-market application for a hyperthermia unit for use in cancer therapy, according to Dr. Lillian Yin, director of the FDA's Division of OB-GYN and Radiology Devices in the Bureau of Medical Devices. The FDA action came after an advisory panel sought additional safety and efficacy data. The unit, developed at UCLA Medical School and to be marketed by Henry Medical Electronics in LA, is the first tumor heat treatment device for which pre-market approval has been sought.

At its April 3 meeting, the Radiology Section of the OB-GYN and Radiological Device Panel decided that it wanted more information on potential exposures of clinical personnel to electric and magnetic fields from the RF device and on the distribution of heat in tumor and healthy cells. The minutes of the meeting are being prepared and will be available soon.

F. Kristian Storm, assistant professor of surgery at UCLA Medical School, a developer of the hyperthermia unit, said that the data requested by FDA are already available and must simply be rewritten for submission. "The FDA is playing this one strictly by the book," he said in a telephone interview. "They are being extraordinarily careful and we agree that they should. We have no qualms about the FDA request." Storm expressed concern that the new therapeutic device be used only by qualified personnel.

Storm said that a new application for pre-market approval would be submitted within 90 days. Similarly, a spokeswoman for Henry Medical Electronics said that she had no doubt the unit would gain approval soon.

The UCLA-Henry unit, trademarked Magnetrotor, operates at 13.56 MHz and induces an electrical field inside the body by imposing an external magnetic field with a single turn loop.

Questions About Healing with Pulsed EM Fields

In a lead editorial titled "Electromagnetism and Bone," the prestigious British medical journal, *Lancet* (April 11, 1981), called for more rigorous study of the healing of non-union bone fractures with pulsed electromagnetic fields. After noting the absence of firm experimental data on the efficacy of this increasingly popular type of treatment, the editorial makes three points: "First, despite the published reports on the therapeutic efficacy of electromagnetism in persistent non-union, opinion remains divided; second, the healing of fresh fractures in animals is not comparable with healing of established non-union in man; third, some experimental electric fields may delay rather than encourage fracture healing." The editorial goes on to argue for a double-blind controlled study of the effects of electromagnetism on healing of non-union in man, as distinguished from the effects of immobilization, and for the definition of more precise laboratory methods and indices for research in this area.

In so arguing, the editorial challenges past assertions by Dr. Andrew Bassett, professor of orthopedic surgery at Columbia University medical school in New York City and one of the field's leading researchers. Bassett did not return numerous calls for comment from *Microwave News*.

BRIEFS

The Space Shuttle used the Microwave Scanning Beam Landing System (MSBLS) during its smooth touchdown last month. MSBLS supplied position information to the astronauts and the Autoland Guidance System, which could have achieved a "hands-off" landing.... Papers on the latest developments in microwave aquametry, a method for measuring the water content of solids and liquids, are featured in a special issue of the *Journal of Microwave Power* (December 1980).... An April 21 article in the *Wall Street Journal* describes the

latest anti-shoplifting devices which use radio-frequency and microwave technology. One manufacturer said there are over 600,000 potential US customers for electronic article-surveillance systems.... John Strohbehn, from Dartmouth's Thayer School of Engineering, discussed his work on a microwave heating system for treating tumors at the New York Academy of Sciences on April 8.... IEEE Microwave Theory and Techniques Society will publish a special Transactions issue on microwave filters in September 1981. Papers should be submitted by November 30, 1981 to: A.E. Williams and A.E. Atia, Guest Editors, MTT Special Issue, COMSAT Laboratories, 22300 Comsat Drive, Clarksburg, MD 20734.

ANSI News (continued from p. 5)

the fraction of the radio-frequency protection guide incurred within each frequency interval should be determined, and the sum of all such fractions should not exceed unity.

Exclusion: At frequencies between 300 kHz and 1 GHz, the protection guides may be exceeded if the maximal input power of the radiating device is seven watts or less. Furthermore, at frequencies between 300 kHz and 100 GHz, the protection guides may be exceeded if the exposure conditions can be shown to produce specific absorption rates (SARs) below 0.4 W/Kg as averaged over the whole body, and peak SAR values below 8 W/Kg as averaged over any one gram of tissue.

4. EXPLANATION

Exposure to electromagnetic fields in the range of frequencies under consideration is but one of several sources of energy input into the body, which requires wide ranges of energy production and dissipation in order to function. For situations involving exposure of the whole body, the radio-frequency protection guide is believed to result in energy deposition (as averaged over the entire body mass for any 0.1-hour period) of about 144 joules per kilogram (J/Kg) or less. This level is equivalent to a specific absorption rate (SAR) of about 0.40 watts per kilogram (W/Kg) or less, as spatially and temporally averaged over the entire body mass.

Biological-effects data applicable to human beings for all possible combinations of frequency and modulation do not exist. The radio-frequency protection guide, therefore, has been based on the best available interpretations of the literature and it is intended to eliminate adverse effects on the functioning of the human body.

However, because of the limitations of the biological effects data base, these guides are offered as upper limits of exposure, particularly for the general population, and are not recommendations of levels for exposures of indefinite duration.

The exclusion to the protection guides can be used in relation to fields from low power devices such as hand-held, mobile, and marine radio transceivers. These devices may emit localized fields exceeding the protection guides, but will result in a significantly lower rate of energy absorption than allowed for the whole body. Thus, exposure to fields emitted by devices operating at 1 GHz or less and at less than 7 watts of output power would not be restricted unless focal absorption of energy exceeded a time-averaged SAR of 8 W/Kg for any given gram of tissue. Devices with output powers in excess of 7 watts require a case-by-case analysis, and exposure to any device that exceeded the maximal localized absorption stipulated by the exclusion would not be permitted.

Where exposure conditions are not precisely known or controlled, reduction of exposure should be accomplished by reliable means to values as low as are reasonably achievable. Exposures slightly in excess of the radio-frequency protection guides are not necessarily harmful; however, they are *not* desirable and should be prevented whenever possible.

Bureau of Radiological Health Study

BRH has completed its major study of VDT radiation emissions: *An Evaluation of Radiation Emissions from Video Display Terminals*, (February 1981, FDA 81-8153). Tests of 34 VDTs for x-ray through RF radiation—and previous monitoring data from 91 units for x-ray radiation only—indicate the terminals “should not pose a radiation risk.” BRH goes on to suggest that “work conditions be given serious consideration as the primary cause of VDT-user complaints.”

The report's conclusions were challenged by Congressman Gore, and will be the subject of House hearings on May 12—see p. 1.

The Teleram 2277, Ontel OP-1/32k/50 and Ontel OP-1/R produced the highest RF radiation readings. Ninety-five percent of the radiation was in the 15 kHz to 125 kHz frequency range (between the fundamental frequency of the flyback transformer and its fifth harmonic). Maximum E- and H-fields were 21–64 V/m and 0.65–0.69 A/m respectively, measured at 5 cm from the VDT face, the primary source of radiation. The highest single reading—over 1,000 V/m—was taken on top of the Teleram, near the high voltage transformer with an EFS-1 meter.

X-ray radiation from eight units (3 models) previously tested under worst-case conditions exceeded the 0.5 mR per hour limit for emissions from TVs. Ball Brothers Research Corp., Conrac Corp., and Ikegami Electronics (USA), Inc., the manufacturers of these units, have either fixed the three problem models or taken them off the market.

The 62-page report lists the 31 manufacturers of the terminals tested.

Bell Canada

Bell Canada will allow women to stop working with VDTs during pregnancy. In an agreement worked out with the Communication Workers of Canada, Bell employees, upon request, may switch jobs or take an extended maternity leave. In a letter to the union, a company official wrote that no significant medical evidence suggests a health hazard exists, but that “where a pregnant employee is deeply concerned about such issues she will be obliged to act according to what she sees as the best course for her unborn child.”

NRC to Study VDTs

The National Research Council's Committee on Vision has begun a 15-month, NIOSH-sponsored study of the effects of VDTs on workers' vision. The 14-member study panel is chaired by Dr. Edward Rinalducci from the Georgia Institute of Technology's Department of Psychology. NIOSH's Dr. Eugene Moss and Bert Stammerjohn are serving as technical advisors.

Toronto Cataract Case

Toronto's Workmen's Compensation Board has denied a government employee's claim for compensation for cataracts she believes were caused by radiation from VDTs. (See *Microwave News*, March 1981.) The case, brought by Darlene Weiss, will be appealed.

The Ontario Public Service Employees Union (OPSEU) maintains the Board based its decision on questionable information from Weiss's regular ophthalmologist. According to Robert DeMatteo of OPSEU, Weiss was never told she had cataracts and no mention of them appears in the medical record her doctor supplied to the union. His statement to the Board, however, says he observed the beginning of “complicated” cataracts in Weiss in 1971, years before she began working on VDTs.

Weiss saw two other doctors when her vision began to deteriorate after she began VDT work in 1978. The first said she had complicated cataracts, but the second, Dr. Milton Zaret, diagnosed capsular cataracts.

The case will now go to an appeals adjudicator. If the claim is denied again, DeMatteo said the union will then take the case before the full Workmen's Compensation Board.

Litigation . . . Frederick Nepa, a patrolman for the Port Authority of New York and New Jersey since 1973, has filed a worker's compensation claim for cataracts he thinks are the result of radiation from a walkie-talkie. Angelo Gucciardo, who handled the Yannon case, is representing Nepa and Franklin Bass is on the case for the PA. The claim was filed in 1979. Gucciardo: Israel, Adler, Ronca & Gucciardo, 160 Broadway, New York, NY 10038, (212) 227-1350. . . . A marine serving at the Moscow Embassy in 1971–72 is suing the government over his son's birth defects. The boy was born soon after Sgt. Watson's Moscow tour of duty. Citing the *Feres* doctrine, the government has filed for dismissal. According to Peter Danelo, Watson's lawyer, the judge has taken the motion under advisement and may postpone his decision until another case involving the *Feres* doctrine is settled in the Ninth Circuit Court of Appeals later this year. Danelo is co-counsel with Charles Peery, listed in last month's directory of plaintiff attorneys. Danelo: 24th Floor, 4th & Blanchard Building, Seattle, WA 98121, (206) 464-1490. . . . The mother of a 19-year-old boy who died of lymphatic cancer filed a complaint against Magic Chef in 1978, claiming his cancer was caused by a leaking microwave oven. Wallace D. Stephens, her lawyer, thinks the case will be active again soon. Stephens: Stephens, Kosach, Knight & Edwards, 401 Ryland Street, Suite 330, Reno, NV 89502, (702) 786-5776.

Around the Country . . . COMSAT is planning to build a large satellite communications center in Columbia County, PA, but has met some resistance from local residents. . . . *Powerline: The First Battle of America's Energy War*, a new book about 765 kV lines in Minnesota by Barry Casper and Paul Wellstone, has been published by the University of Massachusetts Press. . . . The Scientific Advisory Panel of the NY State Department of Health study on the effects of radiation from overhead transmission lines elected Dr. Michael Shelanski as its chairman and spokesman at its first meeting March 23. The Panel plans to reconvene in early June to define specific areas of study. . . . **and the World . . .** The Department of National Revenue, Customs and Excise is probing into charges that countertop microwave ovens from Japan and Singapore were dumped in Canada.

VDT BRIEFS

NIOSH has issued the results of its January 1980 Bay Area study of VDTs. As earlier releases have already revealed, the terminals did not emit hazardous levels of radiation and, therefore, NIOSH does not recommend routine monitoring of the units. . . . VDT-related provisions in the Newspaper Guild's Collective Bargaining Program include periodic surveys for radiation, ophthalmological tests and a host of ergonomic requirements. For details, see the *Guild Reporter*, March 13, 1981. . . . Blue Shield of California has agreed to meet the local Professional Employees International Union's demands to redesign 300 VDT work stations in its San Francisco office. . . . A partial bibliography of materials used to prepare the WNYC-FM special program on VDTs and an audio cassette of the forty-minute series are available from the station. For a cassette, send \$10 to Video Display Terminals, WNYC Radio, One Centre Street, New York, NY 10007. The bibliography is free, but include a self-addressed, stamped envelope. Independently, the Cold Type Organizing Committee is offering a transcript of the series. Send \$5 to PO Box 40, Jerome Avenue Station, Bronx, NY 10468. . . . A report on the second HUSAT conference on VDTs appears in the April 9 issue of the *New Scientist*. . . . Systems Integrated will supply metal shields for their ET960 VDTs at the *San Jose Mercury News* free of charge, according to *Editor & Publisher*, April 25. The plastic cabinet units created concern after RF radiation tests by NIOSH found high readings near their transformers. . . . The Maine Press Assoc. and the Maine Daily Newspaper Publishers Assoc. intend to oppose the VDT bill (LD #1049) introduced in the State Legislature, according to the *Guild Reporter* (April 24).

BIOLOGICAL EFFECTS

Microwaves and Benzopyrene: Co-Carcinogens

Professor Stanislaw Szmigielski of the Center for Radiobiology and Radioprotection in Warsaw, Poland, is continuing his studies on the co-carcinogenic properties of non-thermal microwave fields. In a paper presented at last summer's Paris Symposium, "Ondes Electromagnetiques et Biologie," and soon to be published in *Bioelectromagnetics* (no publication date has yet been set), Szmigielski showed that mice exposed to 3,4-benzopyrene (painted on the skin) and 2450 MHz microwaves at power levels of 5 and 15 mW/cm² for 2 hours a day for 3 to 6 months showed accelerated development of both spontaneous and chemically-induced cancers. The experiment showed similar advancement of the cancers when the mice were exposed to prolonged stress due to overcrowding.

The paper concludes, in part: "it remains the open question whether or not the tumor-accelerating effect observed in mice exposed to non-thermal (5 mW/cm²) MW fields is due to the specific interaction of the radiation at the cellular or subcellular level or to non-specific stress and/or adaptation reaction . . . long-term exposition in MW fields may be recognized as the carcinogenic risk factor and there is an urgent need to answer whether or not this is also true for the far more complicated conditions of environmental and/or occupational exposition to non-ionizing radiation of the MW/RF range."

In an April 2 letter to *Microwave News* from Warsaw, Szmigielski writes: "Our recent experiments seem to indicate that the acceleration of cancer development in microwave-exposed mice is due to lowering of natural antineoplastic resistance following long-term irradiation—temporary suppression of cell-mediated immunity."

Major New Bibliography

EPA has just published an extensive bibliography on the biological effects of non-ionizing radiation. Edited by Drs. James Kinn of EPA's Health Effects Research Laboratory in Research Triangle Park and Elliot Postow of the National Naval Medical Center, this highly useful 567-page document lists 3,627 articles covering works published through March 1980. Subjects include dosimetry and design of exposure facilities, as well as biological effects of radiation in the 0-100 GHz range.

The bibliography is divided into three parts: a key word-in-context listing of titles, an author index and a list of complete citations by a code number keyed to the other sections. (Some 1,700 key words, from "ABC" to "ZERO" are used for the title listing.)

Index of Publications on Biological Effects of Electromagnetic Radiation (0-100 GHz), EPA-600/9-81-011, March 1981, is available from the National Technical Information Service. (NTIS #: PB 81181430) Paper: \$38; or microfiche: \$3.50. NTIS, 5285 Port Royal Road, Springfield, VA 22161.

AF Funds Replication Study on Ca Efflux


The Air Force has awarded a \$180,055 contract to the University of Texas, San Antonio, for research on calcium ion efflux in brain tissue. Professor David Ross, chief of the division of molecular pharmacology, will serve as principal investigator, and will be working in collaboration with James Merritt, a researcher at Brooks AFB. The 28-32 month study is a direct attempt to reproduce Adey and Blackman's findings on calcium mobility in the brain, Ross said. The San Antonio team will look for windows associated with amplitude modulated fields at about 16 Hz and will also look at the effects of pulse modulated radiation.

CONFERENCES

CALENDAR

- May 31-June 4: 29th Annual Scientific Meeting of the *Radiation Research Society*, Hyatt Regency Hotel, Minneapolis, MN. Contact: Office of the Executive Director of the Society, 4720 Montgomery Lane, #506, Bethesda, MD 20014.
- June 9-12: 16th Annual Symposium of the *International Microwave Power Institute*, Royal York Hotel, Toronto, Canada. Contact: IMPI, 211 East 43rd Street, New York, NY 10017.
- June 15-19: *IEEE and URSI Symposium*, Bonaventure Hotel, Los Angeles, CA. Sponsored by the Antenna and Propagation Society and the Microwave Theory and Techniques Society of the IEEE and four Commissions of URSI. Contact: IEEE, 245 East 47th Street, New York, NY 10017.
- June 27-July 2: 6th International Symposium on *Bioelectrochemistry and Bioenergetics* and 1st Meeting of the *International Bioelectrochemical Society*, Kibbutz Kiryat Anavim, Israel. Contact: Mrs. R. Goldstein, Secretary, Bioelectrochemistry Symposium, The Aharon Katzir-Katchalsky Center, The Weizmann Institute of Science, Rehovot, Israel.
- June 30-July 4: *International Symposium on Biomedical Thermology*, Palais de la Musique et des Congres, Strasbourg, France. Contact: Dr. M. Gautherie, Laboratoire de Thermologie Biomedicale, Faculte de Medicine, Universite Louis Pasteur, 11 rue Humann, 67085 Strasbourg, France.
- July 13-16: 10th *L.H. Gray Conference: The Biological Action of Radiofrequency, Microwave, and Ultrasonic Radiations*, Oxford England. Contact: Dr. G.R. ter Haar, Physics Division, F Block, Institute of Cancer Research, Clifton Avenue, Sutton, Surrey SM2 5PX, England.
- August 10-12: 3rd Annual *Bioelectromagnetics Society Meeting*, Washington DC. Contact: BEMS, P.O. Box 3651, Arlington, VA 22203.
- August 10-19: 20th *General Assembly of the International Union of Radio Science (URSI)*, Hyatt Regency Hotel, Washington DC. Contact: Mr. Richard Y. Dow, Organizing Committee of URSI General Assembly, National Academy of Sciences, 2101 Constitution Avenue, NW, Washington DC 20418.
- August 11-13: *Microwave Semiconductor Devices and Circuits*, Ithaca, NY. 8th Biennial Conference organized by Cornell University's School of Electrical Engineering and IEEE's Microwave Theory and Techniques Society. Contact: Joanne Davenport, Conference Office, 221 North Campus Union, Cornell University, Ithaca, NY 14853.
- August 19-21: 3rd Annual *Satellite Communications Users Conference*, Regency Hotel, Denver, CO. Contact: SCUC '81, Satellite Communications Magazine, 3900 S. Wadsworth Blvd., Denver, CO 80235.
- September 7-11: 11th *European Microwave Conference*, Amsterdam, The Netherlands. Contact: Microwave Exhibitions & Publishers Ltd., Temple House, 36 High Street, Sevenoaks, Kent TN13 1JG, England.
- November 9-11: 1st Annual Meeting of the *Bioelectrical Repair and Growth Society*, Philadelphia, PA. Contact: Executive Secretary of the Society, 425 Medical Education Building, 36th and Hamilton Walk, Philadelphia, PA 19104.
- December 7-12: 6th International Conference on *Infrared and Millimeter Waves*, Carillon Hotel, Miami Beach, FL. Contact: K.J. Button, MIT National Magnet Laboratory, Cambridge, MA 02139.

MICRO WAVE NEWS



Vol. II No. 4

A Monthly Report on Non-Ionizing Radiation

May 1982

INSIDE...

HIGHLIGHTS

pp. 2-5

NTIA Seeks New Home for ERMAC
Hearings on Glenn's Radiation Bill
Link Between RF/MW and Cancer
Found Inconclusive
Multnomah County RF/MW Standard
RCA's Satcom EIS: Critical Comments
Cool Reception for Calcium Review
Side Effects Working Group Meets Again;
Ocular Effect Disclosed
Pregnancy Problems in Ottawa
RFI Amendments to Communications Act
NBS Workshop on EM Calibration
US-USSR Health Effects Workshop
Research Papers from the Soviet Union

LETTERS

p. 8

UPDATES

pp. 5-7

Biological Effects
Communications
Compatibility & Interference
EMP
Government
Litigation
Medical Applications
Military Systems
Ovens
Power Lines
Satellite Communications
Technology
VDTs
Etc.

DoD Reviewing RF/MW Health Standards

The Department of Defense (DoD) has initiated a review of its exposure standards for radiofrequency and microwave (RF/MW) radiation. Spurred by the proposed revision of the RF/MW standards of the American National Standards Institute (ANSI) and of the American Conference of Governmental and Industrial Hygienists (ACGIH), DoD has asked representatives of the air force, army and navy to submit position papers evaluating these proposals.

Colonel Frank E. McDermott, a radiological health consultant in the army's Surgeon General's office, is responsible for coordinating the reports of the three services into a DoD policy. In a telephone interview, McDermott said that he hoped to have all the comments in by early May and to complete his proposal by the middle of the month.

In addition to preparing the DoD policy statement, McDermott is also in charge of the army's participation in the review. The leads for the air force and the army are Lieutenant Colonel David Wood and Lieutenant Roby Enge respectively.

All three services now have essentially the same standard: a maximum exposure level of 10 mW/cm², independent of frequency. The proposals by ANSI and ACGIH are frequency dependent, with a maximum allowable exposure of 1 mW/cm² at their most stringent level. (For the ANSI and ACGIH proposals see *MWN*, May 1981 and September 1981.)

Enge of the navy's Bureau of Medicine and Surgery said that he supported the ANSI proposal but had some reservations about the low frequency end of
(continued p. 8)

Low-Intensity Pulsed Magnetic Fields Stimulate Release of Noradrenaline

Two English researchers have identified a new physical effect induced by a 500 Hz, low-intensity pulsed magnetic field. They found that magnetic fields in the range of 1.6-8.5 gauss could stimulate the release of significant amounts of noradrenaline, a neurotransmitter, from cultured cells. They suggest that their new experimental system can be used as a model for studying the effects of such fields on neuronal functions.

Dr. Richard Dixey of St. Bartholomew's Hospital and Dr. Glen Rein of Queen Charlotte's Maternity Hospital, both in London, report in the March 18 *Nature* that tritium-labelled noradrenaline was released from PC12 cells, a common biological system, by an inductively coupled 500 Hz field at a level comparable with certain other neurotransmitter stimuli. The increase was 27.5% $\pm$ 4.9 above the controls.

The magnetic field was generated by passing current through coils, which induced an electric field ranging from +3.8x10⁻² to -1.9x10⁻² V/m. Through an innovative arrangement of petri dishes, they were able to limit the variation
(continued p. 8)

HIGHLIGHTS

NTIA Seeks New Home for ERMAC

The National Telecommunications and Information Administration (NTIA) has not asked for funds to continue working on the bioeffects of non-ionizing radiation in its fiscal year 1983 appropriation request. If Congress approves NTIA's \$12.4 million budget, the Electromagnetic Radiation Management Advisory Council (ERMAC) will go out of existence unless it is transferred to another agency.

Testifying before the Senate's subcommittee on communications on March 22, Assistant Secretary of Commerce for Communications and Information Bernard J. Wunder, Jr., said NTIA proposed "to terminate [its] past role as coordinator of federal research concerning the biomedical and related effects of non-ionizing radiation." This role, he continued, "is important, but it may be more appropriately undertaken by an agency with direct responsibilities in the health, environmental protection or other safety-related fields, not by the Department of Commerce, whose basic mission is to foster business, trade and increased industrial production."

NTIA's spectrum policy, planning and management programs will continue as will the work of the Frequency Management Advisory Council (FMAC). In fact, NTIA's spectrum management activities will grow from \$7.8 million in FY82 to \$8.2 million in FY83.

ERMAC was established in 1968-69 to give advice "on the side effects and adequacy of control of electromagnetic radiation from communications." ERMAC moved to the Department of Commerce in 1978 when the Office of Telecommunications Policy was transferred from the Executive Office of the President to the then newly formed NTIA.

Hearings on New Radiation Bill

A Senate subcommittee held hearings on the Federal Radiation Protection Act of 1982 on April 29. The bill (S.2284), introduced by Senator John Glenn (D-OH), would set up two new interagency panels to coordinate radiation research and regulation. It would cover both ionizing and non-ionizing radiation.

A proposed Federal Council on Radiation Protection would take over the Environmental Protection Agency's authority to set health standards and would review other regulations set by all levels of government. Two special working groups of the council would pay special attention to occupational and medical exposures to radiation.

Its counterpart, a Federal Conference on Research Into the Biological Effects of Radiation, would devise an agenda for all bioeffects research and review all federally sponsored research costing more than \$250,000.

The secretary of the Department of Health and Human Services would be the chairman of the council, and the director of the National Institutes of Health would chair the conference. Two members of the public would sit on each panel.

A staff aide at the subcommittee on energy, nuclear proliferation and government processes of the Senate Committee on Government Affairs called the Glenn proposal an attempt to create a Radiation Policy Council (RPC) "with teeth." The RPC was set up in 1980 by President Carter, but closed down last year when the Reagan administration cut it from the federal budget. (See *MWN*, October 1981.)

Those testifying before the subcommittee on April 29 rep-

resented largely government agencies and private groups interested in ionizing radiation.

A similar measure (S.1938) was introduced in 1979 by Senators Glenn and Abraham Ribicoff (D-CT). Hearings were held on March 20, 1980. The bill was never passed.

Link Between RF/MW and Cancer Found Inconclusive

A blue-ribbon committee in Multnomah County, OR, has determined that Dr. William Morton's study linking the incidence of certain cancers and radiofrequency/microwave radiation levels is inconclusive. The group of public health professionals was set up to review Morton's statistical study of Portland residents after he reported preliminary findings late last year.

The committee found two major weaknesses in the study. First, it questioned the accuracy of extrapolating exposure levels for areas of the city from 36 fixed point measurements. Second, the committee challenged Morton's comparison of cancer rates in different parts of the city. The area with the strongest association between cancer and radiation had a small population and a very small number of cases, making the rate of cancer highly susceptible to change.

In its recent report to the county, the committee recommended that studies be done with more data on exposure levels. It also asked that the county require operators of broadcast facilities to measure and keep records of RF/MW radiation levels.

Morton, of the University of Oregon's Health Sciences Center in Portland, submitted his report earlier this year to the Environmental Protection Agency's Experimental Biology Division, which is conducting its own review. (See *MWN*, January/February 1982.)

Multnomah County To Propose RF/MW Standard

The Multnomah County Planning Commission expects to recommend a general population radiofrequency/microwave (RF/MW) exposure standard to the Board of County Commissioners this month. A preliminary proposal modeled after the pending Massachusetts standard sets a 200 uW/cm² limit for the 30-300 band, rising to a maximum of 1 mW/cm² for frequencies above 1500 MHz and to 20 mW/cm² for those below 3 MHz. The averaging time for measuring exposures would be one hour, rather than the 30 minutes proposed for Massachusetts. (See *MWN*, March 1982.) In addition, a peak power limit would be set at ten times average power levels.

According to Larry Epstein of the county's Department of Environmental Services, the board should rule on a standard by June 1. Multnomah's moratorium on new broadcast sources expires in the end of May. (See *MWN*, January/February 1982.)

Microwave News will provide a full report on the standard next month.

RCA's Satcom EIS: Critical Comments

Reviewers of the draft environmental impact statement (EIS) for RCA's proposed satellite communications station on Bainbridge Island, WA, contend its report on microwave bioeffects is biased, incomplete and misleading. The document, prepared by CH2M Hill Inc. of Seattle, will now be

edited before Kitsap County issues the final version. Though no major revisions are planned, Rick Kimball of Kitsap's Department of Community Development said the final document expected this June should show "the full range of opinion on the health effects issue."

Responses to the EIS came from members of the microwave community, local agencies and Bainbridge residents. As of the end of April, an assessment by the Environmental Protection Agency's (EPA) Richard Tell and Dr. Joe Elder was still awaiting the approval of EPA's regional administrator in Seattle.

Almost all of the reviewers addressing radiation issues focus on the statement's health effects report prepared by the Battelle Human Affairs Research Center in Seattle, WA. (See also letters on p. 8.) These comments were solicited by Jerome Hellmuth, a leader of the local group opposing RCA. The reviewers strongly criticize the Battelle report for stating that continuous low-level microwave exposure is safe without noting that very little low-level effects research has been done.

Comments on the Battelle Review

Paul Brodeur, author of *The Zapping of America*: "The section of the draft EIS entitled 'Battelle Review of the Biological Effects of Microwave Radiation' is so full of errors, omissions, and unfounded assertions as to be almost worthless as a document for assessing the possible consequences of chronic exposure to low-level microwave radiation."

Allan Frey, Randomline, Inc.: "This EIS reads to me like a cut-and-paste job from the statements and writings of those who have been paid to testify that exposure to such energy is safe." Frey charges that the authors took the views of Dr. Jana Pazderova-Veljukova on Eastern European epidemiological studies out of context and presented them in a misleading way.

Dr. Rochelle Medici, a psychologist in private practice in San Marino, CA: "This review is stunningly incomplete and misleading. It is biased in the sense that negative results are stressed over and over again; results are all interpreted in terms of heating phenomena; major and key studies are omitted; Soviet studies are set up as 'straw men'..." Medici also criticizes the review for repeatedly assuming that the relationship between non-ionizing radiation exposure levels and possible bioeffects is linear: "It is precisely the question of nonlinearity of effect that has *not* been resolved by the research now available."

Professor Nicholas Steneck, a historian at the University of Michigan: "The EIS does not meet even minimum criteria of objectivity..." It presents "an adversarial position, not a value-free survey that can be used to debate and establish policy." He concludes that the review's flaws "render the objective material presented in the EIS unusable."

Dr. Milton Zaret, an ophthalmologist in Scarsdale, NY: "The EIS purports to be a learned study but, unfortunately, it is not. Instead of science it is merely propaganda couched in scientific language." Zaret cites the work of Dr. Maria Sadikova. He also registers a complaint over placing his work in a section titled "Journalistic Coverage".

* * *

Hellmuth has compiled more than 100 pages of comments, including those excerpted above, and will supply the volume at cost (\$20). Contact: Jerome Hellmuth, Bucklin Hill School, PO Box 356, Bainbridge Island, WA 98110.

Cool Reception for Review of Calcium Research

A review of the effects of non-ionizing radiation on calcium in the brain is causing a furor in the microwave community.

Writing in *Neuroscience & Biobehavioral Reviews* (5,503,1981), Drs. Robert Myers and David Ross challenge the reliability of key research on calcium efflux in brain tissue by low frequency modulated fields. The work in question was begun by Drs. Ross Adey and Suzanne Bawin some ten years ago and has since been replicated by Dr. Carl Blackman.

Myers, of the University of North Carolina medical school, and Ross, of the University of Texas, set out to evaluate the data from an "unbiased and 'non-involved' viewpoint" and conclude:

In this field, a number of questionable practices render many of the reports published thus far extremely difficult to interpret: the discarding of variant data, the conversion of actual data into percentage or other scores, debatable statistical procedures used by workers in this field, and the variation in [calcium] ion efflux of a sham control. Because of these uncertainties, the issue of whether calcium flux in CNS tissue is determined by a radiation "window" for frequency and amplitude remains open to further research.

Their analysis of research on the possible breakdown of the blood brain barrier (BBB) by microwaves led them to believe that "results published to date strengthen the view further that a local deflection in cellular temperature or other tissue artifact may be responsible for a regionally selective violation of the BBB."

Many members of the bioelectromagnetics community were upset by the paper — though most were unwilling to speak on the record. Dr. Don Justesen, of the VA Medical Center in Kansas City, MO, did say however that the paper would be discussed at the BEMS meeting in Los Angeles in June. "A decision will be made on whether there should be a response at that time," he said.

Reached at his office in San Antonio, TX, Ross said the calcium research should be able to withstand review from outside the field. John Mitchell of the air force, which sponsored the review, said that it was only a "small part" of the air force's calcium work. "The objective is to determine how much research the air force should be doing in this area," he said.

Some critics of the article questioned whether it had been peer reviewed. A spokeswoman for the journal confirmed that all papers are reviewed before publication.

Side Effects Working Group Meets Again; Ocular Effect Disclosed

After a long hiatus, the Side Effects Working Group met in Washington, DC, on April 20 to brief participating federal agencies on recent developments in radiofrequency and microwave (RF/MW) radiation programs. The National Telecommunications and Information Administration's (NTIA) Janet Healer chaired the meeting attended by representatives of some 13 agencies.

At the meeting, a representative of the navy disclosed that research it sponsored at the Johns Hopkins University's Applied Physics Laboratory (APL) had found cellular changes

in the corneal endothelial layer of the rabbit's eye following exposure to 2450 MHz radiation at 10 mW/cm² for four hours. APL's Dr. Samuel Koslov first disclosed this finding last December but refused to specify its precise nature at that time. (See *MWN*, January/February 1982.)

Most of the meeting was devoted to reviewing the research and regulatory budgets of the agencies; many of these have suffered in the present budget climate. There were also updates on the proposed Massachusetts standard and the US-USSR cooperative research agreement.

This was the first meeting of the inter-agency group in at least five years. The next meeting is tentatively scheduled for July.

The working group is part of the Technical Subcommittee of NTIA's Interdepartment Radio Advisory Committee (IRAC), which was set up in 1922 to manage the electromagnetic spectrum. Dr. Paul Tyler of the Defense Nuclear Agency is the secretary of the working group.

Pregnancy Problems in Ottawa

Seven out of eight pregnancies among workers at the solicitor-general's office in Ottawa have ended abnormally. During the last three years, four women have miscarried, one has given birth two months early and two babies have been born with respiratory diseases. All seven women worked on video display terminals (VDTs). An eighth woman who did not use a VDT gave birth to a healthy baby.

Dr. Ian Marriott, senior consultant for the health department's public health service, said there will be a three-week investigation of employee health problems in the office. Marriott has already ruled the terminals out as a possible concern, however, because, as he told the Canadian Press news service, the study of VDT health hazards "has been done so often by so many people around the world."

The Public Service Alliance of Canada, the union representing the women, has requested an independent inquiry and is seeking official assurances that pregnant women can be reassigned to non-VDT work. According to the union's Stewart Skinner, the official policy of the solicitor-general's office is that there is no need for transfers because no hazard exists. Unofficially, however, pregnant women have been granted alternate work since last November. The union has asked Donald Johnson, president of the Treasury Board, which acts as the employer for the federal government, to clarify this policy.

Since news of the cluster broke in the Ontario press April 7, employees at the Ontario Workmen's Compensation Board (Local 1750 of the Canadian Union of Public Employees) and at the Ontario Legislature's library have won the right to non-VDT work during pregnancy.

Other clusters of pregnancy problems among clerical workers have been reported in Canada from two work places in Toronto and one in Montreal, and in the US from offices in Dallas, TX, Atlanta, GA, and Renton, WA. (See *MWN*, November 1981, January/February and April 1982.)

RFI Amendments to the Communications Act

New amendments to the Communications Act would permit the Federal Communications Commission (FCC) to contract with private laboratories to test transmitters for radio-frequency interference (RFI) potential and would end the licensing of CB operators, among other provisions.

The mark up of the Communications Technical Amendments Act of 1981 (H.R.5008) by the House subcommittee on telecommunications, consumer protection and finance is scheduled for early May. The measure is designed to increase the efficiency of the FCC; it has nothing to do with restructuring the nation's telecommunications system, which is being considered by the same subcommittee.

The proposal introduced by Congressmen Timothy Wirth (D-CO) and Allan Swift (D-WA) would let laboratories test new equipment in order to speed up the FCC's approval process. The rapid growth in the number of new devices has created a backlog of applications. At present, the FCC provides the testing service free of charge, but that might change.

A companion measure, the Amateur Radio Service and Private Land Mobile Radio Services Act of 1981 introduced by Senator Barry Goldwater (R-AZ), passed the Senate by a voice vote on September 25. The Senate bill (S.929) would require the FCC to set performance standards for audio and visual devices to reduce their susceptibility to RFI. If the Wirth amendments are approved, the two bills will go to a House-Senate conference to iron out their differences.

An earlier visit of the House amendments would have empowered the FCC to turn off interfering RF transmissions. This provision was dropped when the FCC accomplished the same goal by administrative rule. (See *MWN*, January/February 1982.)

Wirth, the chairman of the House subcommittee, held hearings on H.R.5008 on November 19, 1981.

NBS Workshop on Electromagnetic Calibration

The National Bureau of Standards (NBS) has scheduled a workshop to work out the technical requirements for accrediting laboratories that provide electromagnetic calibration services. The workshop will run from 1:00 pm on July 1 to 5:00 pm July 2 at NBS in Boulder, CO.

The workshop is designed to encourage discussion on the criteria to be used to evaluate labs under the National Voluntary Laboratory Accreditation Program (NVLAP). Last January, NBS formally agreed to include electromagnetic calibration services as part of NVLAP. (See *MWN*, January/February 1982.)

The workshop is open to the public, though interested parties must notify NBS of their intention to attend by June 1. NBS is expecting from 20 to 50 participants. For more information contact: Robert Gladhill, NVLAP Project Leader, NBS, Technology Bldg., Room B06, Washington, DC, 20234, (301) 921-2427.

US-USSR Behavioral and CNS Effects Workshop

The National Institute of Environmental Health Sciences (NIEHS) will host a workshop on the behavioral and central nervous system (CNS) effects of microwave radiation for American and Soviet scientists May 25-28 in Research Triangle Park, NC. The meeting is part of the on-going US-USSR cooperative program on biological effects of microwave radiation. Professor Michael Shandala, the director of the Institute of General and Communal Hygiene in Kiev, will head the Soviet delegation.

The workshop will review recent research results on the effects of both microwave and power line radiation. Dr. Donald McRee, the chairman of the US delegation, said that he anticipated there would be discussions on the design of sensitive

tests for behavioral and CNS effects at the meeting.

The other US scientists invited to attend the workshop are: Drs. Ross Adey, Ernest Albert, Carl Blackman, Don Justesen, Richard Lovely, Sol Michaelson, Clifford Mitchell, Mays Swicord and Howard Wachtel.

The workshop is open to the public. For more information contact: Dr. Donald McRee, NIEHS, PO Box 12233, Research Triangle Park, NC 27709, (919) 541-3382.

Research Papers from the Soviet Union

The Ukrainian Ministry of Health in Kiev, USSR, published a slim volume, *Hygiene in Populated Areas*, in 1981 (No. 20 in the Republican Interdepartmental Collection). The papers address a variety of environmental issues including air and water pollution, chemical wastes, pesticides and radiation. Listed below are those papers dealing with non-ionizing radiation. The titles were translated by *Microwave News*.

- Yu.D. Dumansky, L.G. Andrienko, N.P. Gordynya, S.A. Lyubchenko, "Electric Transmission Lines as a Source of Radiation of an Electromagnetic Field, and Questions of Environmental Hygiene."
- I.S. Bezdolnaya, "The Effect of 50 Hz Electromagnetic Fields on

the Formation and Flow of Complex Forms of Conditioned Reflexes in White Mice."

- M.G. Shandala, M.I. Rudnev, E.I. Obukhan, V.Ya. Akimenko, N.N. Chernenky, "The Effect of an Electromagnetic Field in the Superhigh Frequency Range (2375 MHz) on Various Functional and Morphological Indices in Ontogenesis."
- G.I. Vinogradov, N.M. Gonchar, N.G. Belonozhko, A.A. Zheleznyak, E.I. Vinarskaya, "Immunological and Hematological Effects of Low-Intensity Electromagnetic Fields in the Superhigh Frequency Range."
- S.M. Kochergin, "The Hygienic Study of an Electromagnetic Field of 20-22 kHz Frequency (Electric Construction)."
- S.V. Zotov, "Conditioned-Reflex Behavior in Animals Under the Influence of a Low-Intensity Pulsed Electromagnetic Field in the Superhigh Frequency Range."
- I.P. Los, L.A. Tomashevskaya, N.G. Nikitin, "Comparative Characteristics of the Biological Action of Electromagnetic Fields in the 3 cm and 8 mm Ranges."

Michael Shandala, a well-known microwave researcher, is also the co-author of a paper titled "The Quantitative Dependence of Indices of the Health of a Population on the Quality of the Environment."

UPDATES

Biological Effects.... Dr. C.E. Easterly of Oak Ridge National Laboratory's Health and Safety Division has just issued a report, *Biological Effects of Static Magnetic Fields: A Selective Review with Emphasis on Risk Assessment* (No. ORNL/TM-7860). He concludes that "three areas exist for which adequate information can be found to begin modelling: disease induction, reproduction and development, and cardiovascular response." It is available from the National Technical Information Service (NTIS), Springfield, VA 22161.... The Office of Naval Research (ONR) has awarded Professor William F. Pickering of Washington University, St. Louis, MO, \$212,000 for a 30-month study of the effects of "monochromatic and polychromatic" electromagnetic radiation on the membrane system of Characean algae. Pickering will be measuring the resting potential of the cells following exposure to bursts of CW and trains of pulsed radiation at frequencies between 10 MHz and 1 GHz as well as in the X-band (8-12 GHz).... Volume V, Numbers 2-4 of NTIA's digest of the bioeffects literature from October 1980 to June 1981 has been published. The report covers the period when work on the digest was temporarily suspended. (See *MWN*, April 1982.) The report (NTIA-CR-82-16) is available from NTIS.... Dr. Howard Wachtel of the University of Colorado, Boulder, is scheduled to talk on "Microwave Modulation of Neural Activity" in Bethesda, MD, on May 11 at the seminar series funded by ONR.... Wachtel will also be the moderator of a workshop on "Resolving Problems Associated with Electrodes with EM Fields" at the BEMS meeting to be held in Los Angeles at the end of June. Two other workshops are also planned: "Hyperthermia" and "Measurement Techniques for 60 Hz Electromagnetic Field Exposure Systems," moderated by Drs. F. Kristian Storm of UCLA and William Kaune of Battelle respectively. For more information contact: Pat Wright, BEMS, 1 Bank Street, Gaithersburg, MD 20878, (301) 948-5530.... The use of NMR to study the eye, featured in last month's issue, was also a cover story in the April 3 *Science News*.

Communications.... The FCC's FY83 budget request has been cut by \$2,454,000 from FY82 to \$74,446,000. But \$538,000 has been added for processing some 6,000 low-power TV applications.... If you missed the March 31 Private Operational-Fixed Microwave Forum, the FCC will copy its videotape onto your ¾" or ½" video cassettes. Contact: John Small, FCC Private Radio Bureau, (202) 632-7179.... MCI Communications Corp. plans on joining ICS Communications in a new company to provide mobile radio in Los Angeles, CA.... Europeans are interested in cellular radio markets too. SRA

Communications of Sweden is now offering its switching, control and base station system in the US.... To minimize frequency coordination needs, the US and Canada have divided up the 806-821/851-866 MHz bands along the border.... Dr. Robert K. Crane from the Thayer School of Engineering at Dartmouth College, Hanover, NH, gave an April 21 tutorial in Washington, DC, on propagation limits at 1-300 GHz for the FCC's Office of Science and Technology. Propagation phenomena, such as absorption and scattering, affect the reliability and interference potential of transmission systems.... The April 8 *New Scientist* explains Britain's frequency crunch and the mounting friction between the BBC and mobile radio users. The BBC is lobbying to speed up WARC's timetable for clearing mobile users from the 97.6-108 MHz band by 1995.

Compatibility & Interference.... The FCC has proposed a rule defining FM broadcasters' responsibility for remedying blanketed interference. This occurs when receivers near an FM station are unable to pick up other stations and is exacerbated when FM transmitting antennas are located in downtown urban areas. In 1980, the commission received more than 800 interference complaints. FCC action came in response to a petition from the Association of Federal Communications Consulting Engineers. Comments are due June 29.... The FCC has issued a bulletin on its rules for computers. Bulletin OST 54, March 1982, describes the regulations that limit radio emissions from computers and other devices using digital circuitry that could interfere with radio and TV communications. The FCC notes it received a complaint from the police of a western state alleging that a coin-operated electronic game was disrupting highway police communications at 42 MHz. Another case of RFI involved a popular personal computer which affected TV reception in nearby homes. The bulletin is designed to accompany OST 52, issued in June 1981. Copies are available from the FCC's Consumer Assistance Office, Washington, DC 20554, (202) 632-7000.... NBS has published *Methods of Suppressing Automotive Interference* (SP 480-44). It focuses on radio systems using narrow-band FM communications in the 25-900 MHz frequency range and the most common sources of RFI, including ignition systems and electric motors. It is available from the National Technical Information Service, Springfield, VA 22161 for \$6 (prepaid), order No. PB 82-165259.... The record of the June 4 and 10, 1981, hearings before the subcommittee on international operations of the House Committee on Foreign Affairs, *Region 2 Administrative Radio Conference on Medium Wave Frequency (MF) Broadcasting*, is now available. The subcommittee addressed two

principal issues at the hearing: channel spacing for AM radio and the problem of interference from Cuban stations. Among the documents entered into the record are interference maps for Florida broadcasters prepared by Jules Cohen & Associates of Washington, DC. . . . The FCC has tested the effects of a 1 kHz reduction in channel spacing on receiver performance and sensitivity. The results are reported in a technical memorandum (No. OST TM82-1), *AM Receiver Performance for 10 kHz and 9 kHz Signal Spacings*. For more information contact FCC's Hector Davis at (301) 725-1585 . . . The Radio Technical Commission for Aeronautics (RTCA) has issued a report on the interference of FM stations to airborne systems. Report No. DO-176, *FM Broadcast Interference Related to Airborne ILS, VOR and VHF Communications* recommends ways of limiting the problem. A copy is available for \$16 plus \$3 postage and handling in the US, Canada and Mexico or \$6 elsewhere from RTCA, Suite 655, 1717 H Street, NW, Washington, DC 20006, (202) 296-0484. All orders must be prepaid . . . The *New York Times* reports on the growing interference from unlicensed pirate radio stations in its April 24 issue. The piece cites WBUZ-FM operating out of Long Island, NY, at 103.1 kHz.

EMP. . . . The AF's Electronic Systems Division is developing a new nuclear-resistant communications technique that uses ground wave and operates at low frequencies, slightly below the commercial radio broadcast band, according to a report in the April 26 *Aviation Week and Space Technology*. The system, developed by R&D Associates of Marina del Rey, CA, will soon connect SAC and Aerospace Defense Command HQ with 11 SAC bomber bases . . . Clay Burdick of SAI Technology in San Diego, CA, describes the design of VDTs and keyboards that can survive EMP and other nuclear radiation in the March *Military Electronics/Countermeasures* . . . In contract news, the air force in Kirtland, NM, has awarded BDM Management Services Co. of McLean, VA, \$16.3 million for EMP testing, and the Naval Surface Weapons Center in Silver Spring, MD, is negotiating with Kaman Science Corp. of Colorado Springs, CO, to support its tacamo EMP hardness assurance program.

Government. . . . ERMAC and FMAC are still working on their statements which would assure the public that there is nothing to fear from low levels of non-ionizing radiation. (See *MWN*, January/February 1982.) ERMAC's Dr. Sam Koslov has completed a draft which is a synthesis of the council member's submissions. The present draft does not specify a number at which exposures are safe. Instead, it refers to those levels found in EPA surveys of US cities as being without risk. Koslov's version will now be reviewed by the full ERMAC membership. FMAC discussed its statement at a meeting held in Washington, DC, on April 30. It appears they have not progressed as far as ERMAC. A NTIA spokesman said that FMAC has no firm timetable for completing its draft . . . Senator Clairborne Pell (D-RI) described the case of Charles Day to the members of the Senate Judiciary Committee's subcommittee on agency administration on April 14. Some believe that microwaves were responsible for Day's death (see *MWN*, April 1982) . . . The new agreement among FDA's Bureau of Radiological Health, Bureau of Medical Devices and Bureau of Biologics became effective on April 1. BRH will now assume greater responsibility for radiation-emitting devices such as those used for NMR, hyperthermia and diathermy. The radiology section of the Obstetrics-Gynecology and Radiologic Devices Panel will be transferred from BMD to BRH and will be converted to an advisory committee for all BRH devices. For a copy of the agreement contact: Documents Management Branch (HFA-305), FDA, Room 4-62, 5600 Fishers Lane, Rockville, MD 20857. And for more information contact BRH's Robert Phillips, (301) 443-3426 . . . The FCC has proposed that authorization for speed-detection radar units be included as part of the mobile radio station authority issued to police licensees in an effort to reduce paperwork. (See 47 *FR* 16661, April 19.)

Litigation. . . . The trial of *Leo Schuerman v Pacific Telephone* has been continued from May 10 to September 27. Schuerman is charging the telephone company with nuisance, trespass and conducting a haz-

ardous activity in the building of a point-to-point microwave relay system from Los Angeles to San Diego. (See *MWN*, April 1982.)

Medical Applications. . . . NCI has prepared a transcript of the March 17 pre-solicitation conference on its hyperthermia quality assurance program. The institute has also assembled a short list of references on the state-of-the-art and the facilities available at BRH. For more information contact: Dr. Thomas Strike, Division of Cancer Treatment, NCI, Bethesda, MD 20205, (301) 496-5297 . . . Clini-Therm Corp. announced that it has temporarily suspended its engineering operations, including its work on hyperthermia systems, pending the completion of new financing. In a telephone interview, Phillip Berry, the company's president, said he expects some good news soon . . . Scientists at Corning Glass Works in Corning, NY, have been granted a patent for the use of iron crystals to focus RF energy in cancer heat treatment. More work on the new system will be carried out at Mount Sinai Hospital in New York City . . . The *IEEE Transactions on Biomedical Engineering* is planning a special issue on hyperthermia and cancer therapy. A late 1983 publication date is anticipated. For more information contact: Dr. John Strobehn, Thayer School of Engineering, Dartmouth College, Hanover, NH 03755 . . . There is a report on the first Oxford meeting on topical NMR in the April 22 *New Scientist* . . . A group from University College, London, and Oxford Research Systems survey the NMR applications to *in vivo* studies of muscle composition and metabolism in the March 27 *Lancet* . . . The *Journal of Microwave Power* is planning a special issue on electromagnetic techniques in medical diagnosis and imaging. For more information contact: Dr. Carl Durney, Department of Electrical Engineering, University of Utah, Salt Lake City, UT 84112 . . . The workshop on *Medical Applications of Electromagnetic Energy* scheduled for June 18 in Dallas, TX, will feature three invited papers: Dr. Ian Pykett of MGH in Boston on NMR, MIT's Dr. Alan Barrett on radiometry and imaging, and Dr. Gilbert Nussbaum of the Mallinckrodt Institute on hyperthermia. For more information contact: Dr. Gordon Short, BSD Medical Corp., 420 Chipeta Way, Salt Lake City, UT 84108, (801) 582-5550 . . . Researchers at the University of Pennsylvania have devised an electrical device to straighten teeth in half the time now required, according to an item in the April 16 *Wall Street Journal*. The device emits a tiny electric current that stimulates movement of the bony sockets holding the teeth. It may one day be used to treat gum disease and to help denture wearers.

Military Systems. . . . The AF's Electronic System Command at Hanscom AFB is testing a new radar that can automatically diagnose its own problems. The AN/FPS-117 radar is designed to replace those at the Alaskan Air Command. The fully automatic unit can give range and position of aircraft 200 miles away at a height of up to 100,000 feet . . . DoD cancelled its Autodin II military data transmission system. Western Union was the prime contractor for the new automatic digital network which became operational last year. DoD has awarded Bolt, Baranek & Newman a contract to set up a new network. Western Union has protested the decision to GAO . . . The use of synthetic aperture radar on the F-15 fighter is described in the April 26 *Aviation Week & Space Technology* . . . The AF has awarded three \$4 million contracts for designs of the new Milstar satellite communications system to TRW, Lockheed and Ford Aerospace, according to the April 19 *Aviation Week* . . . Lt. Col. John Alexander told a reporter for *Omni* that he sometimes carries around a matchbook-size transmitter, an ELF generator, to interfere with Russian ELF radiation attempting to jam our brain signals. The Pentagon official is quoted in the magazine's April issue.

Ovens. . . . DOE has decided not to set energy efficiency standards for most major household appliances including microwave ovens. In announcing its proposed rule (47 *FR* 14424, April 2), DOE states that such standards "would not result in a significant conservation of energy or be economically justified." Congressman Richard Ottinger (D-NY) condemned the move as "among the worst and most conspicuous anti-consumer actions taken by this administration." He announced that he would introduce legislation that would give the

states the authority to set their own efficiency standards. DOE will hold hearings on its proposal in Chicago May 11-12 and in Washington, DC, May 18-21. Written comments are due by June 16 and reply comments by August 2. . . . Microwave oven shipments in March were up a little from March 1981: 304,600 vs. 299,800. The total for the year is 918,000, down nearly ten percent from last year.

Power Lines. . . . DOE's power lines research program has been cut out of the administration's FY83 budget, though Congress could restore the funds later this year. Meanwhile, program head Alec Bulawka has moved over to the department's photovoltaics project and has been replaced by Ken Klein. Copies of last year's *Project Resumé: Biological Effects From Electric Fields Associated with High Voltage Transmission Lines*, are available from Klein: DOE, Forestal Building, Mail Stop 5E 052, Washington, DC 20585. . . . The New York State Overhead Power Lines Project will allocate up to \$500,000 for epidemiological studies of 60 Hz radiation. It may attempt to replicate Dr. Nancy Wertheimer's study of 60 Hz fields and the incidence of childhood cancer, but the state will delay issuing an RFP until it completes a reanalysis of Wertheimer's data. Fifteen other research contract awards were announced at an April 27 meeting in Albany. (See *MWN*, April 1982.) . . . The Minnesota Environmental Quality Board (MEQB) has approved the first stage of a \$86,000 retrospective study of dairy cattle health and performance near power lines and is continuing from last year its monitoring of electric fields and ion currents near the lines. According to George Durfee, manager of the state's Power Plant Siting Program, the board will use the data as well as the final recommendations of a scientific advisory panel to reevaluate power line siting and operating permit requirements late this year.

Satellite Communications. . . . Hughes Aircraft's proposal for a satcom station in Brooklyn was approved by local Community Board 5 on April 28. The New York City Planning Commission will now hold a public hearing on the plan May 19. Another hearing before the Board of Estimate will follow. (See *MWN*, April 1982.) . . . The King County Department of Planning and Community Development will hold another hearing on Alascom's proposed satcom station for Vashon Island, WA, on May 4 in Seattle. . . . The hearing record for *Satellite Communications/Direct Broadcast Satellites*, held December 15, 1981, is now available from the House Energy and Commerce Committee. . . . According to an FCC report prepared to help form US policy for the International Telecommunications Union conference next year, the US will need between 68 and 205 DBS channels by the year 2000. . . . Oak Industries has leased transponder space from Telsat Canada for the direct-to-home pay TV it plans to offer in 1983. United Satellite acquired its satellite space for DBS earlier this year. . . . "Biznet," the two-way satcom service being launched by the US Chamber of Commerce, worries some public interest groups. An article in the April 13 *Wall Street Journal* examines their fears. . . . Hughes Aircraft has captured a billion-dollar contract to build up to 16 Intelsat VI satellites despite strong protests from Ford Aerospace and Communications. . . . The Intelsat VIs will "act like giant telephone switchboards in the sky," explains an April 15 article in *New Scientist* on how the satellites will route calls to different destinations from space. . . . A report on last month's IASU conference in Dallas, TX, appears in the April 12 *Broadcasting*. . . . FCC Commissioner Joseph Fogarty believes the domestic satellite market should be regulated until a truly competitive marketplace exists. In an April 22 speech, Fogarty said RCA's failure to lease five out of eight transponders offered for \$13 million each demonstrated that the tariff was excessive.

Technology. . . . OTA Director John Gibbons told the transportation subcommittee of the House Appropriations Committee that the FAA's National Airspace System Plan is a "significant and bold" proposal but lacks a "clear statement of priorities and contingencies." He based his assessment on the new OTA study, *Airport and Air Traffic Control System*. The FAA is planning a 10-year, \$10-billion upgrading of the system, including widespread use of the microwave landing system. The report concludes that the MLS "will provide more precise and reliable guidance for landing in adverse weather conditions" and "will lead to more efficient airport

capacity." . . . The possibility of using RF heating of oil shale to tap the huge deposits in Western states is reviewed in the February 22 *Chemical Engineering*. Texaco, Raytheon, and IITRI are all working on processes. . . . MIT's Henry Kolm and Peter Mongeau review rail-gun technology in the April *IEEE Spectrum*. . . . The use of lasers instead of microwaves to transmit energy collected by solar power satellites is discussed in a series of papers in the most recent issue of *Space Solar Power Review* (Vol. 3, No. 1). . . . An AP story filed from Peking on April 30 discloses that China has started using radar to catch speeders. . . . Ronald Seaman and Michael Studwell of Georgia Tech will present a paper on "Electromagnetic Surveillance of Baggage for Agricultural Contraband" at the May 12 meeting of the University of Kentucky's 16th annual conference on security technology.

VDTs. . . . Several of the Bell Canada VDTs that emitted X-rays above background levels in company checks (see *MWN*, April 1982) are being rechecked at the government's special, low-level X-ray testing facility in Ottawa. Dr. Ernest Letourneau of the Health Protection Branch of Canada's Department of Health and Welfare said the initial readings were probably the result of a procedural error and that the new tests are just a precautionary measure. Bell's readings ranged from 0.08 to 0.23 mR/hr, with a variation of 0 to 0.14 mR/hr above background. . . . In a new program started in December, Letourneau's branch has tested about 50 other VDTs for low-level X-rays. . . . Toronto City Hall VDTs will be tested regularly for radiation leaks. According to a brief notice in the April 15 *Toronto Star*, the city's executive committee decided on the move because some of the terminals are already ten years old. (A cluster of miscarriages among workers at a provincial government office in Toronto's Old City Hall received wide publicity last month.) . . . An *International Forum on the Effects of Low-Level EM Radiation and the Question of VDTs* is scheduled for June 4 at the University of Ottawa to coincide with the *First International Symposium on the Biological Effects of Electromagnetic Radiation*. Registration before May 20 is \$175 (Canadian) and \$200 (Canadian) thereafter. Contact: Professor William Kuhns, Department of Communications, University of Ottawa, Ottawa, Ontario K1N 6N5, (613) 231-3365. . . . COMAR's position paper on VDTs is slated to come up for approval before the IEEE Technical Activities Board in late May. The paper concludes: "There is no cause for concern regarding hazards associated with emissions of ionizing and non-ionizing radiation from video display terminals. Improved application of stress-reducing biotechniques and the education of the operator are the areas where expenditures of additional resources would be most beneficial." . . . "Tomorrow's Technology, Today's Headache," a slide-sound presentation on VDTs produced for NYCOSH, is available for rental (\$25) or sale (\$75). Contact: Shop Talk Productions, 155 West 72 Street, New York, NY 10023, (212) 580-1881.

Etc. . . . The IEEE's Committee on Man and Radiation's (COMAR) position paper on "Human Exposure to Microwaves and Radiofrequency Electromagnetic Fields" has been approved by the IEEE and is now available from the institute's Washington office. Contact: Edith Carper, 1111 19th Street, NW, Washington, DC 20036, (202) 785-0017. The paper had been the subject of a dispute between some members of COMAR and the IEEE's Committee on Social Implications of Technology (CSIT)—see *MWN*, October 1981. Since then, CSIT has been upgraded into a full IEEE society (SSIT) with Robert Bogumil as president. Bogumil offers some additional thoughts on the revised COMAR statement in an open letter to COMAR chairman Dr. Om Gandhi. They appear in the first issue of SSIT's new quarterly magazine, *Technology and Society*, dated March. Meanwhile COMAR is completing another position paper on VDTs. See VDT Update for details. . . . The 1981 annual report of the National Council on Radiation Protection and Measurements (NCRP) has been released. One interesting fact buried on page 33 indicates that its report No. 67 on the properties, measurement and biophysical interactions of RF fields (see *MWN*, October 1981) was NCRP's best seller of 1981. . . . French researcher Dr. Andre Berteaud of the CNRS is visiting Professor Ernest Albert's laboratory at George Washington University for six months beginning April 1.

LETTERS

To the Editor: My motive in writing is to point out the irony that after 40 years experience and ten years of escalating research into the biological effects of microwaves, the January/February 1982 issue carries on page five Dr. Koslov's "violent objections" to a standard of 5 mW/cm² ABOVE 1.5 GHz, while on the very next page Professor Grant is quoted as saying that although 10 mW/cm² may be adequate above 1 GHz, it is too high BELOW 1 GHz!

If these workers were economists, this would be quite understandable, but for supposedly scientific experts it seems to underline the degree of prejudiced intuitive interpretation which is going to be typical of this field for some time.

Thank you for your energies in maintaining an informative and balanced source of information in this important area.

Michael Hulley (SM-IEEE)

21809 Diller Lane, Boyds, MD 20841

To the Editor: Several telephone calls recently have come in from colleagues, all of whom have declared their disbelief that I authored or co-authored the review of biological effects of microwaves for the EIS re RCA's proposed satellite uplink in Bainbridge Island, WA. (See *MWN*, April 1982.) I share their disbelief from the near-perfect perspective of personal knowledge.

The specifics are: RCA contracted with CH2M Hill, Inc., of Seattle, to perform the EIS. CH2M, in turn, obtained the services of Bill Guy as a subcontractor to provide analytical projections of uplink-associated field strengths on Bainbridge Island and to provide a review of the pertinent literature on biological effects. Bill Guy, in turn, asked me to help with the latter, which I did. But my *draft*, never completed, was not used by CH2M Hill in compiling the draft EIS they released for external review in connection with the Bainbridge Island siting. Rather, CH2M Hill contracted with staff of the Battelle Human Affairs Research Center in Seattle, WA for the biological-effects review. Bill Guy had no part in this review, nor did Richard Phillips or any other scientific staff of the Battelle Pacific Northwest Laboratories, which are located in Richland, WA.

Don R. Justesen

Director, Neuropsychology & Behavioral Radiology Laboratories 151-L, VA Medical Center, 4801 Linwood Blvd., Kansas City, MO 64128

Microwave News invites letters from its readers. We ask writers to be brief, and we reserve the right to edit contributions for length.

DoD RF/MW Review (continued from p. 1)

the ACGIH standard. The proposed ANSI standard spans the frequencies between 300 kHz and 300 GHz, while that of the ACGIH reaches down to 10 kHz.

A similar position was taken by John Mitchell, chief of radiation physics at the air force's School of Aerospace Medicine at Brooks AFB, TX. Mitchell submitted comments to McDermott as the chairman of the Tri-Service Electromagnetic Radiation Panel.

Wood said that his report had not been submitted yet, and he refused to comment on the air force position. McDermott refused to discuss the army's view.

The air force is in the midst of revising its own occupational safety and health standard. A proposal by the School of Aerospace Medicine and the Occupational Environmental Health Laboratory at Brooks would bring the air force standard into line with the new ANSI standard. The air force proposal is now under review and should emerge in two or three months.

On February 11, about a dozen representatives of both the medical and user microwave communities assembled at the Pentagon to discuss the new standards.

Meanwhile, the committee that drafted the new ANSI standard has now officially submitted it to ANSI for final approval. The ACGIH standard was to be discussed at a meeting of its physical agents committee on April 22-23. The meeting was cancelled and has been rescheduled for sometime during the week of June 6-11 at the joint conference of the ACGIH and the American Industrial Hygiene Association in Cincinnati, OH.

Pulsed Magnetic Fields (continued from p. 1)

in the current density to $\pm 20\%$ of the mean. The system is similar to one used in clinical trials in England to treat non-union fractures.

This new research builds on the well-known work of Drs. Ross Adey, Suzanne Bawin and Carl Blackman on calcium efflux from brain tissue induced by 16 Hz amplitude modulated radiofrequency fields. In a telephone interview, Blackman commented that this "was very interesting work which opens up a line of research using a well-defined biological system."

Dixey and Rein offer the following hypothesis to explain the induced release of noradrenaline by the pulsed magnetic field: "The cation binding sites on the outer surface of the plasma membrane may be highly sensitive to such weak stimuli and that subsequent cooperative changes in [calcium ion] binding may influence membrane stability, thereby promoting [calcium ion] entry and vesicular release." That is, they suggest weak magnetic fields could damage the surface of the cell membranes.


By adding magnesium ions to the medium, they eliminated the observed effect. They speculate that the release occurs via a secretory mechanism similar to the one in which calcium ion fluxes are involved. They deem this possibility unlikely, however, given the weakness of the electric field.

Further studies will be necessary to test their theory and to explore the frequency of dose dependence of the experimental system. Once replicated, such research on cultured PC12 cells may become a powerful complement to experiments that probe the effects of low frequency pulsed magnetic fields on whole animals.

In 1975, Dr. Bernard Servantie and co-workers reported that white rats exposed to a 3 GHz pulsed microwave field with a pulse repetition frequency (PRF) between 500 and 600 pulses per second for ten days at an average power density of 5 mW/cm² (peak power of 150 kW) resulted in a frequency synchronous to the PRF on the occipital EEG. They found that the frequency persisted for a few hours after the irradiation was terminated. (*Ann. NY Acad. Sci.* 297, 82, 1975)

MICROWAVE NEWS is published monthly, except in January and July • ISSN 0275-6595 • PO Box 1799, Grand Central Station • New York, NY 10163 • (212) 794-9633 • Editor: Louis Slesin, Ph.D., Associate Editor: Martha Zybko • Subscription: \$165 per year (overseas \$200) • Copyright © 1982 by Louis Slesin • Reproduction in any form is forbidden without written permission.

MICRO WAVE NEWS



Vol. III No. 4

A Monthly Report on Non-Ionizing Radiation

May 1983

INSIDE...

HIGHLIGHTS

pp.2-5

Three States Hold Hearings on VDTs
Air Force and Navy to Fund VLF
Hazard Study
ANSI C63: Progress on EMC Standards
BSD's Hyperthermia Unit Nears Approval
Narda To Develop Navy Radiation
Hazard Meter
Over-the-Horizon Radar EIS
Project ELF Radiation Survey
RF/MW Exposure Limits Proposed in
Oregon
Zurich EMC Symposium
WHO Non-Ionizing Radiation
Protection Report
URSI Meeting on MM Waves Bioeffects
NAS Studies on Atmospheric Electricity
and Emergency Communications Systems

LETTERS

p.8

CONFERENCE CALENDAR

p.8

UPDATES

pp.5-8

Biological Effects
Communications
Compatibility & Interference
EMP and Microwave Weapons
Government
International
Litigation
Measurement
Medical Applications
Ovens
Power Lines
Satellite Communications
Standards
VDTs
Etc.

ANSI Exploring RFI Standards for Home Electronic Equipment

The American National Standards Institute (ANSI) has set up a task group to explore ways of meeting a congressional mandate to reduce radiofrequency interference (RFI) to home electronic equipment. The group, working under the chairmanship of American Bell's Don Heirman, will suggest methods of enhancing the immunity of television sets, radios and personal computers from spurious radiation.

Members of ANSI's C63 Committee on Radio-Electrical Coordination decided to form the ad hoc panel at an April 6 meeting in Washington, DC, after the Federal Communications Commission's (FCC) Robert Ungar urged industry to design consumer products with greater immunity to RFI. "The FCC will act if no one else does," he said, "but we have neither the staff nor the resources to devote to this—and we certainly cannot do this in a short amount of time." Ungar is with the commission's Office of Science and Technology.

Congress authorized the FCC to set minimum performance RFI standards in the Communications Amendments Act of 1982 (see *MWN*, September and October 1982). The commission is not *required* to set standards, however—it can opt for alternatives like warning labels. Whatever the approach, Congress cautioned that it expects "the number of interference complaints recorded and investigated by the commission to be significantly reduced." (In fiscal year 1982, the FCC received over 60,000 complaints of RFI to home entertainment equipment.)

In a telephone interview from his office in Holmdel, NJ, Heirman said that he has asked the task group to assemble in Washington during the week of May 9. He plans to discuss FCC needs at the June 23 meeting of the Institute of Electrical and Electronics Engineers' (IEEE) Standards Board. In addition to Heirman, the members of the group are Harold Gauper of General Electric, Eb Tingley of the Electronics Industries Association's Consumer Electronics Group and FCC's Daniel Yates.

The ANSI C63 committee has also invited a representative from the American Radio Relay League (ARRL) to join the task group. Perry Williams, ARRL's Washington area coordinator, said that Hugh Turnbull would participate. Turnbull is the chairman of the league's RFI task group. Both Williams and Turnbull said they were "delighted" by the ANSI initiative and are prepared to accept a "meaningful" voluntary approach because it would be quicker than a government solution. ARRL lobbied for the RFI provisions when the amendments were still in congressional committee.

Professor Ralph Showers of the University of Pennsylvania, the chairman of the

(continued on p. 8)

To Our Readers

Microwave News is expanding to 12 pages. Beginning with the July/August issue, all our reports will be printed in larger type to make reading easier. In addition to providing more room for news, the new format will enable us to add a small classified ad section. For information on placing a notice in *Microwave News*, please call us at (212) 794-9633.

HIGHLIGHTS

Three States Hold Hearings on VDTs

Video display terminal (VDT) workers, owners and manufacturers gathered at hearings in three states last month to discuss proposed safety regulations. Although the VDT measures are hotly debated, with labor pro and business con, legislative committees in Massachusetts, New York and Oregon appear to favor some type of action.

In Massachusetts, the Committee on Commerce and Labor recommended passage of House Study Bill No. 2267 after an April 20 hearing. If the measure is approved, a group will be set up this summer to investigate VDT safety issues. A second house bill (No. 2658) containing specific rules for VDT use and work place design is in abeyance.

New York's April 14 hearing left Assemblyman Frank Barbaro convinced that VDT legislation is needed and he plans to introduce a bill in early May. (At Barbaro's invitation, the Assembly Labor Committee will hear a VDT presentation from the New York Committee for Occupational Safety and Health on May 10.) Meanwhile, the NY Senate Labor Committee has decided not to consider a bill proposed by Senator Joseph Montalto: Senate Bill No. 4314 would have required employers to furnish "a radiation protection jacket or blanket" to pregnant VDT operators upon request.

Oregon's Senate Labor Committee has yet to act on Bill No. 568. Members heard from 40 witnesses at a seven-hour hearing on April 25. Observers say the committee is sympathetic to worker and union requests for legislation and anticipate that the bill, with slight modification, will go to the senate.

For a brief review of these bills and proposals in several other states, see our April issue. ●

Air Force and Navy To Fund Study of VLF Hazards

The air force and navy will soon sponsor a joint study of hazards associated with exposures to very low frequency (VLF) radiation (10 kHz to 3 MHz). Four bids were received in response to a November request for proposals, and, according to William Hurt at the Air Force School of Aerospace Medicine in San Antonio, TX, an award will be announced in June or July.

One of the project's main objectives is to recommend "realistic" occupational and general population safety standards for VLF radiation. These will be defined either by conditions that produce induced currents resulting in perception, shock, fibrillation or burns, or a 0.4 W/Kg whole-body specific absorption rate (SAR) or 8 W/Kg local SAR in any one gram of tissue, whichever is the most restrictive.

The research project does not include any experimental studies of the biological effects of VLF radiation. The contractor will estimate induced body currents and calculate SARs produced by electric fields as a function of frequency, as well as measure radiation levels at specific sites near sources operating at 20, 50, and 100 kHz as well as 3 MHz.

This effort is a continuation of three preliminary studies (*VLF Hazards Analysis*) funded by the air force and completed last summer by (1) O.P. Gandhi and I. Chatterjee at the University of Utah, Salt Lake City; (2) A.W. Guy and C.K. Chou at the University of Washington, Seattle; and (3) D.J. Schaefer, W.B. Warren and F.L. Cain at the Georgia Institute of Technology in Atlanta. All three found the existing data base on the bioeffects of VLF radiation to be very limited. As Guy and Chou note, "The current status of research is very similar to that of microwave

research in the early 1960s." They found that the majority of the available studies are from the Soviet Union.

The three reports are not readily available. Those interested in obtaining copies should contact William Hurt, AF School of Aerospace Medicine, Brooks AFB, TX 78235, (512) 536-3749. The Utah group published some of their results in the December 1982 issue of the *Proceedings of the IEEE*. ●

ANSI C63: Progress on EMC Standards

Members of the American National Standards Institute's (ANSI) C63 committee assembled in Washington, DC, on April 6 to consider a wide range of pending electromagnetic compatibility (EMC) issues (see *MWN*, December 1982). The one major item of new business was the formation of a special task group to consider ways of improving the immunity of home electronic equipment from radio frequency interference (RFI) - (see story on p.1).

The chairman of C63, Professor Ralph Showers of the University of Pennsylvania, announced that he plans to hold a vote on the revised ANSI C63.4 standard, which includes "Open Area Test Sites" (OATS), by August. Don Heirman of American Bell (Holmdel, NJ) circulated the tenth draft of the OATS document, which he has now integrated into the body of the C63.4 standard on methods of measuring radio noise emissions (10 kHz-1 GHz). All subcommittee 1 comments on the draft are due by June 1.

In an update on the activities of the International Special Committee on Radio Interference (CISPR), Herbert Mertel of EMACO (San Diego, CA) said that there is intense interest in Europe—especially in the Scandinavian countries—on the development of immunity standards for electronic products. This has resulted in numerous requests for draft standards and documents. The committee decided that only abstracts of working papers would be made available and that Mertel will act as the contact for foreign inquiries. Mertel also announced that CISPR subcommittee A will soon issue a document on test sites.

Wallace Amos of Burroughs Corp. (Paoli, PA) reported that subcommittee B failed to agree on a standard for data processing equipment. He said that he believes emission limits will have to be lower than those adopted by the Federal Communications Commission (FCC) if an international consensus is to be reached. Because no subcommittee B meetings are planned before 1984, he added, new standards could not be adopted before 1985.

FCC's Art Wall explained that there is a growing difficulty in distinguishing between the equipment addressed by CISPR's subcommittees B and F (B is on industrial, scientific and medical equipment, and F is on motors, household appliances and lighting apparatus). He cited computers as an example: they fit into both groups. New classification schemes could be based on power, or site of use (home vs. office). T. Lamont Wilson, a consultant based in Louisville, KY, will chair a task group to formulate a US position on the Band F problem.

Before the full committee met, members of ANSI C63's subcommittee 1 received the second draft of *Immunity Measurements: Procedures and Equipment for Electronic Products*, which was prepared by Heirman. The subcommittee voted unanimously to recommend that it be issued as a separate document instead of as additions to the C63.2 and C63.4 standards. "In that way all the immunity material will be in one place," explained Heirman. The proposal was passed on to the full C63 committee, which has yet to act on the proposal. Members of the immunity task force are expected to comment on the draft by June 1; Heirman would like to schedule a vote by late June and forward the document to the parent committee by September.

EMACO's Mertel detailed his progress in writing a national EMC standard. While there is still some question as to what will be included in the text and what will be incorporated by reference, he hopes to complete a first draft by August 1, and finish the document by next year.

Subcommittee 1 Chairman Edwin Bronaugh attempted, unsuccessfully, to recruit a chairman for a new task group to set limits on RF emissions and susceptibility of medical devices. Bronaugh, who is with Electro-Metrics (Amsterdam, NY), was able to set up two other task groups: Harold Gauper of GE (Schenectady, NY) will head a panel on the interpretation of quasi-peak measurements, and Marge Stone of AEL Industries (Farmingdale, NJ) volunteered to chair a group on extending C63.4 to automatic test equipment, including spectrum analyzers and automatic scanning receivers.

Richard Schulz of the IIT Research Institute (Annapolis, MD) announced the publication of two new handbooks he prepared for the Electromagnetic Compatibility Analysis Center (ECAC) under a contract from the Air Force Electronic Systems Division: *EMC Standards Manual, Revision 4*, (No. ECAC-HDBK-82-043) and *Radiation Hazards Manual, Revision 2*, (No. ECAC-HDBK-82-005). Both volumes are dated November 1982 and can be ordered from the National Technical Information Service (NTIS), Springfield, VA 22161. (Order numbers and prices were not available at press time.)

The next meeting of both the full C63 committee and subcommittee 1 will be on August 26, following the EMC Symposium (see Conference Calendar, p.8). ●

BSD's Hyperthermia Unit Nears Approval

The Food and Drug Administration's (FDA) Radiologic Devices Panel has found BSD Medical Corp.'s hyperthermia unit to be "approvable" for marketing subject to certain conditions. Dr. William Dirksen, BSD's director of research and regulatory affairs, said that he was "very pleased" with the FDA's decision and that the company is now negotiating with the agency on labelling language. The label will stipulate how the unit can be used in cancer treatment.

If BSD's hyperthermia system wins approval, it would become the first commercially available radiofrequency and microwave (RF/MW) heat treatment for cancer therapy in the United States. Two years ago, the FDA refused to okay the Magnetron unit developed at Henry Medical Electronics and the University of California Medical School in Los Angeles (see *MWN*, May 1981).

The BSD-1000 hyperthermia unit operates at any frequency between 50 and 1,000 MHz and can use a variety of local applicators, either singly or in combination, to heat tumors with RF/MW energy. It is designed to operate in a RF-isolated screen room.

Before the BSD unit can be marketed, it must still win a positive recommendation from the advisory panel as well as official approval from the FDA. The panel's most recent decision was reached over the telephone; final approval can only come at a formal meeting. FDA's Dr. Robert Phillips, the panel's executive secretary, expects a meeting will be held in early summer.

At a December 9 meeting, the radiology panel voted two to one against granting BSD's application for premarket approval pending more data on its efficacy. Specifically, the panel objected to the lack of statistical controls in the clinical data presented by BSD (see *MWN*, January/February 1983). Dirksen said that BSD submitted the necessary information to the panel, and that formed the basis for its revised opinion. BSD is based in Salt Lake City, UT. ●

Narda To Develop Radiation Hazard Meter for the Navy

The Naval Surface Weapons Center in Dahlgren, VA, has awarded Narda Microwave Corp. a \$200,000 contract to develop a meter for measuring radiation exposures in the 2 MHz to 40 GHz frequency range. The radiation hazard test set, designated AN/PSM-46, is part of the navy's Combat Readiness Electromagnetic Analysis Measurement (CREAM) program.

The meter will be keyed to the new American National Standards Institute (ANSI) C95.1-1982 safety standard, and will display radiation levels as a percentage of the maximum permissible exposure levels—independent of the number of incident signals, their frequency, direction, polarization or modulation characteristics.

Although the navy is still using a flat 10 mW/cm² exposure standard, the adoption of a new standard identical to ANSI's is under consideration. According to Lt. Roby Enge of the Naval Medical Command, the proposed revision is still in draft form and is now being reviewed by the navy's operational and medical commands.

Paulo Perini, a staffer with the CREAM program, points out that the lower frequency limit for the test set is 2 MHz, in contrast to 300 kHz for the ANSI standard, because there are no radiation sources below 2 MHz aboard navy ships.

The Narda contract was signed April 1 and runs nine months. The navy will then evaluate the test set and decide how to proceed. Narda is based in Hauppauge, NY.

Also in April, Loral Corp. of New York City bought Narda Microwave Corp. for approximately \$45 million in stock. Loral is a major producer of electronic warfare systems. ●

Over-the-Horizon Radar EIS

The air force has released a draft environmental impact statement (EIS) for the construction and operation of its west coast over-the-horizon backscatter (OTH-B) radar. The system, which operates in six frequency bands between 5 and 28 MHz, can detect aircraft flying at any altitude at a distance of 500 to 1,800 miles.

The air force is considering two sites in Oregon for the transmitting antenna; the location of the receiver will be in northern California. According to the EIS, the calculated average power densities at ground level outside an exclusion fence would not exceed 100 uW/cm² for any OTH-B frequency: "Predicted values of average power density at ground level are less than 2 uW/cm² for all inhabited areas in the general vicinity of the two candidate transmitters." The air force notes that the validity of its computation methods was confirmed by measurements made in June 1981 at the experimental OTH radar station in Maine. No impacts on pacemakers outside the exclusion fence are anticipated.

The air force anticipates there will be no radiofrequency interference (RFI) in high frequency amateur bands and maritime or aeronautical mobile bands. Land mobile radio will be affected within three or four miles of the transmitter, with some AM and

MICROWAVE NEWS is published monthly, except in January and July • ISSN 0275-6595 • PO Box 1799, Grand Central Station • New York, NY 10163 • (212) 794-9633 • Editor: Louis Slesin, Ph.D., Associate Editor: Martha Zybko • Subscription: \$200 per year (overseas \$235) • Copyright © 1983 by Louis Slesin • Reproduction in any form is forbidden without written permission.

FM interference within about two miles. There may be some RFI in international broadcast bands, but the air force cannot predict when or where. In addition, harmonics could interfere with very high frequency air-to-ground communications within a few miles and omnirange (VOR) receivers within 30 miles. In both these instances, however, the air force says mitigation measures could prevent unwanted RFI.

Comments on the EIS are due by June 10. For more information, contact Mr. Ro Raffa, Electronic Systems Command, Hanscom AFB, MA 01731, (617) 271-7976.

The air force is in the process of building a full-scale OTH-B in Maine on the site of the now dismantled experimental OTH radar system (see *MWN*, September 1982) and has begun planning a third, south-looking system. In addition, the Naval Electronic System Command is developing an OTH radar that can be moved by ship, aircraft or truck. ■

Project ELF Radiation Survey

The IIT Research Institute (IITRI) staff has measured the electric and magnetic fields associated with the navy's Clam Lake ELF facility in Wisconsin. Radiation levels associated with both the Project ELF antennas at 76 Hz and low voltage power lines at 60 Hz were measured at more than 50 locations within a 25-mile radius of the navy facility. IITRI is based in Chicago, IL.

In general, the data show that magnetic and electric fields are higher near buildings than in open areas. The maximum 76 Hz magnetic field one mile from the ELF antennas was 1.4 milligauss in an inhabited location and 2.4 milligauss along a highway. At distances greater than ten miles from the facility, the maximum magnetic fields were 0.48 milligauss (inhabited) and 0.23 milligauss (uninhabited). There was little difference between the intensity of the magnetic fields measured inside and outside at each location.

For 76 Hz electric fields, the maximum recorded values in the soil near the Clam Lake station were 0.08 V/m (inhabited) and 0.03 V/m (uninhabited). In the air, the levels were 0.12 V/m (indoors, inhabited) and 0.16 (outdoors, inhabited) and 0.094 V/m (uninhabited). At more than 10 miles from the antennas, the maximum values in the soil were: 0.0013 V/m (inhabited) and 0.017 V/m (uninhabited); and in the air: 0.01 V/m (indoors, inhabited), 0.021 V/m (outdoors, inhabited) and 0.03 V/m (uninhabited).

In an analysis of the IITRI survey results, Dr. Nancy Wertheimer and Ed Leeper, who have linked weak levels of power line radiation with cancer, consider the 0.48 milligauss level to be "surprising" and suggest that the "fields are being dispersed by some means quite different from the usual field dispersal from power lines—perhaps by leakage of ELF currents into power lines and other conducting channels." They urge more study of these dispersal mechanisms. Wertheimer and Leeper's studies indicated that homes with an increased cancer risk had a median magnetic field of about 1 milligauss (see *MWN*, March 1983). ■

Public RF/MW Exposure Limits Proposed in Oregon

Oregon State Senators Steve Starkovich and Tony Meeker have introduced legislation to limit public exposure to radiofrequency and microwave (RF/MW) radiation. Under the proposed law, the state would adopt the Multnomah County standard for 100 kHz to 300 GHz radiation, which at its strictest level (for the 30 to 300 MHz band) limits exposures to 200 $\mu\text{W}/\text{cm}^2$.

The Senate Energy and Environment Committee plans to hold a public hearing on the measure in early May. According to Starkovich's aide Jim Edmonds, "chances for the bill reaching the senate in its current form are slim." Edmonds said the hearing

would be valuable in itself as a state-wide forum for discussing radiation hazard issues.

Senate Bill 623 incorporates the exposure standards adopted in Multnomah County Ordinance 330. Modeled after Massachusetts' proposed standard, the county's 200 $\mu\text{W}/\text{cm}^2$ limit rises to 1 mW/cm^2 for frequencies above 1500 MHz and to 20 mW/cm^2 for those below 3 MHz. (See *MWN*, May, June and July/August 1982.) The Oregon law would not cover portable sources emitting 100 watts or less (ERP), any source emitting 7 watts or less, and industrial, scientific and medical equipment. A state-wide program would be set up to identify sources and measure radiation levels.

The bill was drafted at the request of People Against the Tower (PAT), a citizens' group seeking the removal of a large UHF TV tower in Silverton, OR. A PAT spokesman explained that some residents are pushing for a radiation exposure rule "as a matter of principle." The proposed standard would have no effect on Silverton, where estimated radiation exposures are no more than 1 $\mu\text{W}/\text{cm}^2$. ■

Zurich EMC Symposium

More than 100 papers were presented to an audience of 510 at the 5th Electromagnetic Compatibility Symposium and Technical Exposition, held in Zurich, Switzerland, March 8-10. A review of the proceedings reveals the wide range of topics covered by the participants — everything from models to measurements and shielding to standards.

One of the most significant trends is the growing attention to electromagnetic pulse (EMP) radiation. Over a dozen papers, many from European researchers, addressed EMP interactions. One engineer said he was surprised to see such interest in what was once an overlooked type of nuclear weapon radiation.

Here are some highlights from the published papers:

- On the basis of satellite-generated very low frequency (VLF) radiation data, K. Bullough and A. Cotterill of the Dept. of Physics at the University of Sheffield, England, estimate that power line harmonic radiation "may be responsible for the secular increase, which varies from 5 to 25 percent, in thunderstorm occurrence over southern Canada in the period 1935 to 1970 relative to that in the period 1900 to 1935."

- Michel Sirel of the Societe Les Cables de Lyon in Paris offers a new view of EMP propagation below ground. His experimental work leads him to conclude that at a depth of 500 meters in granite soil, an EMP signal has a much greater amplitude than predicted by theory.

- A study of radiation risks in the amateur radio service by two Polish researchers concludes that, with a good transmitter and a properly installed antenna, amateur stations do not present a public hazard, even taking into account the strict Polish electromagnetic radiation standards.

- A.C.D. Whitehouse of the UK Home Office's Directorate of Radio Technology makes a strong case for international EMC standards. Two examples: When CB radios were imported into the UK, they caused severe RFI problems, especially to radio and TV receivers. The government later introduced its own CB equipment, with an FM modulation in contrast to the earlier AM modulated sets. But there were enough old CBs around to force the government to consider immunity standards. Also, conflicting regulations on electric lawn mowers vitiated EMC precautions. A safety standard required the mowers to have a cord of minimum length, but the cord produced resonant effects that invalidated the results of RFI testing.

- J.F. Fisher of Xerox in El Segundo, CA, describes a method of correlating surface currents with radiated fields for frequencies above 30 MHz as a way of avoiding costly open field radiation testing. Fisher used a current sensor to estimate emissions from

large and small copiers and from a word processor with very reasonable accuracy.

Those interested in obtaining a copy of the symposium proceedings should contact: T. Dvorak, EMC Proceedings Editor, ETH Zentrum —IKT, 8092 Zurich, Switzerland. ●

WHO Non-Ionizing Radiation Protection Report

The World Health Organization's (WHO) European Regional Office has published a report on the health effects of non-ionizing radiation. *Non-Ionizing Radiation Protection* is a 267-page compilation of papers that cover the spectrum from ultraviolet to ELF. Each chapter includes recommendations for avoiding hazardous exposures and is annotated with extensive references.

Radiofrequency (RF) and microwave (MW) radiation effects are reviewed by Professor Sol Michaelson of the University of Rochester, NY. Michaelson recommends efforts be made "to minimize the impact" of RF/MW sources in the environment, adding that "voluntary action in this direction may avoid the necessity for mandatory regulation." He notes that "information is available only for a limited range of [MW] frequencies and is lacking on the effects of repetitive and chronic exposure, and on the dose and frequency dependence of effects in biological systems."

For 50 and 60 Hz radiation, Professor R. Hauf of the Research Institute of Electropathology, Freiburg, West Germany, concludes that 20 kV/m electric fields and 240 A/m magnetic fields are safe, as are those produced by transmission systems operating at voltages of up to 420 kV. Although Hauf believes fields from systems with even higher voltages are not hazardous, he recommends that epidemiological studies "should be continued, especially on workers exposed to 800 kV systems..."

Other chapters examine ultraviolet, optical and infrared radiation, lasers, and ultrasound, as well as regulations and enforcement procedures.

Non-Ionizing Radiation Protection (WHO Regional Publications, European Series No. 10, 1982), edited by M.J. Suess, is available for \$15.75 including postage from the WHO Publications Center, 49 Sheridan Avenue, Albany, NY 12210, or from your nearest WHO distribution office.

URSI Symposium on Bioeffects of MM Waves

URSI's Working Group on Measurements Related to the Interaction of Electromagnetic Fields with Biological Systems is organizing a symposium on *Techniques in Studies of Biological Effects of Low-Level Millimeter Waves* to be held September 4-6 near Munich, West Germany.

According to Professor Saul Rosenthal, the chairman of the working group, the attendees will specify biological end points

and exposure systems for bioeffect studies of low intensity millimeter waves. The objective, he said, is to ensure that "the results of an experiment done anywhere in the world are clear, making replication more feasible."

Rosenthal hopes to organize other, similar meetings to select parameters for experiments in other frequency ranges.

The symposium will resemble a Gordon conference, with no published proceedings in order to encourage a free exchange of ideas. Although attendance is by invitation only, interested experts are encouraged to apply. Some 30-40 scientists are expected.

For more information contact the symposium chairman, Dr. Fritz Keilmann, Max-Planck Institut für Festkörperforschung, 7000 Stuttgart 80, West Germany or Professor Saul Rosenthal, Polytechnic Institute of New York, Route 110, Farmingdale, NY 11735, (516) 454-5074. URSI stands for the International Union of Radio Science. ●

NAS-NRC Studies on Atmospheric Electricity and Emergency Communications Systems

The National Academy of Sciences (NAS) has begun a study of the atmospheric electrical environment. The Geophysics Study Committee of the NAS's National Research Council (NRC) will review recent advances in lightning and cloud physics and electrical phenomena in the atmosphere from an interdisciplinary perspective.

One topic to be addressed by the committee is a revision of lightning protection methods. Recent measurements of electromagnetic signatures indicate that lightning current rise times are about an order of magnitude faster than the present engineering test standards.

The chairmen of the study group are Dr. E. Philip Krider of the Institute of Atmospheric Physics at the University of Arizona, Tucson, and Dr. Raymond Roble of the National Center for Atmospheric Research in Boulder, CO. Background scientific papers for the study will be presented at the American Geophysical Union meeting in Baltimore this June.

The NRC's Committee on Review of National Communications System Initiatives in Support of National Security Telecommunications Policy has published an interim report on the problems of establishing an emergency communications system in an increasingly competitive industry. Electromagnetic pulse (EMP) effects will be addressed in a second interim report due later this year. (Another NRC committee is studying the EMP threat to electronic systems, see *MWN*, April 1983.) The committee is chaired by Professor Louis Rader of the University of Virginia.

National Joint Planning for Reliable Emergency Communications is available from the National Academy Press, 2101 Constitution Avenue, NW, Washington, DC 20418. ●

UPDATES

Biological Effects...Three researchers at the University of Rochester School of Medicine believe they have experimental support for the new RF/MW ANSI safety standard. Writing in the April 15 issue of *Science*, Drs. Norbert Roberts, Jr., Shin-Tsu Lu and Sol Michaelson report finding no significant changes in the viability or function of human mononuclear leukocytes (white blood cells) up to one week after a two-hour exposure to 2450 MHz continuous wave (CW) radiation. Because the ANSI standard is based on a committee consensus that hazardous effects are associated with a whole-body average specific absorption rate (SARs) above 4 W/Kg and because the Rochester group exposed the leukocytes to an SAR equivalent to 4 W/Kg, they interpret their results as presenting "no evidence that current safety standard recommendations are inappropriate." They are careful to acknowledge the limited applicability of their studies: "Direct extrapolation to the in vivo setting with many physiological, homeostatic, integrated systems is not appropriate," and later, "Not

completely excluded are potential microwave-induced effects resulting from exposure at similar SARs but different wave forms (frequencies, modulations and so on)." Nevertheless, they clearly state the opinion that: "earlier reports of possible microwave effects on human leukocytes...should not form a basis for the resetting of safety standards." Three studies are cited as these "earlier reports." Two are by Dr. W. Stodolnik-Baranska of the Medical Academy of Warsaw, Poland, and appear in *Nature* (214, 102, 1967) and in *Biologic Effects and Health Hazards of Microwave Radiation* (Warsaw: Polish Medical Publishers, 1974). The third paper is by Dr. Przemyslaw Czerski and details some of his work at the National Research Institute of Mother and Child in Warsaw, Poland (he is now at the FDA's National Center for Devices and Radiological Health in Rockville, MD), and is published in the *Annals of the New York Academy of Sciences* (247, 232, 1975). In all three studies, Stodolnik-Baranska and Czerski used pulsed, not CW, 2950 MHz microwaves. The

two most recent studies specify the same pulsing characteristics: a 1200 Hz repetition rate with a 1 microsecond pulse width. The Polish researchers used wave forms that the Rochester group says cannot be "excluded" from being biologically active. In a telephone interview, Michaelson told *Microwave News* that while, in his opinion no one has really demonstrated a difference in biological activity between pulsed and CW radiation, enough people do believe that "a direct comparison may not be appropriate." Thus the Polish and Rochester work may not be comparable, which leaves open the question of the adequacy of present standards for pulsed fields.... A new study, which will appear soon, shows the importance of modulation in producing an effect from exposure to RF/MW radiation. Drs. Daniel Lyle, Patricia Schechter, W. Ross Adey and Robert Lundak have observed an inhibition of immune function, specifically T-lymphocyte cytotoxicity, in the presence of a 450 MHz field sinusoidally amplitude modulated at 60 Hz. (A T-lymphocyte is one type of leukocyte or white blood cell.) They report that, "The unmodulated carrier wave did not affect cytotoxicity." The effect was weaker at lower and higher modulation frequencies, indicating the existence of a frequency "window" effect centered at 60 Hz. The paper has been accepted for publication in *Bioelectromagnetics* (Volume 4, Number 3) and is scheduled to appear late this summer. Lyle is based at the University of California, Riverside.... The air force has awarded Drs. Ernest Albert and Frank Slaby \$186,000 for a two-year study of the interaction of microwaves with the secretory products (e.g. ACTH) of the anterior pituitary cells using electron microscopy and biochemical assays. The two researchers, who are with the Department of Anatomy at George Washington University, will use radiation between 900 MHz and 3 GHz at power densities ranging from 10 uW/cm² to 100 mW/cm².... The Bioelectromagnetics Society (BEMS) has scheduled workshops on the bioeffects of 60 Hz electromagnetic fields, the use of TEM cells in dosimetry studies, the effects of RF radiation on calcium movement and the interaction of RF radiation with thermophysiology and homeostasis at the June BEMS meeting in Boulder, CO; see Conference Calendar.

Communications... An FCC proposal for relocating 12 GHz private microwave operators displaced by DBS has received plenty of bad reviews. Broadcasters fear a commission plan to allocate spectrum space by the technical characteristics of transmission rather than by type of use may land some 12 GHz orphans on their turf at 2 and 7 GHz, and lead to congestion and coordination problems. Comments submitted on the proposal are summarized in the April 4 *Broadcasting*.... The *IEEE Journal of Oceanic Engineering* will devote its July 1984 issue to ELF communications. For more information, contact M.L. Burrows, MIT Lincoln Laboratory, PO Box 73, Lexington, MA 02173.... To meet the fast-growing demand for cordless phones, the FCC has proposed to temporarily allocate frequencies at 46 and 49 MHz. Telephones operating at these frequencies could be marketed for six years while the commission seeks a permanent home for cordless service.... The FCC has eliminated many restrictions on FM radio subcarrier use, clearing the way for new radio paging services.

Compatibility & Interference... The FCC is getting ready to crack down on manufacturers and retailers of microcomputers that fail to meet commission RFI standards, according to a story in the April 25 *Electronic News*. Joseph Casey, the chief of the FCC Field Operations Bureau's investigation branch, cited 1982 surveys which indicated some 30 percent of the 317 RF devices tested violated emission limits—most of the offending equipment was personal computers and peripherals. Commission staff issued 44 citations to vendors; penalties can go as high as \$2,000 per violation per day. Casey said another survey will begin soon.... Even if your computer meets FCC standards, routine emissions may be strong enough to be detected and decoded by sophisticated listening equipment. In an April 5 article in the *New York Times*, William Broad provides some details about the Tempest program, which the super-secret National Security Agency describes as "an unclassified short name referring to investigations and studies of compromising emanations." With respect to how close one must get to a computer to decode its RF signals, Broad quotes Anthony Genova of Chomerics Inc. in Woburn, MA, as saying that "500 feet is not unreasonable at all."... Rome Air Development Center at Griffiss AFB, NY, is seeking proposals for a yearlong study of the possible EMI/EMC impacts of using monolithic microwave integrated circuits in critical command, control and communications systems.... The FCC has adopted final rules for devices that act as interfaces between TV receivers and personal computers or video games. The rules are published in the March 29 *Federal Register* (48 FR 13029).... The Underwriters Laboratory

has begun EMI testing at its new facility in Melville, NY.... Two researchers at the Tokyo Central R&D Labs in Japan have published a paper on "Properties of High Frequency Conducted Noise from Automotive Electrical Accessories" in the February issue of the *IEEE Transactions on Electromagnetic Compatibility*.

EMP and Microwave Weapons... William Broad's cover story on EMP, "The Chaos Factor," in the January/February issue of *Science* 83 sparked a number of letters, including one from Defense Secretary Caspar Weinberger. He assured readers that the US has taken steps to protect "certain critical communications systems" from EMP, permitting a "flexible" response to an enemy attack. In another letter, Charles Kinney, a former analyst at the army's Training and Doctrine Command at Fort Monroe, VA, relates his frustrations in trying to alert army staff to the possible threat of a Soviet "directed EMP or high power microwave, coherent beam of immense peak power." He goes on to note that DoD's Directed Energy Program now includes radiofrequency weapons—research "being done under classified wraps at an accelerated pace." (The letters appear in the March issue.) Kinney also wrote an article about particle beam, laser and microwave weapons for the February issue of *Military Electronics/Countermeasures*. He must have gotten his message across: In its recent report, *Soviet Military Power*, DoD notes that: "Indications of Soviet interest in radiofrequency technologies, particularly the capability to develop very high peak-power microwave generators, indicate [sic] that the Soviets intend to develop such a weapon." (p.75) The *Washington Post* confirmed the US is also busy working on these technologies. In an April 17 front page story, Walter Pincus reported that EMP bombs are being developed at the Lawrence Livermore and Los Alamos National Laboratories. And a team from Lawrence Livermore will present a paper on "Dynamic Characteristics of Intense Short Microwave Propagation in Atmosphere and Air Breakdown Threshold" at the classified HEART conference on July 21 in Oak Ridge, TN (see Conference Calendar on p.8).... Daniel Stein, a physicist at Princeton University, writes about EMP weapons policy in the March *Bulletin of Atomic Scientists*.... Corning has developed glass dielectric capacitors that have significant immunity to EMP. For more information, contact Corning's Ronald Demcko at (919) 876-1100.

Government... At an April 14 meeting in Washington, DC, EPA's Office of Radiation Programs offered a working draft of its RF/MW exposure guidance for review by an inter-agency group. EPA staff briefed the group on progress toward completing the proposed guidelines, which are due this fall.... As expected, the charter of NTIA's Frequency Management Advisory Council (FMAC) has been renewed for another two years. For more information, contact Charles Hutchison at NTIA, (202) 377-0805.

International... Last month we reported that the Standards Association of Australia (SAA) has proposed new RF/MW safety limits identical to the revised 1982 ANSI standard for workers. For the general population, the limits would be a factor of ten lower. The Australian Council of Trade Unions (ACTU) has now filed comments objecting to the SAA draft. The ACTU wants the standard's frequency range to be extended down to 50 Hz because of recent reports linking power line radiation to leukemia. Citing an ongoing study of the health of radio linemen by the Australian Postal and Telecommunications Union, the ACTU states that there is already evidence confirming the existence of "radiowave disease." The council argues: "The conclusion reached by the [SAA] that non-thermal effects are insignificant and can be ignored is a view that cannot be sustained, is not scientifically or medically valid and is certainly not shared by either the ACTU or bodies like NIOSH or WHO." The ACTU offers a counter-proposal: the adoption of the new Soviet standard for occupational exposures (25 uW/cm² for 8 hours for 300-3,000 MHz, see *MWN*, November 1982 for details) and 10 uW/cm² for the general population.

Litigation... Marc Moller, a lawyer with Kreindler & Kreindler in New York City, will be the luncheon speaker at the International Microwave Power Institute symposium in Philadelphia on July 20 (see Conference Calendar on p.8 for details). He will discuss "Litigation Implications of Microwave Exposure and Personal Injury Claims." Moller was the lead attorney on the Engel-TACAN pancreatic cancer suit, which was settled out of court last December (see *MWN*, January/February 1983).

Measurement... The proceedings of the 1982 *Conference on Precision Electromagnetic Measurements* appear in the March issue of *IEEE Trans-*