

[Skip to main content](#)

An official website of the United States government
[Here's how you know](#)

NIH Websites Are Changing

- [Get the Latest Updates and FAQs on the transition](#)
- Per [Executive Order 14434](#), federal agencies are now using "Super Intelligence" (SI) in place of "Artificial Intelligence" (AI). You may see both terms across NIH content during this transition.

Search

Log in

Primary site navigation

Search PMC Full-Text Archive

Search in PMC

- [Journal List](#)
- [User Guide](#)

As a library, NLM provides access to scientific literature. Inclusion in an NLM database does not imply endorsement of, or agreement with, the contents by NLM or the National Institutes of Health.

Learn more: [PMC Disclaimer](#) | [PMC Copyright Notice](#)

Indian J Occup Environ Med

. 2024 Apr 10;28(1):18–22. doi: [10.4103/ijoem.ijoem_89_23](https://doi.org/10.4103/ijoem.ijoem_89_23)

Investigation of the Adverse Health Effects of Cell Phone Radiation and Propose Solutions to Minimize Them: A Systematic Review

[Hadis Elyasi](#)¹, [Masoud Ghanbari](#)², [Farshad Nadri](#)^{1,3}✉

- Author information
- Article notes
- Copyright and License information

PMCID: PMC11111148 PMID: [38783888](https://pubmed.ncbi.nlm.nih.gov/38783888/)

Abstract

Today, mobile phones are one of the most common devices emitting electromagnetic radiation and are available to more than seven billion people in different age groups around the world. The effects of electromagnetic radiation on biological systems have been studied for several years. In this systematic review to find relevant articles, international databases such as Google Scholar, PubMed, Scopus, Science Direct, Web of Science, and Cochrane were used since 2007–2022 by selecting appropriate keywords. The result revealed that exposure to cell phone radiation can lead to disturb in the metabolic activity of the cerebellum by increasing the migration of granulos cells, decrease the water around the fetus in pregnant women, decrease in the number of blood plates, increasing levels of ALT and AST that they are the

key biomarkers of liver damage, decrease of phagocytosis and induced apoptosis of neutrophils, changes at the level of glucose and even at the microscopic level of pancreas this may be a predisposing factor for diabetes, increment in tissue temperature in all depth of the brain tissue, EMF increase the volume, weight, and atresia follicles of the ovaries of the children, also it can cause oxidative stress, DNA fragmentation, etc. Mobile phone radiation is harmful and depends on its intensity, frequency, wave type, and exposure duration. It can cause different biological effects in humans. Due to the uncertainty of the results and mechanism of the effect of these waves, research in this field is still ongoing.

Keywords: Health, human, mobile phone, radiation

INTRODUCTION

Modern technology has introduced an instrument called as cell phones for the benefit of human beings. It is now widely used by people all over the world. The emergence and evolution of mobile phones is one of the fastest in the history of innovation.[\[1\]](#) Currently, the number of cell phone users worldwide is estimated to be almost 7 billion.[\[2\]](#)

Despite the numerous studies that have been published over a decade, it still remains uncertain that their use of cell phones may lead to serious debilitating problems in the miscellaneous body structures while placing the cell phones or during their use.[\[1\]](#) The aim of this review is to investigate

the adverse effects of mobile phone radiation on human health.


MATERIALS AND METHODS

International databases (Google Scholar, PubMed, Scopus, Science Direct, Web of Science, and Cochrane) were searched since 2007–2022. Our search strategy was: “cell phone” OR “mobile phone” AND radiation OR waves AND adverse [Mesh] AND effect.

Inclusion criteria: all reviews and original studies in this field.

Exclusion criteria: impossibility of accessing the full text of articles, repetitive studies, insufficient data, and irrelevant studies. The path of our study was done according to [Figure 1](#). This article is taken from a research project at Kermanshah University of Medical Sciences (IR.KUMS.REC.1402.228).

Figure 1.



[Open in a new tab](#)

PRISMA diagram RESULTS

After reviewing the articles, 20 articles were selected, which are summarized in [Table 1](#).

Table 1.

Summary of articles

Row	Study	Country	Article title	Exposure detail	Key findings
1	Mittal <i>et al.</i> (2022)[3]	India	Ocular effects of mobile phone radiation.	A convenience sample of 200 adults visiting our out-patient's services with 20/20. All participants underwent Schirmer's test, Tear film break-up time, central corneal thickness and central macular thickness measurements for comparison on both the sides.	Radiation exposure had no significant effect on the parameters measured.
2	Singh <i>et al.</i> (2020)[4]	India	Effect of mobile phone radiation on oxidative stress, inflammatory response, and contextual fear memory in Wistar rat.	Exposure was performed on young adult male Wistar rats for 16 weeks continuously (2 h/day) with MP-RF-EMF radiation having frequency, power density, and SAR 1966.1 MHz, 4.0 mW/cm ² , and 0.36 W/kg, respectively.	Incubation of rats with RF-EMF radiation for 16 weeks resulted in increased levels of oxidative stress, inflammatory response, and contextual fear memory.
3	Hasan and Islam (2020)[5]	Bangladesh	Biochemical and histopathological effects of mobile phone radiation on the liver of Swiss albino mice.	Male mice were categorized into three groups: control group (A), exposed group for 40 minutes (B) and exposed group for 60 minutes (C). They were exposed to radiation per day for 60 days from 4G (Huawei GR5 2017).	The histopathological changes in the liver of Swiss albino mice were observed in the exposed groups (B and C) compared to the control group (A).
4	Yinhui <i>et al.</i> (2019)[7]	China	Effect of cell phone radiation on neutrophil of mice.	Sample: 40, 5–6 week-old male. Group A (control group): Free from exposure. Group B (blank group): Exposed to cell phone with no communication card. Group C (TD-SCDMA group): Exposed to cell phone with Time Division synchronous. CDMA communication card, 1800MHz frequency. Group D (LTE-advanced group): Exposed to cell phone with Long Term Evolution-Advanced communication card, 1900MHz frequency.	It was found that the neutrophil count in the control group (A) was significantly higher than in the other groups (B, C, and D).
5	Elsawy <i>et al.</i> (2019)[8]	Egypt	Electrophysiological assessment of the impact of mobile phones. Radiation on cognition in persons with epilepsy.	The Global System for mobile communications signal had a carrier frequency of 900 MHz, and the head-specific absorption rate was 0.636 W/kg.	Altered electrophysiological parameters were observed in persons with epilepsy exposed to mobile phone radiation, indicating a potential impact on cognition.

Row	Study	Country	Article title	Exposure detail	Key findings
6	Hosseini <i>et al.</i> (2019)[9]	Iran	Assessment and prediction of parasites and the use of mobile phones in pregnant mothers on the amount of water in the fetus based on the given algorithms.	After collecting data (by questionnaires) and preprocessing them with The mentioned features on the reduction of the amount of water around the fetus, investigation and appropriate associative rules for extracting predictive prior algorithm became.	If p for on fet
7	Gupta <i>et al.</i> (2018)[1]	India	Effect of mobile phone radiation on the pancreas of rats.	42 Albino rats, Exposure group (mobile phone of GSM model with a frequency bandwidth of 900 MHz, over 2 watts and SAR value of 0.38 W/Kg).	Ch ev par for
8	Forouharmajd <i>et al.</i> (2017)[10]	Iran	Changes in the temperature of different depths of brain tissue in the face of radiofrequency waves.	Cow brain tissue was investigated in a chamber at three tissue depths of 2,22,12 mm and at a distance of 4 cm and 4mm from a mobile phone for 15 minutes, the thermal effect of mobile phone radiation during exposure and after stopping exposure.	Ce inc dep bra cau hig
9	Siqueira, <i>et al.</i> (2016)[11]	Brazil	Cell phone use is associated with an inflammatory cytokine profile of parotid gland saliva.	Participants (82 healthy Brazilian individuals) used cell phone for <10 years and 41.5% of participants reported more than 200 min of cell phone use per month.	Th ph cor mi to
10	Shah, <i>et al.</i> (2015)[12]	India	Cell phone radiation and genomic damage: <i>in-vitro</i> exposure and assessment.	Two sets of experiments were carried out one with 20 dBm and another with 30 dBm at 916 MHz with the exposure time of 1–8 hrs at one hour interval.	Inc hig tim
11	Rostamzadeh, <i>et al.</i> (2015)[13]	Iran	The effect of mobile phone waves on the migration of hypergranular cells in the cerebellum of newborn rats.	(Nokia 1200b, Type: RH-100, Finland) In conversation mode, SAR=0.81 W/Kg.	Inc cau res and dis cer
12	Mahata, <i>et al.</i> (2015)[14]	India	Effect of radiofrequency radiation emitted by a mobile phone on the human cardiovascular system.	-	Slip pre act

Row	Study	Country	Article title	Exposure detail	Key findings
13	Ahmadi Tameh, <i>et al.</i> (2014)[15]	Iran	Long-term exposure to cell phone radiation and stress.	Male Wistar rats were randomly divided into control and groups exposed to cell phone radiation for 1, 3, or 6h/day of 5 rats in each group. After 8 weeks, blood samples were obtained using the cardiac puncture method.	Enzyme activity, malondialdehyde, and antioxidant levels were measured.
14	Ragy <i>et al.</i> (2014)[16]	Egypt	Effect of exposure and withdrawal of 900-MHz-electromagnetic waves on brain, kidney, and liver oxidative stress and some biochemical parameters in male rats.	The mobile phone emits 900-MHz EMR on the brain, liver, and kidney of male albino rats. 30 male adult rats, exposure group (exposed to 900-MHz EMR for 1 h/d for 60 d) and withdrawal group (exposed to 900-MHz electromagnetic wave for 1 h/d for 60 d then left for 30d without exposure).	FM, lipid peroxidation, and biochemical parameters were measured.
15	Skamrova <i>et al.</i> (2013)[6]	Russia	Influence of mobile phone radiation on membrane permeability and chromatin state of human buccal epithelium cells.	Nokia, Samsung, Sony Ericson, Motorola, LG, Siemens, Sony, etc., were selected. As a source of EMR, two mobile phones were selected corresponding to the edges of this distribution with SAR1=0.531 W/kg and SAR2=1.1 W/kg and a frequency of 900 MHz.	The chromatin state and membrane permeability were measured.
16	Simon, <i>et al.</i> (2013)[17]	France	Exposure to acute electromagnetic radiation of mobile phone exposure range alters transiently skin homeostasis of a model of pigmented reconstructed epidermis.	Mobile phone exposure (GSM basic, 900 MHz, SAR 2 mW g ⁻¹ , 6 h) on a model of pigmented skin.	Altered skin homeostasis and pigmentation were observed.
17	Dasdag <i>et al.</i> (2012)[18]	Turkey	Effect of 900 MHz radio frequency radiation on beta amyloid protein, protein carbonyl, and malondialdehyde in the brain.	17 Wistar albino rats were exposed to 900 MHz radiofrequency radiation. For the study group (<i>n</i> : 10), rats were exposed to the radiation 2 h per day (7 days a week) for 10 months.	Te, 900 MHz radiofrequency radiation, and malondialdehyde levels were measured.
18	Stander, <i>et al.</i> (2011)[19]	South Africa	Effects of non-thermal mobile phone radiation on breast adenocarcinoma cells.	Cells were exposed to 2W/kg non-thermal 900-MHz mobile phone radiation.	Increased cell proliferation and metabolic activity were observed.

Row	Study	Country	Article title	Exposure detail	Key findings
19	Kwon <i>et al.</i> (2011)[20]	Finland	GSM mobile phone radiation suppresses brain glucose metabolism.	30 young right-handed male subjects were exposed to a pulse-modulated 902.4 MHz GSM for 33 minutes.	Low glucose metabolism in the prefrontal cortex compared to control subjects. No significant changes in other brain regions.
20	Terao, <i>et al.</i> (2007)[21]	Japan	Effects of 30-minute mobile phone exposure on saccades.	A double blind, counterbalanced crossover design was employed.	Increased saccadic latency and amplitude during mobile phone exposure.

[Open in a new tab](#)

DISCUSSION AND CONCLUSION

The daily increase in the number of cell phone users, especially smartphones, has led scientists to study their short-term and long-term adverse effects on human health. This study has revealed most of the effects of cell phone radiation on human health, and it has carefully examined the short-term and long-term effects of radiation on all the organs and systems of the human body.

Electromagnetic radiation (EMF) is found everywhere. More and more wireless communication devices are expected. It seems that there is no way to change this trend among people. There is no way to completely protect ourselves against dangerous radiation, but by taking the measures mentioned and informing people who do not know about them,

we can minimize the effects of these deadly radiations. Some of these measures include.[\[22,23\]](#)

- People should use less of it.
- Cell phones with a minimum SAR have to be used.
- Usage of cell phones by children <10 years old should be limited.
- Avoided it to make calls when it has a low signal and a low battery that is why the cell phone will produce more radiation in an effort to rectify it.
- Keep your cell phone away from your body when you are talking to it.
- While communicating, apply speaker mode or hands-free devices such as earphones or Bluetooth, and use more landline phones.
- People who have medical implants should keep their mobile phones at least 30 cm away from their implants.
- People with epilepsy should keep their cell phones at least 20 cm away from their chest.

Continuous exposure to electromagnetic field radiation is dangerous and can have harmful effects on the human body. These effects depend on the frequency, distance, and duration of exposure. It is always suggested to avoid unnecessary exposure to EM fields whenever possible. Although new technologies make our life so convenient, we should be careful about the more important aspects of their

use, that is, their harmful effects, and spread the guidelines for the use of these devices around the world.[22]

Financial support and sponsorship

Nil.

Conflicts of interest

There are no conflicts of interest.

Acknowledgment

The authors consider it their duty to thank the Research Center for Environmental Determinants of Health (RCEDH), Health Institute, Kermanshah University of Medical Sciences, Kermanshah for approving the project No.4020679.

REFERENCES

- 1. Gupta S, Jain S, Khare S, Gautam P. Effect of mobile phone radiation on pancreas of rats. JMSCR. 2018;6:833–39. [[Google Scholar](#)]
- 2. Wei X, Yang X, Han ZH, Qu F, Shao L, Shi YF. Mesenchymal stem cells: A new trend for cell therapy. Acta Pharmacol Sin. 2013;34:747–54. doi: 10.1038/aps.2013.50. [[DOI](#)] [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
- 3. Mittal SK, Rana R, Puthalath A, Agrawal A, Anupam, Gupta N, et al. Ocular effects of mobile phone radiation. Indian J Clin Exp Ophthalmol. 2022;8:66–71. [[Google Scholar](#)]
- 4. Singh KV, Gautam R, Meena R, Nirala JP, Jha SK, Rajamani P. Effect of mobile phone radiation on oxidative stress, inflammatory response, and contextual fear memory in Wistar rat. Environ Sci Pollut Res. 2020;27:19340–51. doi: 10.1007/s11356-020-07916-z. [[DOI](#)] [[PubMed](#)] [[Google Scholar](#)]

- 5.Hasan I, Islam MR. Biochemical and histopathological effects of mobile phone radiation on the liver of Swiss albino mice. *Eur J Anat.* 2020;24:257–61. [[Google Scholar](#)]
- 6.Skamrova GB, Lantushenko AO, Shckorbatov YG, Evstigneev MP. Influence of mobile phone radiation on membrane permeability and chromatin state of human buccal epithelium cells. *Biochem Biophys.* 2013;1:22–8. [[Google Scholar](#)]
- 7.Yinhui P, Hui G, Lin L, Xin A, Qinyou T. Effect of cell phone radiation on neutrophil of mice. *Int J Radiat Biol.* 2019;95:1178–84. doi: 10.1080/09553002.2019.1607605. [[DOI](#)] [[PubMed](#)] [[Google Scholar](#)]
- 8.Elsawy N, Elkholy S, Azmy R, Maher EA, Shamloul R. Electrophysiological assessment of the impact of mobile phone radiation on cognition in persons with epilepsy. *J Clin Neurophysiol.* 2019;36:112–8. doi: 10.1097/WNP.0000000000000545. [[DOI](#)] [[PubMed](#)] [[Google Scholar](#)]
- 9.Hosseini Z, Moayyedi F, Dashti E. Evaluation and prediction of the impact of parasite waves and cell phone use by pregnant mothers on the volume of amniotic fluid based on data mining algorithms. *J Health Biomed Inform.* 2019;6:243–54. [[Google Scholar](#)]
- 10.Forouharmajd F, Pourabdian S, Ebrahimi H. Different reactions of different magnetic temperatures of brain tissue in the face of mobile radiofrequency waves. *Iran J Radiat Saf Measur.* 2020;8:31–40. [[Google Scholar](#)]
- 11.Siqueira EC, de Souza FTA, Ferreira E, Souza RP, Macedo SC, Friedman E, et al. Cell phone use is associated with an inflammatory cytokine profile of parotid gland saliva. *J Oral Pathol Med.* 2016;45:682–6. doi: 10.1111/jop.12434. [[DOI](#)] [[PubMed](#)] [[Google Scholar](#)]
- 12.Shah C, Nair A, Naik M, Bakshi S. Cell phone radiation and genomic damage:In vitro exposure and assessment. *Cell.* 2015;4:401–5. [[Google Scholar](#)]
- 13.Rostamzadeh A, Mohammadi-Bolbanabad H, Fatehi D. Effects of cell phone waves on granular cells migration of cerebellum in neonatal rat. *Shahrekord Univ Med Sci.* 2015;17:26–34. [[Google Scholar](#)]
- 14.Mahata H, Mousumi C, Sujaya D, Moitreyee S, Prakash D. *Ergonomics for Rural Development* Publisher: Department of Human Physiology with Community Health Vidyasagar University. 2013:203–10. [[Google Scholar](#)]

- 15.Ahmadi Tameh A, Ahmadi R, Gohari A, editors. International Conference on Earth, Environment and Life sciences. Dubai (UAE): 2014. Long term exposure to cell phone radiation and stress. [[Google Scholar](#)]
- 16.Ragy MM. Effect of exposure and withdrawal of 900-MHz-electromagnetic waves on brain, kidney and liver oxidative stress and some biochemical parameters in male rats. *Electromagn Biol Med*. 2015;34:279–84. doi: 10.3109/15368378.2014.906446. [[DOI](#)] [[PubMed](#)] [[Google Scholar](#)]
- 17.Simon D, Daubos A, Pain C, Fitoussi R, Vie K, Taieb A, et al. Exposure to acute electromagnetic radiation of mobile phone exposure range alters transiently skin homeostasis of a model of pigmented reconstructed epidermis. *Int J Cosmetic Sci*. 2013;35:27–34. doi: 10.1111/j.1468-2494.2012.00746.x. [[DOI](#)] [[PubMed](#)] [[Google Scholar](#)]
- 18.Dasdag S, Akdag MZ, Kizil G, Kizil M, Cakir DU, Yokus B. Effect of 900 MHz radio frequency radiation on beta amyloid protein, protein carbonyl, and malondialdehyde in the brain. *Electromagn Biol Med*. 2012;31:67–74. doi: 10.3109/15368378.2011.624654. [[DOI](#)] [[PubMed](#)] [[Google Scholar](#)]
- 19.Stander BA, Marais S, Huyser C, Joubert AM, Fourie Z, Leszczynski D. Effects of non-thermal mobile phone radiation on breast adenocarcinoma cells. *S Afr J Sci*. 2011;107:1–9. [[Google Scholar](#)]
- 20.Kwon MS, Vorobyev V, Kännälä S, Laine M, Rinne JO, Toivonen T, et al. GSM mobile phone radiation suppresses brain glucose metabolism. *J Cereb Blood Flow Metab*. 2011;31:2293–301. doi: 10.1038/jcbfm.2011.128. [[DOI](#)] [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
- 21.Terao Y, Okano T, Furubayashi T, Yugeta A, Inomata-Terada S, Ugawa Y. Effects of thirty-minute mobile phone exposure on saccades. *Clin Neurophysiol*. 2007;118:1545–56. doi: 10.1016/j.clinph.2007.03.014. [[DOI](#)] [[PubMed](#)] [[Google Scholar](#)]
- 22.Sharma AB, Lamba OS. A review: Source and effect of mobile communication radiation on human health. *AWMC*. 2017;10:423–35. [[Google Scholar](#)]
- 23.Ali A, Asadi-Pooya, Nafiseh Mirzaei Damabi, Rostaminejad Marzieh, Shahisavandi Mina, Asadi-Pooya A. Smart devices/mobile phone in patients with epilepsy? A systematic review. *Acta Neurol Scand*. 2021;44:355–65. doi: 10.1111/ane.13492. [[DOI](#)] [[PubMed](#)] [[Google Scholar](#)]

Articles from Indian Journal of Occupational and Environmental Medicine are provided here courtesy of **Wolters Kluwer - - Medknow Publications**

ACTIONS

- [View on publisher site](#)
- [PDF \(729.6 KB\)](#)
- Cite
- Collections
- Permalink

RESOURCES

CITED BY OTHER ARTICLES
LINKS TO NCBI DATABASES

ON THIS PAGE

- [Abstract](#)
- [INTRODUCTION](#)
- [MATERIALS AND METHODS](#)
- [RESULTS](#)
- [DISCUSSION AND CONCLUSION](#)
- [Acknowledgment](#)
- [REFERENCES](#)

-

-
-

MLA AMA APA
NLM

FOLLOW NCBI

[NCBI on X \(formerly known as Twitter\)](#)[NCBI on Facebook](#)[NCBI on LinkedIn](#)[NCBI on GitHub](#)[NCBI RSS feed](#)

Connect with NLM

[NLM on X \(formerly known as Twitter\)](#)[NLM on Facebook](#)[NLM on YouTube](#)

[National Library of Medicine](#)

[8600 Rockville Pike](#)

[Bethesda, MD 20894](#)

- [Web Policies](#)
- [FOIA](#)
- [HHS Vulnerability Disclosure](#)
- [Help](#)
- [Accessibility](#)
- [Careers](#)

- [NLM](#)
- [NIH](#)
- [HHS](#)
- [USA.gov](#)

