

Hello. To whom it may concern the HHS.

I am sharing the situations from my body's experiences of RF/EMF, electromagnetic frequencies in Sonoma County, California beginning in May of 1997.

37 years ago, in 1988, I moved to a house in Guerneville., California.

In May of the year 1997, nine years after my arrival, before I had realized what is affecting my biology, I struggle to stay in my bedroom, to sleep, to sit on my deck. I could feel prickling and heat on my skin, intense burning pain in the bones, the swelling in my brain and hear an incessant hum, tinnitus in the ears- I would plug my ears and the hum never stopped. I can sense three or four different RF/EMF frequencies-which increases in amplitude as I drive up the mountain and/or in the wee hours of night when, the telecom industry increases the intensity of the RF/EMF microwaves. There is no silence, no peace. There is headaches, nausea, a life threatening cough and an accelerated heart beat.

I paid an RF/EMF professional to measure (enclosed) the microwaves at my home. The microwaves are in the carcinogenic levels according to the EMF Initiative.

This RF/EMF non-ionizing microwave radiation penetrates everything. It is radiating through the body, the bees, bats, deer, trees- living beings. Bees once kissed all my plants and trees. Today, I only see 2-3 bees. No more bats.

I walked the mountain inquiring of the effects on other neighbors. Their response was identical to the corporations propaganda of RF/EMF non-ionizing radiation being safe. The AT&T tower is 1.1 miles from my residence.

Whenever I had been outside in the radiating RF/EMF microwaves, after 20-30 minutes, my heart would stop and the body's innate intelligence activating the lungs to cough to pump the heart to keep the heart beating, horrific and painful. The stroke symptoms were a sense of being paralyzed, could not speak or use my hands and arms. These responses were after escaping the microwaves environment and the body realized the pain the RF/EMF microwaves.

I was taken to two hospitals, Santa Rosa and Palm Drive Hospital in Sebastapol, several times for chest pain, high blood pressure, paralysis to the face, arms, and hands, stroke symptoms, swelling in my skull. (Files will be sent upon request)

On three separate occasions, within an hour of leaving my home, seizures would begin- my lips and cheeks began numbing, and I could not speak. My arms became

numb and I was nauseous and dizzy- could barely walk. Five times I ended up in the emergency room of the local Palm Drive Hospital. I reported to the doctor on duty my brain felt swollen. Every diagnostic tests- MRI, MRA and Catscan, blood tests were given, and no evidence of a cause. (Files will be sent upon request)

I was becoming more ill because I did not get sleep, there was no rest. Through deduction of when and where the symptoms arose is when I am on the mountain and realized it was the radiation from the tower. The hum, the heat, the seizures were created by the emissions of RF/EMF ionizing microwave radiation from a mast cell tower that was placed on the mountain. After the tests I experienced, diagnosis which did not align with my situation, the radiologist, the doctors reported; their reports stated they had no explanation for the symptoms.

By 2013/14 my being could not handle the noise from the RF/EMF microwaves. The lack of sleep, the vibration, the high blood pressure, brain hydrocephaly, left arm pain, swollen eyes from the pressure of the hydrocephaly. Symptoms would be lowered when removed from the toxic microwaves.

I consulted with neighbors, and their responses were simple, echoing the media, 'the microwaves are safe!'

To aid a temporary recovery, for 4 years I slept on the sofa at the offices, or at friends homes, or client's homes or a camper. I have done all that I can to try and stay in my house. And a cessation of the affects of EMFs is not assured with the emf lowering devices. I still could not walk my land or on the mountain.

With all the medical tests and false diagnosis, in April of 2009, I began informing the health practitioners and doctors, through deduction, the creation of the symptoms, is the wRF/EMF, the ionizing microwave radiation. The health practitioners and doctors responses were simple, stating 'there are no tests to prove or diagnosis for emf.'

When I made efforts to stay overnight at my home, I would have symptoms in the morning. Through deduction I only allotted a small amount of time I could spend in my home. The RF/EMF effect is accumulative. Then the 4G began. I left the mountain for 4 years but visited every two days for my pets and take a shower.

I studied the emf information, searching for relief, what ever i could find on the subject, communicated with other beings working to change this horrific scenario, a Liz Barris in particular. I was asked to participate in a clinical study with 9 others with intense symptoms, overseen by Dr. Gunter Heuser. The study is enclosed, (Functional MRI..) I am #6.

Since then, as with millions, nothing has stopped this violation to life on the planet. I have resigned the chiropractic practice, surrendered the chiropractic license, as no building is microwave safe. I had a few clients who allowed visits to their home. Many I had to stop the visits as someone in their homes would turn on the router or have multiple phones. The effects on my life: no participation with friends, no enjoying dancing, eating out, visiting others, public activities, concerts, no traveling and no income.

Depending on the location of towers, my maximum is 8-16 minutes to be in stores. Over that amount of time in the stores, near towers and wifi, the heart may stop 20-25 minutes after the wifi saturation, the lungs begin pumping and I am intensely coughing. The intense pressure from the coughing has injured the heart valves.

Now I spend everything on searching for a home/land to make a small space where I am safe from the horrendous life-destroying wave-frequencies. The hum that never stops.

Most importantly the telecom corporations of RF/EMF know there are other electrical waves, like Tesla, and can send the information on healthy, scalar waves.

No one ever asked for feedback from the people on the construction on the tower, the location, or the intensity of the RF/EMF microwave tower. No one asked if I and millions wanted to give up our health, be immune suppressed, be ill and not to stay in our homes.

People should have the right to protect their health and home. The RF/EMF radiating microwaves are affecting the health of everyone and every creature. I am a doctor, no longer practicing and searching and engaging in a new modalities of healing from the microwaves.

Please create an initiative, an ordinance, law for people to protect their health- that no tower, antenna can be constructed without prior approval of everyone in the vicinity of the tower or antenna.

Stop the radiating non-ionizing microwaves.

.Thank you

Dr .Guenter Heuser's Clinic Study below:

Gunnar Heuser* and Sylvia A. Heuser

Functional brain MRI in patients complaining of electrohypersensitivity after long term exposure to electromagnetic fields

DOI 10.1515/reveh-2017-0014

Received April 3, 2017; accepted May 25, 2017; previously published online July 5, 2017

Abstract

Introduction: Ten adult patients with electromagnetic hypersensitivity underwent functional magnetic resonance imaging (fMRI) brain scans. All scans were abnormal with abnormalities which were consistent and similar. It is proposed that fMRI brain scans be used as a diagnostic aid for determining whether or not a patient has electromagnetic hypersensitivity. Over the years we have seen an increasing number of patients who had developed multi system complaints after long term repeated exposure to electromagnetic fields (EMFs). These complaints included headaches, intermittent cognitive and memory problems, intermittent disorientation, and also sensitivity to EMF exposure. Regular laboratory tests were within normal limits in these patients. The patients refused to be exposed to radioactivity. This of course ruled out positron emission tomography (PET) and single-photon emission computed tomography (SPECT) brain scanning. This is why we ordered fMRI brain scans on these patients. We hoped that we could document objective abnormalities in these patients who had often been labeled as psychiatric cases.

Materials and methods: Ten patients first underwent a regular magnetic resonance imaging (MRI) brain scan, using a 3 Tesla Siemens Verio MRI open system. A functional MRI study was then performed in the resting state using the following sequences:

1. A three-dimensional, T1-weighted, gradient-echo (MPRAGE)
2. Resting state network. The echo-planar imaging (EPI) sequences for this resting state blood oxygenation level

dependent (BOLD) scan were then post processed on a 3D workstation and the independent component analysis was performed separating out the various networks.

3. Arterial spin labeling.

4. Tractography and fractional anisotropy.

Results: All ten patients had abnormal functional brain scans. The abnormality was often described as decreased connectivity of the anterior component of the default mode in the medial orbitofrontal area. Other abnormalities were usually found. Regular MRI studies of these patients were mostly unremarkable in these patients.

Conclusion: We propose that functional MRI studies become a diagnostic aid when evaluating a patient who claims electrohypersensitivity (EHS) and has normal studies. Interestingly, the differential diagnosis of the abnormalities seen on the fMRI includes head injury which was then followed sometime later by development of EHS. Many of our patients also had a history of exposure to potentially neurotoxic chemicals such as mold. Head injury and neurotoxic chemicals may make a patient more vulnerable to developing EHS.

Keywords: electrohypersensitivity (EHS); electromagnetic field (EMF); fMRI; multiple chemical sensitivity (MCS)

Introduction

In the past the senior author (G.H.) practiced toxicology and in that capacity saw more than 100 patients who had suffered exposure to toxic chemicals. Impairment was often neurologic with loss of memory, function, headaches, intermittent confusion, dizziness, balance, and other symptoms. This impairment persisted, at times for years after exposure to

*Corresponding author: Gunnar Heuser, MD, PhD, Formerly
HICA Medical Center, Department of Medicine, PO Box 5066

